

MONOCULUS *Copepod Newsletter*

The Newsletter of the World Association of Copepodologists

Number 47 – Supplement

May 2004

CONTENTS

Editor's Notes	1
Plea for Reprints	1
Recent Publications	1

MONOCULUS Editor: Janet W. Reid

Research Associate, Division of Science & Learning
Virginia Museum of Natural History
Martinsville, Virginia 24112, U.S.A.

Tel. +1 276 656 6719; Fax. +1 276 656 6701

E-mail jwrassociates@sitestar.net

*Deadline for submissions to the next number of
MONOCULUS: 15 September 2004*

Material in *MONOCULUS* is reviewed only by the Editor.
This newsletter is not part of the scientific literature and is
not to be cited, abstracted, or reprinted as a published
document. Using the cartoons or text for other purposes
requires previous agreement by the Editor.

—
ISSN 1543-0731 (On-line version)

ISSN 0722-5741 (Printed version)

—
WAC Homepage

<http://www.copepoda.uconn.edu>

MONOCULUS Homepage

<http://www.copepoda.uconn.edu/newsletter>

MONOCULUS Homepage – University of Oldenburg

<http://www.uni-oldenburg.de/monoculus>

Peter Heuch, Sanda Iepure, Süphan Karaytug, Jens C. Nejtgaard, Myles O'Reilly, Graham S. Proudlove, Adelaide Rhodes, Paulo J. P. Santos, David Thistle, and Iris Werner all graciously provided literature references. Particular thanks to Peter Heuch for translating the titles of references in Norwegian.

— Jan Reid
Martinsville, U.S.A.

Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library!

Address of the Monoculus-Library:

C/o Prof. Kurt Schminke

Fachbereich 7

Universität Oldenburg

D-26111 Oldenburg, Germany

Mail to the C. B. Wilson Library should be sent to the address below. Mail sent to other (older) addresses may be irradiated, which will severely damage the paper.

C/o T. Chad Walter

Smithsonian Institution

PO Box 37012

NMNH, MRC-163

Washington DC 20013-7012, U.S.A.

Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages. If you note inaccuracies or omissions, please let me know and the correct version will appear in the next number of *MONOCULUS*.

The year of publication as given refers to the year in which the printed version of the journal was distributed, and not the year when it first became available online, if these are different.

Several references included in previous numbers are repeated here, with asterisks to indicate that they have now reached the Monoculus-Library and are available for copying on request. Grateful thanks to the donors!

This supplement will be posted in pdf format on the WAC website. For their convenience, WAC members may request a copy of the file from me. I will send it as an e-mail attachment in Word97 (DOS).

Recent Publications on Copepoda

Compiled by Chad Walter
(National Museum of Natural History, Washington,
D.C., U.S.A.) and Jan Reid

Older publications that were recently listed in the "World of Copepoda" bibliographic database (C. B. Wilson Library) are included. Please advise us if you learn of publications (including theses and "gray literature"), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the "World of Copepoda" database.

1994 and before

Adrian, R. 1986. Composition of algae and their pigments in fecal pellets of the copepods *Cyclops kolensis* and *C. vicinus* (Crustacea, Copepoda). Schriftenreihe des Fachbereichs Landschaftsentwicklung und Umweltforschung der TU-Berlin 40:153-156.

- Adrian, R. 1988. Untersuchungen zur herbivoren und carnivoren Ernährungsweise von *Cyclops kolensis* und *Cyclops vicinus* (Crustacea, Copepoda). [Investigations of the herbivorous and carnivorous feeding modes of *Cyclops kolensis* and *Cyclops vicinus* (Crustacea, Copepoda).] Ph.D. Dissertation, Freie Universität Berlin, Berlin, Germany. 185 pp. [In German.]
- Adrian, R., W. Dohle, C. Franke, B. Müller & A. Stimpfig. 1989. Studies on ecology and interdependence of zooplankton species. In: Lampert, W. & K.O. Rothhaupt (eds.). Limnology in the Federal Republic of Germany. Carius Druck GmbH, Kiel. Pp. 156-160.
- Aggio, C.E.G. 1993. Comunidade biótica dos filtros lentos de areia da estação piloto do SHS – Escola de Engenharia de São Carlos. [Biotic community of slow sand filters of the SHS pilot plant – School of Engineering of São Carlos.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 205 pp. [In Portuguese.]
- Aksnes, D.L. 1986. Resource allocation in the study of copepod population dynamics. Dr. Scient. Thesis, University of Bergen, Bergen, Norway. 2 vols.
- Alden, R.W., III, F.J.S. Maturo, Jr. & W. Ingram, III. 1976. Interactive effects of temperature, salinity, and other factors on coastal copepods. In: Esch, G.W. & R.W. McFarlane (eds.). Thermal Ecology II. Savannah River Ecology Laboratory Symposium CONF-750425. U.S. Energy Research and Development Administration. Washington, DC. Pp. 336-348.
- Al-Yamani, F.Y., K. Al-Rifaie & W. Ismail. 1993. Post-spill zooplankton distribution in the NW Gulf. Marine Pollution Bulletin 27:239-243.
- Amado, M.A.P.M. 1992. Ergasilídeos parasitas de peixes de águas continentais brasileiras (Copepoda: Poecilostomatoida), com uma hipótese de filogenia da família. [Ergasilids, parasites of fishes of Brazilian continental waters (Copepoda: Poecilostomatoida), with an hypothesis of the phylogeny of the family.] Tese de Doutorado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 204 pp. [In Portuguese.]
- Amjad, S. 1982. Meiofauna abundance, nematode/copepod ratio, and taxon diversity of the organically enriched sediments of the inner Oslo fjord. Master's Thesis, University of Oslo, Oslo, Norway. 89 pp.
- Andronikova, I.N. & M.V. Smel'skaya. 1994. Assessment of the trophic status of Lake Galichskoe from zooplankton indices. Water Research 21(6):680-683.
- Ansari, Z.A., C.L. Rodrigues, A. Chatterji & A.H. Parulekar. 1982. Distribution of meiobenthos and macrobenthos at the mouth of some rivers of the east coast of India. Indian Journal of Marine Sciences 11:341-343.
- Armonies, W. 1986. Free-living platyhelminthes in sheep-grazed and ungrazed supralittoral salt marshes of the North Sea: abundance, biomass, and their significance in food chains. Netherlands Journal of Sea Research 20(4):385-395.
- Atkinson, A. 1990. The ecology and distribution of zooplankton around the island of South Georgia, Antarctica. Ph.D. Thesis, British Antarctic Survey, Cambridge, U.K. 260 pp.
- Bainbridge, V. & G.A. Cooper. The distribution and abundance of the larvae of the blue whiting, *Micromesistius poutassou* (Risso) in the north-east Atlantic, 1948-1970. Bulletin of Marine Ecology 8:99-114.
- Barr, D.J. 1981. A taxonomic and distributional account of calanoid copepods from coastal waters and inland lake system of San Salvador, Bahamas. M.S. Thesis, George Washington University, Washington, D.C., U.S.A.
- Basile-Martins, M. 1986. Plâncton: generalidades e sua importância na alimentação dos peixes. [Plankton: general aspects and its importance in the feeding of fish.] Pp. 195-206 In: Poluição e Piscicultura. Universidade de São Paulo, São Paulo. [In Portuguese.]
- Bauer, J.E., R.B. Spies, J.S. Vogel, D.E. Nelson & J.R. Southon. 1990. Radiocarbon evidence of fossil-carbon cycling in sediments of a nearshore hydrocarbon seep. Nature 348:230-232.
- Bazzanti, M., O. Ferrara, L. Mastrantuono & M. Seminara. 1994. Water quality monitoring of Italian lakes using zooplankton and zoobenthos: the case of Lake Vico (Central Italy). Pp. 79-85 In: Argano, R., C. Cirotto, E. Grassi Milano & L. Mastrolia (eds.). Contributions to Animal Biology. Halocynthia Association.
- Bechmann, R.K. 1990. Evaluering av subletale og akutte effekter av kobber på *Tisbe furcata* (Baird) (Copepoda) ved bruk av livstabeller og LC₅₀-tester. [Evaluation of sublethal and acute effects of copper on *Tisbe furcata* (Baird) (Copepoda) using life tables and LC₅₀-tests.] Master's Thesis, University of Oslo, Oslo, Norway. [In Norwegian.]
- Behrens, W.J., C. Wilson, C.N. Flagg, D.W.R. Wallace & R.J. Wilke. 1990. Shelf Edge Exchange Processes: 2, SEEP2-09, R/V ENDEAVOR cruise 193: Hydrographic data report. Brookhaven National Laboratory, Upton, New York, and U.S. Department of Energy, Washington, D.C. Technical Report No. BNL-44393. 240 pp.
- Bjorndal, Å. 1988. Cleaning symbiosis between wrasses (Labridae) and lice infested salmon (*Salmo salar*) in mariculture. ICES Mariculture Committee, C.M. 1988/F:17.
- Bjorndal, Å. 1990. Sea lice infestation on farmed salmon: possible use of cleaner-fish as an alternative method for de-lousing. Canadian Technical Report of Fisheries and Aquatic Sciences 1761:85-89.
- Bjornberg, M.H.G.C. 1984. Descrição de *Bryocyclops caroli* sp. n. e estudo comparativo do desenvolvimento pós-embrionário de *B. caroli* e *B. absalomi* Por, 1981 (Copepoda, Cyclopoida, Cyclopidae). [Description of *Bryocyclops caroli* sp. n. and comparative study of the post-embryonic development of *B. caroli* and *B.*

- absalomi* Por, 1981 (Copepoda, Cyclopoida, Cyclopidae).] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 75 pp. [In Portuguese.]
- Bollens, S.M., B.W. Frost & H.R. Schwaninger. 1989. Seasonal abundance patterns in the ichthyoplankton and zooplankton of a temperate fjord, with comments on the match-mismatch hypothesis. *Rapports et Procès-verbaux des Réunions du Conseil International pour l'Exploration de la Mer* 191:456.
- Bonecker, C.C. 1992. Análise qualitativa e quantitativa da comunidade de zooplânctônica e caracterização de alguns parâmetros limnológicos no trecho do médio rio Doce e lagoa Marola (Belo Horizonte), Minas Gerais. [Qualitative and quantitative analysis of the zooplankton community and characterization of some limnological parameters in the stretch of the Middle Rio Doce and Marola Lake (Belo Horizonte, Minas Gerais).] Monografia (Especialização em Ecologia de Água Doce), Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 106 pp. [In Portuguese.]
- Bonecker, S.L.C., A.C.T. Bonecker, C.T. Nogueira & M.V. Reynier. 1991. Ecological studies at Espírito Santo Bay, Brazil. *Zooplankton communities. Coastal Zone* 4:3268-3278.
- Bonecker, S.L.C., A.C.T. Bonecker, D. Rivera-Tenenbaum, C.T. Bassani-Bastos, C.R. Nogueira, L.H.S. Santos, J.M.L. dos Reis, C.O. Dias, M.V. Reynier, A. de S. Dias, & M.J. Coelho. 1987. Distribuição espaço-temporal das comunidades planctônicas na Baía do Espírito Santo (Brasil). [Spatio-temporal distribution of the planktonic communities in Espírito Santo Bay (Brazil).] 2º Congresso Latinoamericano Ciências do Mar, Anales Cientificos U.N.A.L.M. (Volumen Extraordinario) 2:155-179. [In Portuguese.]
- Boone, L. 1930. Crustacea: Anomura, Macrura, Schizopoda, Isopoda, Amphipoda, Mysidacea, Cirripedia, and Copepoda. *Bulletin of the Vanderbilt Marine Museum* 3:1-221.
- Boucher, J. 1987. Déterminisme et dynamique de la répartition spatiale des populations de copépodes des zones de résurgences côtières nord-est atlantique et du front liguro-provençal. [Determinism and dynamics of the spatial distribution of the populations of copepods of the northeastern Atlantic coastal upwelling zones and the Liguro-Provençal front.] Thèse Doctorat d'état, Université Pierre et Marie Curie, Paris 6, Paris, France. 2 vols., 185, 274 pp. [In French.]
- Boxaspen, K. & J.C. Holm. 1991. New biocides used against sea lice compared to organo-phosphorus compounds. In: *Aquaculture and the Environment 1991*. Ghent, Belgium, European Aquaculture Society Special Publication 16:393-402.
- Brandal, P.O. 1977. Neguvon (0,0-dimetyl-1-hidroksy-2,2,2-trikloretylfosfonat), et organofosfat til behandling av laks, *Salmo salar*, infisert med lakselus, *Lepeophtheirus salmonis*, Krøyer (Copepoda: Caligidae). [Neguvon (0,0-dimethyl-1-hydroxy-2,2,2-trichlorethylphosphonate), an organophosphate for treatment of salmon, *Salmo salar*, infected with salmon lice, *Lepeophtheirus salmonis*, Krøyer (Copepoda: Caligidae).] Master's Thesis, University of Bergen, Bergen, Norway. [In Norwegian.]
- Brandal, P.O. & E. Egidius. 1977. Preliminary report on oral treatment against salmon lice, *Lepeophtheirus salmonis*, with neguvon. *Aquaculture* 10:177-178.
- Brandl, Z. 1968. Relation of zooplankton to the depth of station in a shallow reservoir. C.Sc. Thesis, Degree of Candidatus Scientiarum, Czechoslovak Academy of Sciences, Hydrobiological Laboratory in Prague, Czech Republic.
- Bruno, D.W. & R.S. Raynard. 1994. Studies on the use of hydrogen peroxide as a method for the control of sea lice on Atlantic salmon. *Aquaculture International* 2:10-18.
- Buchanan, J.S. 1992. The management of environmental risk: a case study based on the use of dichlorvos to control sea-lice infestations on farmed Atlantic salmon. Pp. 187-194 In: Michel, C. & D.J. Alderman (eds.). *Chemotherapy in Aquaculture: from theory to reality*. Symposium 12-15 March 1991. Office International des Epizooties, Paris.
- Buck, S.A. 1971. Chitinolytic bacteria in marine copepods. M.S. Thesis, University of West Florida, Pensacola, Florida, U.S.A.
- Bunkley-Williams, L. & E.H. Williams, Jr. 1994. Parasites of Puerto Rican Freshwater Sport Fishes. Puerto Rico Department of Natural and Environmental Resources, San Juan & Department of Marine Sciences, University of Puerto Rico, Mayagüez, Puerto Rico. 168 pp. Available online: <http://www.uprm.edu/biology/profs/bunkley/parasitology/book/> [**Corrected year of publication**]
- Bunkley-Williams, L. & E.H. Williams, Jr. 1994. Parásitos de peces de valor recreativo en agua dulce de Puerto Rico. Departamento de Recursos Naturales y Ambientales de Puerto Rico & Departamento de Ciencias Marinas, Universidad de Puerto Rico, Mayagüez. 190 pp. [Spanish version of preceding title.]
- Campaner, A.F. 1976. Sobre alguns novos Aetideidae e Phaennidae (Copepoda, Calanoida) planctobentônicos da plataforma continental brasileira (23 - 25 S e 41 - 46 W). [On some new planktobenthic Aetideidae and Phaennidae (Copepoda, Calanoida) from the Brazilian continental shelf (23 - 25 S and 41 - 46 W).] Tese de Doutorado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 84 pp. [In Portuguese.]
- Campos, A. & E. Carbonell. 1994. Parasite community diversity in two Mediterranean labrid fishes *Symphodus tinca* and *Labrus merula*. *Journal of Fish Biology* 44:409-413.
- Campos, J.R.C. 1994. Análise qualitativa e quantitativa do zooplâncton de três lagoas da ilha Porto Rico, na planície

- de inundação do alto rio Paraná. [Qualitative and quantitative analysis of the zooplankton of three lakes on Porto Rico Island, in the floodplain of the Upper Paraná River.] Monografia (Bacharelado em Ciências Biológicas), Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 43 pp. [In Portuguese.]
- Cipólli, M.N. 1970. Morfologia externa das fases de desenvolvimento de *Diaptomus corderoi* Wright, 1936 (Crustacea, Copepoda, Calanoida). [External morphology of the developmental stages of *Diaptomus corderoi* Wright, 1936 (Crustacea, Copepoda, Calanoida).] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 47 pp. + appendices. [In Portuguese.]
- Coelho, M.J. 1993. Zooplâncton do Atlântico sudoeste (27°59'S a 39°59'S, 44°52'W a 56°56'W), com especial referência aos Chaetognatha. [Zooplankton of the southwestern Atlantic (27°59'S to 39°59'S, 44°52'W to 56°56'W), with special reference to the Chaetognatha.] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 90 pp. + appendices. [In Portuguese.]
- Colebrook, J.M. 1974. Year to year changes in the seasonal cycles of zooplankton in the N.E. Atlantic and the North Sea. *Proceedings of the Challenger Society* 4:238.
- Collins, J.P. & J.R. Holomuzki. 1984. Intraspecific variation in diet within and between trophic morphs in larval tiger salamanders (*Ambystoma tigrinum nebulosum*). *Canadian Journal of Zoology* 62:168-174.
- Copland, L. 1991. A study of wrasse as cleaner-fish for the control of sea lice in the salmon farming industry. M.Sc. Thesis, Heriot-Watt University, Edinburgh, Scotland.
- Costello, M.J. 1991. Review of the biology of wrasse (Labridae: Pisces) in Northern Europe. *Progress in Underwater Science* 16:29-51.
- Costello, M.J. 1993. Controlling sea-lice infestations on farmed salmon in northern Europe: options considered and the use of cleaner-fish. *World Aquaculture, Technical Report* 24(1):49-55.
- Costello, M.J. 1994. Development of the use of wrasse to control sea lice on salmon farms in Ireland. *Aquaculture Fisheries Management and Aquaculture Research* 25(1):25.
- Costello, M.J. & A. Bjordal. 1990. How good is this natural control on sea-lice? *Fish Farmer* 13(2):44.
- Costello, M.J. & R.E. Donnelly. 1991. Development of wrasse technology. Pp. 18-20 In: Joyce, J.R. (ed.). *Proceedings from Irish Salmon Growers Association 5th Annual Conference and Trade Exhibition. Irish Salmon Growers' Association, Dublin.*
- Costello, M.J., D. McCorry & R.E. Donnelly. 1994. Cleaner-fish as predators of lice on farmed Atlantic salmon in sea cages. *Journal of Fish Biology* 45:245.
- Costello, M.J., J. Treasurer & M. Sayer. 1994. A guide to the use of cleaner-fish. *Fish Farmer* 17(6):7-8.
- Cuoc, C. 1992. Biologie de la reproduction chez les femelles de deux Copépodes calanoïdes d'eaux continentales (*Hemidiaptomus ingens provinciae* et *Mixodiaptomus kupelwieseri*). [Biology of reproduction in the females of two calanoid copepods of continental waters (*Hemidiaptomus ingens provinciae* and *Mixodiaptomus kupelwieseri*).] Thèse N.D., Université d'Aix-Marseille 1 - Provence, Marseilles, France. 2 vols., 113 pp. + 47 pl. [In French.]
- Cusack, R. & G. Johnson. 1990. A study of dichlorvos (Nuvan; 2,2 dichloroethenyl dimethyl phosphate), a therapeutic agent for the treatment of salmonids infected with sea lice (*L. salmonis*). *Aquaculture* 90(2):101-112.
- Daly, P. 1993. Investigation of the efficiency of *Ctenolabrus ruprestris* as a control method for sea lice infestations of farmed Atlantic salmon. B.A. (Mod.) Thesis, Trinity College, University of Dublin, Dublin, Ireland.
- De la Rocha, C.L. 1994. Crescimento, mortalidade e produção do Copepoda *Acartia tonsa* Dana, 1848, na enseada estuarina do Saco do Justino, Lagoa dos Patos (RS-Brasil) – verão de 1994. [Growth, mortality and production of the Copepoda *Acartia tonsa* Dana, 1848, in the estuarine bight of Saco do Justino, Lagoa dos Patos (RS-Brazil) – summer of 1994.] Monografia, Universidade do Rio Grande, Rio Grande, Rio Grande do Sul, Brazil. 44 pp. [In Portuguese.]
- De Meeûs, T. 1989. Analyse des mécanismes de spéciation et de spécificité parasitaire par une étude expérimentale et en populations naturelles de Copépodes parasites de Téléostéens. [Analysis of the mechanisms of speciation and parasitic specificity through an experimental study and in natural populations of copepod parasites of teleosteans.] Mémoire D.E.A., Université Montpellier 2, Montpellier, France. [In French.]
- Donnelly, R.E. 1992. The biology and use of wrasse (Labridae) as a biological control of external parasites in salmonid cultures. M.Sc. Thesis, University of Dublin, Dublin, Ireland.
- Douellou, L., C. Guillaume, B. Romestand & J.P. Trilles. 1983. Lutte contre le parasitisme du loup d'élevage dans l'étang de Diana en Corse. [Struggle against parasitism of the catfish reared in Diana Pond in Corsica.] *CNEXO* 83/2979:19. [In French.]
- Druffel, E.R.M. & P.M. Williams. 1990. Identification of a deep marine source of particulate organic carbon using bomb ¹⁴C. *Nature* 347:172-174.
- Duarte, A.K. 1986. Distribuição, abundância e flutuações sazonais do copépodo calanoida *Acartia tonsa* na enseada estuarina do Saco do Justino e canal do estuário da Lagoa dos Patos (RS-Brasil). [Distribution, abundance and seasonal fluctuations of the calanoid copepod *Acartia tonsa* in the Saco do Justino estuarine bight and the channel of the estuary of Lagoa dos Patos (RS – Brazil).] Tese de Mestrado, Fundação Universidade do Rio Grande, Rio Grande, Rio Grande do Sul, Brazil. 102 pp. [In Portuguese.]
- Edwardsen, B. 1988. Fodopreferenser och effekten av olika

- foda på populationsdynamiska karaktärer hos *Tisbe furcata* (Baird) (Copepoda, Harpacticoida). [Feeding preferences and effects of different food on population dynamic characters of *Tisbe furcata* (Baird) (Copepoda).] Master's Thesis, University of Oslo, Oslo, Norway. [In Norwegian.]
- El Ghachtoul, Y. 1989. Dynamique des populations des copépodes d'un lac eutrophe du Massif Central français: 'Le Lac d'Aydat': vie active et vie latente. [Population dynamics of the copepods of an eutrophic lake of the Massif Central in France: 'Le Lac d'Aydat': active and latent life.] Thèse Doctorat de 3^e Cycle, Université Clermont Ferrand 2 – Blaise Pascal, Clermont-Ferrand, France. 137 pp. [In French.]
- Elser, J.J. & R.P. Hassett. 1994. A stoichiometric analysis of the zooplankton-phytoplankton interaction in marine and freshwater ecosystems. *Nature* 370:211-213.
- Eskinazi Sant'Anna, E. 1988. Composição e distribuição do zooplâncton em áreas neríticas e oceânicas de Pernambuco e Alagoas (Brasil). [Composition and distribution of the zooplankton in neritic and oceanic areas of Pernambuco and Alagoas (Brazil).] Monografia de Bacharelado, Universidade Federal Rural de Pernambuco, Recife, Pernambuco, Brazil. 80 pp. [In Portuguese.]
- Et-Taouil, S. 1987. Contribution à l'étude de la structure, dynamique et polymorphisme des Copépodes diaptomides des dayas et merjas du Maroc atlantique. [Contribution to study of the structure, dynamics and polymorphism of the diaptomid Copepods of the dayas and merjas of Atlantic Morocco.] Thèse de 3^e Cycle, Université Toulouse 3 – Paul Sabatier, Toulouse, France. 159 pp. [In French.]
- Fanta, E.S. 1970. Estudo da anatomia das fases naupliares do copépole harpacticóide *Euterpina acutifrons*. [Study of the anatomy of the naupliar stages of the harpacticoid copepod *Euterpina acutifrons*.] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 47 pp. [In Portuguese.]
- Fanta, E.S. 1972. Anatomia dos náuplios dos copépodos marinhos plânctônicos *Oithona ovalis* Herbst e *Pseudodiaptomus acutus* (Dahl). [Anatomy of the nauplii of the marine planktonic copepods *Oithona ovalis* Herbst and *Pseudodiaptomus acutus* (Dahl).] Tese de Doutorado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 99 pp. + tables, figures. [In Portuguese.]
- Feurtet, A. 1989. Dynamique de population, caractérisation morphologique et production secondaire d'*Eurytemora affinis hirundoides*, Copépole calanoïde dans l'estuaire de la Gironde. [Population dynamics, morphological characterization and secondary production of *Eurytemora affinis hirundoides*, a calanoid copepod in the Gironde estuary.] Thèse Doctorat, Université Bordeaux 1 – Sciences Technologies, Bordeaux, France. [In French.]
- Fiksen, Ø. 1993. Documentation of a dynamic optimization model for the vertical distribution and population dynamics of a copepod cohort. IFM (Institutt for Fiskeri- og Marinbiologi, Bergen) Rapport 35: 1-48.
- Fiksen, Ø. 1994. Vertical distribution and population dynamics of copepods by dynamic optimization. Master's Thesis, University of Bergen, Bergen, Norway. 130 pp.
- Finstad, B., B.O. Johnsen & N.A. Hvidsten. 1994. Prevalence and mean intensity of salmon lice, *Lepeophtheirus salmonis* Kroyer, infection on wild Atlantic salmon, *Salmo salar* L., postsmolts. *Aquaculture and Fisheries Management* 25:761-764.
- Forsberg, O.I. 1987. Populasjonsdynamikk og produksjon til *Temora longicornis* Muller (Copepoda: Calanoidea) i Lindås-pollen, 1983. [Population dynamics and production of *Temora longicornis* Muller (Copepoda: Calanoidea) in the Lindås-basin, 1983.] Master's Thesis, University of Bergen, Bergen, Norway. 82 pp. [In Norwegian.]
- Fowler, S.W., P. Buat-Menard, Y. Yokoyama, S. Ballestra, E. Holm & H.V. Nguyen. 1987. Rapid removal of Chernobyl fallout from Mediterranean surface waters by biological activity. *Nature* 329:56-58.
- Fraile, L. 1984. Essai de mise en évidence d'une attirance du Copépole parasite *Caligus minimus* (Otto, 1848) vers le loup *Dicentrarchus labrax* (Linné, 1758): rapport de stage. [Attempt to reveal an attraction of the parasitic Copepod *Caligus minimus* (Otto, 1848) to the catfish *Dicentrarchus labrax* (Linné, 1758): relationship with stage.] Mémoire D.E.A., Université Montpellier 2 – Sciences et Techniques du Languedoc, Montpellier, France. [In French.]
- Fraile, L. 1989. Recherches sur les taxies des Copépodes parasites de Poissons: le modèle *Caligus minimus* Otto, 1848 parasite buccal du loup, *Dicentrarchus labrax* Linné, 1758. [Researches on the taxa of Copepods parasites of Fishes: the model *Caligus minimus* Otto, 1848, a mouth parasite of the catfish, *Dicentrarchus labrax* Linné, 1758.] Thèse N.D., Université Montpellier 2 – Sciences et Techniques du Languedoc, Montpellier, France. 208 pp. [In French.]
- France, S.C. 1968. Survivorship of freshwater calanoid copepods in transplanted lake waters. Bachelor of Science Honours Thesis, Concordia University, Montréal, Québec, Canada.
- Fujioka, S. 1992. Seasonal changes of plankton in the coastal waters of Nakashima Island, Nomozaki-cho, Nagasaki Prefecture, 1986-1987. III. Zooplankton and larval plankton. *Transactions of the Nagasaki Biological Society* 40:27-33. [In Japanese.]
- Fujita, S., M. Yoda & I. Ugajin. 1968. Control of an ectoparasitic copepod *Caligus spinosus* on the cultured adult yellowtail. *Fish Pathology* 2:122.
- Gannon, J.E. 1974. The ecology of Lake Michigan zooplankton - a review with special emphasis on the

- Calumet area. Appendix B, p. 56. In: Snow, R.H. (ed.). Water Pollution Investigation: Calumet area of Lake Michigan, Vol. 2. U.S. Environmental Protection Agency, Chicago, Illinois.
- García-Valero, J. 1987. La gametogenesi a *Acanthocyclops robustus* G.O. Sars (Crustacea, Copepoda). Estudi ultrastructural. [Gametogenesis in *Acanthocyclops robustus* G.O. Sars (Crustacea, Copepoda). Ultrastructural studies.] Tesis Doctoral, Universidad de Barcelona, Barcelona, Spain. [In Catalan.]
- Grave, K., M. Engelstad, N.E. Soli & E.L. Toverud. 1991. Clinical use of dichlorvos (Nuvan) and trichlorvos (Neguvon) in the treatment of salmon louse, *Lepeophtheirus salmonis*. Compliance with the recommended treatment procedures. Acta Veterinaria Scandinavica 32:9-14.
- Grayson, T.H., P.G. Jenkins, A.B. Wrathmell & J.E. Harris. 1991. Serum responses to the salmon louse, *Lepeophtheirus salmonis* (Kroyer, 1838) in naturally infected salmonids and immunised rainbow trout *Oncorhynchus mykiss* (Walbaum) and rabbits. Fish and Shellfish Immunology 1:141-156.
- Grimnes, A. 1994. Salmon lice *Lepeophtheirus salmonis* infestations on Atlantic salmon *Salmo salar*: Physiological consequences and mortal impact. M.Sc. Thesis, University of Bergen, Bergen, Norway.
- Guerrero, P. 1993. Estudio demográfico de *Pseudoboeckella gibbosa* Brehm (Copepoda, Calanoida) en un lago de altura de los Andes Australes. [Demographic study of *Pseudoboeckella gibbosa* Brehm (Copepoda, Calanoida) in a high-altitude lake in the Southern Andes.] Tesina de Licenciatura, Centro Regional Universitario Bariloche, Universidad Nacional del Comahue, Argentina. [In Spanish.]
- Guerrero-Ruiz, F.J. 1992. Producción, estrategias de supervivencia y proliferación de *Acartia* (Copepoda: Calanoida) en sistemas costeros. [Production, survival strategies and growth of *Acartia* (Copepoda: Calanoida) in coastal systems.] Tesis Doctoral, Universidad de Málaga, Málaga, Spain. [In Spanish.]
- Gunnerød, T.B. 1971. The life history and population dynamics of *Cyclops scutifer* Sars in Pedro Bay, Iliamna Lake, Alaska. Ph.D. Dissertation, University of Washington, Seattle, Washington, U.S.A. 136 pp.
- Halvorsen, G. 1970. Morfologi, vertikalfordeling og livscyklus hos *Cyclops scutifer* Sars (Copepoda, Crustacea) i innsjøene Krøderen og Sperillen. [Morphology, vertical distribution and life cycle of *Cyclops scutifer* Sars (Copepoda, Crustacea) in the lakes Krøderen and Sperillen.] Master's Thesis, University of Oslo, Oslo, Norway. 87 pp. [In Norwegian.]
- Hendrix, S.S. 1994. Marine Flora and Fauna of the Eastern United States. Platyhelminthes: Monogenea. U.S. National Marine Fisheries Service, Seattle, Washington. Northwest Fisheries Science Center. Technical Report No. NOAA-TR-NMFS-121. 112 pp.
- Hepner, A.S. & M. Smith. 1967. Isolation of cytidyl-(5'+3')-adenosine-5' phosphate (pApC), adenylyl-(5'+3')-cytidine-5' phosphate (pCpA), uridylyl-(5'+3')-adenosine-5' phosphate (pApU) and adenylyl-(5'+3')-uridine-5' phosphate (pUpA) from embryos of the copepod *Euchaeta japonica* Marukawa. Biochemical and Biophysical Research Communications 26(5):584-589.
- Heuch, P.A. 1991. A field study of the reproductive strategies of the cod gill maggot *Lernaecocera branchialis* L. (Copepoda: Pennellidae). Master's Thesis, University of Oslo, Oslo, Norway.
- Heussner, S. 1983. Parasitisme de *Pachypygyus gibber* (Thorell, 1859), copépode ascidicole a deux formes males: dynamique saisonnière de l'association avec l'hôte *Pachypygyus gibber* (Thorell, 1859), hypotheses sur le déterminisme sexuel du parasite. [Parasitism of *Pachypygyus gibber* (Thorell, 1859), an ascidicolan copepod with two male forms: seasonal dynamics of the association with the host *Pachypygyus gibber* (Thorell, 1859), hypotheses on the sex determination of the parasite.] Thèse Doctorat de 3e Cycle, Université Aix Marseille 2, Marseilles, France. [In French.]
- Hughes, K.H. & T.S. English. 1969. Copepoda collected from Fletcher's ice island (T-3) in the Canadian Basin of the Arctic Ocean in 1966 and 1967. Department of Oceanography, University of Washington, Technical Report 240:1-60.
- Irigoin, X. 1994. Ingestion et production secondaire des Copépodes planctoniques de l'estuaire de la Gironde en relation avec la distribution du phytoplancton et la matière en suspension. [Feeding and secondary production of the planktonic copepods of the Gironde estuary in relation to phytoplankton distribution and suspended matter.] Thèse Doctorat, Université Bordeaux 1, Bordeaux, France. 187 pp. [In French.]
- Johannessen, A. 1975. Lakselus, *Lepeophtheirus salmonis* Krøyer (Copepoda, Caligidae): Frittlevende larvestadier, vekst og infeksjon på laks (*Salmo salar* L.) fra oppdrettsanlegg og kommersielle fangster i v estnorske farvann 1973-1974. [Salmon lice, *Lepeophtheirus salmonis* Krøyer (Copepoda, Caligidae): free living stages, growth and infection in Atlantic salmon (*Salmo salar* L.) from fish farms and commercial catches in western Norwegian waters 1973-1974.] Master's Thesis, University of Bergen, Bergen, Norway. 113 pp. [In Norwegian.]
- Johnson, S.E. 1974. The copepods in Cold Stream Pond in relation to infection of *Salmo salar* with *Diphyllobothrium sebago* in the Cobb Fish Hatchery. M.S. Thesis, University of Maine at Orono, Orono, Maine, U.S.A. 46 pp.
- Knudsen, K.K. 1993. Fordøyelsessystemet hos *Lernaecocera branchialis* (L. 1767) (Copepoda, Siphonostomatoida): histologiske og enzymatiske undersøkelser. [The digestive system of *Lernaecocera branchialis* (L. 1767) (Copepoda, Siphonostomatoida): histological og

- enzymatic studies.] Master's Thesis, University of Trondheim, Trondheim, Norway. 39 pp. [In Norwegian.]
- Kowarc, V.A. 1990. Zeitlich-räumliche Verteilungsmuster und Produktionsbiologie der Harpacticiden (Copepoda, Crustacea) in einem Gebirgsbach. [Spatio-temporal distribution and production biology of the harpacticoids (Copepoda, Crustacea) in a mountain stream.] Ph.D. Dissertation, University of Vienna, Vienna, Austria. 283 pp. [In German.]
- Kuei, H.Y.N. 1987. Estágios de desenvolvimento de *Oncaea curta* Sars, 1916 (Crustacea, Copepoda, Poecilostomatoida). [Developmental stages of *Oncaea curta* Sars, 1916 (Crustacea, Copepoda, Poecilostomatoida).] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 64 pp. [In Portuguese.]
- LaBaugh, J.W. & G.A. Swanson. 1988. Algae and invertebrates in the water column of selected prairie wetlands in the Cottonwood Lake Area, Stutsman County, North Dakota, 1984. United States Geological Survey Open-File Report 88-451.
- Lal, D. & T. Lee. 1988. Cosmogenic ³²P and ³³P used as tracers to study phosphorus recycling in the upper ocean. *Nature* 333:752-754.
- Lane, P.V.Z., S.L. Smith, C.N. Flagg & E.M. Schwarting. 1991. SEEP 2 zooplankton data report: Winter, spring and summer collections at mooring 3 during 1988. U.S. Department of Energy, Washington, D.C. Technical Report No. BNL-45968. 116 pp.
- Le Guellec-Pichon, C. 1992. Réponse des copépodes harpacticoides et de la macrofaune aux traitements expérimentaux de sables pollués par hydrocarbures sur deux plages de la côte nord du Finistère. [Response of the harpacticoids and the macrofauna to experimental treatments of sands polluted by hydrocarbons on two beaches of the northern coast of Finistère.] Thèse Doctorat, Université Brest, Brest, France. [In French.]
- Lehman, J.T. 1988. Algal biomass unaltered by food-web changes in Lake Michigan. *Nature* 332:537-538.
- Leibold, M.A. & H.M. Wilbur. 1992. Interactions between food-web structure and nutrients on pond organisms. *Nature* 360:341-343.
- Lima, A.F. 1992. Zooplâncton da planície de inundação do alto rio Paraná: análise qualitativa e estrutura de comunidade. [Zooplankton of the floodplain of the Upper Paraná River.] Monografia (Especialização em Ecologia de Água Doce), Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 43 pp. [In Portuguese.]
- Lima, A.F. 1994. Microcrustáceos (Cladocera e Copepoda) de uma lagoa marginal e de um rio da planície de inundação do rio Paraná (MS). [Microcrustaceans (Cladocera and Copepoda) of a marginal lake and a river in the floodplain of the Paraná River (MS).] Dissertação de Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 34 pp. [In Portuguese.]
- Lønning, T.M. 1987. Vertikalfordeling og døgnvandring hos *Temora longicornis* Müller (Crustacea, Copepoda) i Lindåspollene 1983/84. [Vertical distribution and diel vertical migration of *Temora longicornis* Müller (Crustacea, Copepoda) in the Lindås basin 1983/84.] Master's Thesis, University of Bergen, Bergen, Norway. 81 pp. [In Norwegian.]
- Lotufo, G.R. 1992. Copépodes ciclopoídes psâmicos de praias do estado de São Paulo, com referência especial a taxonomia. [Psammic cyclopoid copepods of beaches of the state of São Paulo, with special reference to taxonomy.] Dissertação de Mestrado, Instituto de Biociências da Universidade de São Paulo, São Paulo, Brazil. 85 pp. [In Portuguese.]
- McVicar, A.H., L.A. Sharp, A.F. Walker & A.W. Pike. 1993. Diseases of wild sea trout in Scotland in relation to fish population decline. *Fisheries Research* 17:175-185.
- Menasria, M.R. 1994. Etude expérimentale de la toxicité de deux métaux traces: l'argent et le cuivre sur *Tigriopus brevicornis* (Muller) (Copépode Harpacticoidé). Effets letaux et subletaux aux différents stades de développement. [Experimental study of the toxicity of two trace metals: silver and copper upon *Tigriopus brevicornis* (Muller) (harpacticoid copepod). Lethal and sublethal effects at the different developmental stages.] Thèse Doctorat, Université Paris 6, Paris, France. 242 pp. [In French.]
- Mercade-Socoro, N. 1983. Ultraestrutura de las fases larvarias libres de *Mytilicola intestinalis* Steuer (Crustacea, Copepoda). [Ultrastructure of the free-living larval stages of *Mytilicola intestinalis* Steuer (Crustacea, Copepoda).] Tese Doctoral, Universidad de Barcelona, Spain. [In Catalan.]
- Michajlow, W. 1972. Euglenoidina parasitic in Copepoda: an outline monograph. Translated by W.Z. Kulerski. PWN-Polish Scientific Publishers, Warsaw. 224 pp.
- Moen, A.J. 1980. En undersøkelse av Copepoda, Monogenea og Digenea hos trepigget stingsild, *Gasterosteus aculeatus* L. og nippigget stingsild, *Pungitius pungitius* (L.) fra Bunnefjorden. [A study of Copepoda, Monogenea and Digenea in the three-spined stickleback, *Gasterosteus aculeatus* L. and the nine-spined stickleback, *Pungitius pungitius* (L.) from the Bunnefjord.] Master's Thesis, University of Oslo, Oslo, Norway. 112 pp. [In Norwegian.]
- Moore, C.K. 1993. Evaluation of the zooplankton community of Livingston Reservoir, Texas, as related to paddlefish food resources. Master's Thesis, Air Force Institute of Technology, Wright-Patterson Air Force Base, Ohio, U.S.A. 93 pp.
- Moore, P.D. 1992. Pastoral plumbing. *Nature* 357:644.
- Moreira, G.S. 1976. Efeitos sinérgicos da temperatura e salinidade no metabolismo respiratório do copépode *Euterpina acutifrons* (Dana, 1847) da baía de Santos e do canal de São Sebastião. [Synergistic effects of temperature and salinity on the respiratory metabolism of

- the copepod *Euterpina acutifrons* (Dana, 1847) in Santos Bay and the São Sebastião Channel.] Tese de Livre Docência, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 89 pp. [In Portuguese.]
- Narud, A. 1969. *Achtheres percarum* Nordmann, 1832 (Copepoda: Lernaepodidae) på abbor (*Perca fluviatilis* L.) fra bogstadvannet forekomst og livssyklus. [*Achtheres percarum* Nordmann, 1832 (Copepoda: Lernaepodidae) on perch (*Perca fluviatilis* L.) from Bogstad lake: incidence and life cycle.] Master's Thesis, University of Oslo, Oslo, Norway. 104 pp. [In Norwegian.]
- Neumann-Leitão, S. 1994. Impactos antrópicos na comunidade zooplanctônica estuarina, Porto de Suape – PE – Brasil. [Anthropic impacts on the estuarine zooplankton community, Port of Suape – PE – Brazil.] Tese de Doutorado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 273 pp. [In Portuguese.]
- Nogueira, M.G. 1990. Dinâmica de populações planctônicas e fatores físico-químicos de um pequeno sistema artificial raso (represa do Monjolinho, São Carlos, São Paulo). [Dynamics of the plankton populations and physico-chemical factors of a small shallow artificial system (Monjolinho Reservoir, São Carlos, São Paulo).] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 244 pp. [In Portuguese.]
- Norrbin, M.F. 1992. Overwintering strategies of small copepods in high latitude marine environments. Ph.D. Thesis, University of Göteborg, Goteborg, Sweden.
- Nunes, M.A. 1994. Estudos da comunidade zooplanctônica em duas lagoas no Horto Florestal Dr. Luís Teixeira Mendes, Maringá-PR. [Studies of the zooplankton community in two ponds in the Dr. Luís Teixeira Mendes Arboretum, Maringá-PR.] Monografia (Bacharelado em Ciências Biológicas), Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 52 pp. [In Portuguese.]
- Odum, H.T., B.J. Copeland & E.A. McMahan (eds.). 1974. Coastal Ecological Systems of the United States, Vol. 2. The Conservation Foundation, Washington, D.C.
- Okano, I. 1974. Plankton in Lake Biwa. Memorial Bulletin of the Otsu Meeting of Nihon Seibutsu Kyoiku-kai, Ohtsu. Pp. 137-153. [In Japanese.]
- Pekala, G.A. 1981. Distribuição espacial e flutuação anual dos copépodos do rio Paraíba do Norte (Paraíba - Brasil). [Spatial distribution and annual fluctuation of the copepods of the River Paraíba do Norte (Paraíba - Brazil).] Dissertação de Mestrado, Universidade Federal de São Carlos, São Carlos, São Paulo, Brazil. 111 pp. [In Portuguese.]
- Pérez Rodríguez Lara, G. 1992. Composición y abundancia del zooplancton en estanques de cultivo semi-intensivos de camarón. [Composition and abundance of the zooplankton in ponds for semi-intensive shrimp culture.] Tesis Profesional, Universidad Autónoma de Sinaloa, Escuela de Ciencias del Mar, Culiacán, Mexico. 55 pp. [In Spanish.]
- Piatt, J.F., A. Pinchuk, A. Kitsiskiy, A.M. Springer & S.A. Hatch. 1992. Monitoring Seabird Populations in Areas of Oil and Gas Development on the Alaskan Continental Shelf: Foraging Distribution and Feeding Ecology of Seabirds at the Diomed Islands, Bering Strait. - Final Report. Alaska Fish and Wildlife Research Center, Anchorage.; Minerals Management Service, Anchorage, Alaska, U.S.A. Alaska Outer Continental Shelf Office. Technical Report No. OCS/MMS-92/0041. 143 pp.
- Pugh, P.R. 1990. Biological Collections Made during DISCOVERY CR 175 to BIOTRANS Site (c. 47 deg N, 20 deg W). Institute of Oceanographic Sciences, Wormley, U.K. Technical Report No. IOS-277. 78 pp.
- Queimaliños, C. 1993. Efectos del zooplancton sobre la dinámica sucesional del fitoplancton en ambientes lacustres andinos. [Effects of the zooplankton on the successional dynamics of the phytoplankton in Andean lacustrine environments.] Tesis de Doctorado, Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Buenos Aires, Argentina. [In Spanish.]
- Razumova, E.P. & A.I. Gutovskaia. 1959. [Copepoda in a focus of diphyllbothriasis of the lake-river type.] Meditsinskaja Parazitologija i Parazitarnye Bolezni, Moscow 28(1):89-94. [In Russian.]
- Reynier, M.V. 1990. Contribuição ao estudo da fauna zooplanctônica de sistema lagunar de Jacarepaguá (Lagoinha), Rio de Janeiro-RJ. [Contribution to the study of the zooplankton fauna of the lagoon system of Jacarepaguá (Lagoinha), Rio de Janeiro-RJ.] Monografia (Especialização em Ecologia de Água Doce), Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 40 pp. [In Portuguese.]
- Ribas, W.M.M. 1988. Os copépodos na região de Cabo Frio: variação qualitativa e quantitativa, durante um ciclo de ressurgência. [The copepods in the Cabo Frio region: qualitative and quantitative variation during an upwelling cycle.] Dissertação de Mestrado, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. 165 pp. [In Portuguese.]
- Ribes-Mora, E. 1985. La gametogenesis de *Hemidiaptomus roubauii* Richard, 1988 (Copepoda, Calanoida) estudio ultraestructural. [Gametogenesis of *Hemidiaptomus roubauii* Richard, 1988 (Copepoda, Calanoida); ultrastructural study.] Tesis Doctoral, Universidad de Barcelona, Barcelona, Spain. [In Catalan.]
- Riera-Figueras, T. 1981. Variabilitat morfológica de *Tropocyclops* i *Temora*. [Morphological variability of *Tropocyclops* i *Temora*.] Tesis Doctoral, Universidad de Barcelona, Barcelona, Spain. [In Catalan.]
- Rocha, O. 1978. Flutuação sazonal e distribuição da população de *Diaptomus furcatus*, Sars (Copepoda, Calanoida) na represa do Lobo ('Broa'), São Carlos, SP. [Seasonal fluctuation and distribution of the population of

- Diaptomus furcatus*, Sars (Copepoda, Calanoida) in Lobo ('Broa') Reservoir, São Carlos, SP.] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 147 pp. [In Portuguese.]
- Rodrigues, R.S.O. 1993. Estudos dos possíveis efeitos dos resíduos do herbicida dual 720 CE (metolachlor) sobre a comunidade bentônica da zona litoral, no açude do Sítio São José, município de Embu-Guaçu, estado de São Paulo. [Studies of the potential effects of residues of the dual herbicide 720 CE (metholachlor) on the benthic community of the littoral zone, in the reservoir of São José Farm, Municipality of Embu-Guaçu, state of São Paulo.] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 119 pp. [In Portuguese.]
- Russell, H.J., Jr. 1964. The endemic zooplankton population as a food supply for young herring in Yaquina Bay. M.S. Thesis, Oregon State University, Corvallis, Oregon, U.S.A.
- Sant'anna, E.M.E. 1993. Estrutura e biomassa da comunidade zooplanctônica da baía do Pina (Pernambuco-Brasil), relacionadas com fatores ambientais. [Structure and biomass of the zooplankton community in the Pina basin (Pernambuco-Brazil) in relation to environmental factors.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 195 pp. [In Portuguese.]
- Sautour, B. 1991. Populations zooplanctoniques dans le bassin de Marennes-Oléron: dynamique de population, nutrition et production de copépodes dominants. [Zooplankton populations in the Marennes-Oléron basin: population dynamics, feeding and production of the dominant copepods.] Thèse Doctorat, Université Bordeaux I, Bordeaux, France. 327 pp. [In French.]
- Schell, D.M. 1992. Stable Isotope Analysis of 1987-1991 Zooplankton Samples and Bowhead Whale Tissues. - Final Report. Alaska University, Fairbanks. Institute of Marine Science; Minerals Management Service, Anchorage, Alaska, U.S.A. Environmental Studies. Report No. OCS/MMS-92/0020. 104 pp.
- Schmitt, F.U. 1994. Modelling of life cycle strategies of a copepod. Master's Thesis, Institutt for Teknisk Kybernetikk, NTH, Trondheim, Norway.
- Schutze, M.L.M. 1987. Estudo do plâncton, particularmente da bioecologia de *Temora stylifera* (Dana, 1849) (Copepoda, Calanoida), Rio de Janeiro, RJ: Emissário submarino de Ipanema e Baía de Guanabara. [Study of the plankton, particularly the bioecology of *Temora stylifera* (Dana, 1849) (Copepoda, Calanoida), Rio de Janeiro, RJ: undersea emissary of Ipanema and Guanabara Bay.] M.Sc. Thesis, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. 282 pp. [In Portuguese.]
- Slagstad, D. 1980. Modeling and simulation of physiology and population dynamics of copepods: effects of physical and biological parameters. Dr. Ing. Avh., Institutt for Teknisk Kybernetikk, NTH (Norges Tekniske Høgskole), University of Trondheim, Trondheim, Norway. 179 pp.
- Smith, S.L. 1991. Secondary production in waters influenced by upwelling off the coast of Somalia. U.S. Department of Energy, Washington, D.C. Technical Report No. BNL-47191. 24 pp.
- Stanford, J.A. & J.V. Ward. 1988. The hyporheic habitat of river ecosystems. *Nature* 335:64-66.
- Sviu, B.Th.H. 1991. Effects of Nuvan (dichlorvos) on the ectoparasitic copepod *Lepeophtheirus salmonis*: A study of lethality, biochemical toxicity, and reinfection following treatment. Siv. Ing. Thesis, Universitetet i Oslo, Oslo, Norway.
- Takemoto, R.M. 1993. Estudo taxonômico, sistemático e ecológico dos metazoários parasitos de *Oligoplites palometa*, *O. saurus* e *O. saliens* (Osteichthyes: Carangidae) do litoral do estado do Rio de Janeiro. [Taxonomic, systematic and ecological study of the metazoan parasites of *Oligoplites palometa*, *O. saurus* and *O. saliens* (Osteichthyes: Carangidae) of the coast of the state of Rio de Janeiro.] Dissertação de Mestrado, Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. 186 pp. [In Portuguese.]
- Tande, K.S. 1991. Trophodynamics and productivity of the boreal and Arctic copepods *Calanus finmarchicus* and *C. glacialis*, in Norwegian waters. Dr. Scient. Thesis, University of Tromsø, Tromsø, Norway.
- Thresher, R.E., G.P. Harris, J.S. Gunn & L.A. Clementson. 1989. Phytoplankton production pulses and episodic settlement of a temperate marine fish. *Nature* 341:641-643.
- Tirard, C. 1991. Biodiversité et biogéographie évolutive dans les systèmes hôtes-parasites: le modèle Gadiformes (Téléostéens) - Copépodes et Monogènes. [Biodiversity and evolutionary biogeography of host-parasite systems: the model of Gadiformes (Teleosteans) - Copepods and monogeneans.] Thèse N.D., Université Montpellier 2, Montpellier, France. 129 pp. [In French.]
- Tomascik, T. & A.J. Mah. 1994. The ecology of 'Halimeda Lagoon': an anchialine lagoon of a raised atoll, Kakaban Island, east Kalimantan, Indonesia. *Tropical Biodiversity* 2(3):385-400.
- Tomm, I. 1992. Distribuição vertical de zooplâncton durante uma variação nictemeral num braço do reservatório de Itaipu-PR. [Vertical distribution of the zooplankton during a diurnal cycle in an arm of Itaipu Reservoir-PR.] Monografia (Especialização em Ecologia de Água Doce), Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 40 pp. [In Portuguese.]
- Tundisi, H.S.F. 1990. Estudo dos possíveis efeitos dos resíduos do herbicida dual 720 CE (metolachlor) sobre a população de copépodos ciclopoídes, no açude do Sítio São José, município de Embu-Guaçu, estado de São

- Paulo. [Study of the potential effects of residues of the dual herbicide 720 CE (metholachlor) on the cyclopoid copepod population in the reservoir of São José Farm, Municipality of Embu-Guaçu, state of São Paulo.] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 121 pp. [In Portuguese.]
- Tunowski, J. 1994. The effect of heating and water exchange on the zooplankton composition in heated Konin lakes. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 2(2):235-255.
- United States Environmental Protection Agency. 1982. Zooplankton community composition in the nearshore waters of southern Lake Michigan. EPA-905/3-82 001.
- Urdal, K. 1992. Altered behaviour of *Cyclops* spp. (Copepoda) infected with *Schistocephalus solidus* (Cestoda). Master's Thesis, University of Bergen, Bergen, Norway. 27 pp.
- Vandermeulen, H. & A. Gemza. 1992. Calcium carbonate application at Puslinch Lake (Cambridge, Ontario) for phosphorus control: Theory versus practice. Ontario Ministry of the Environment, Toronto. Technical Report. 119 pp. ISBN-0-7729-9345-9
- Vega, M.A.P. 1990. Estudio experimental sobre la acción depredadora de *Parabroteas sarsi* (Copepoda, Calanoida). [Experimental study of the predation activity of *Parabroteas sarsi* (Copepoda, Calanoida).] Tesina de Licenciatura, Centro Regional Universitario Bariloche, Universidad Nacional del Comahue, Río Negro, Argentina. [In Spanish.]
- Veiga, J.-M. 1983. Le zooplancton de l'estuaire de la Gironde: conséquences de l'hydrologie sur la répartition des espèces et la locomotion du copépode *Eurytemora hirundoïdes* (Nordquist 1888). [The zooplankton of the Gironde estuary: consequences of the hydrology on the species distribution and the movements of the copepod *Eurytemora hirundoïdes* (Nordquist 1888).] Thèse Doctorat, Université Bordeaux 1, Bordeaux, France. 119 pp. [In French.]
- Verdinelli, M.A. 1980. Análise inercial em ecologia: estudo na plataforma continental argentina (região sul de Buenos Aires) das populações de Copepoda planctônicos e considerações sobre Cladocera e Copelata. [Inertial analysis in ecology: study on the Argentina continental shelf (region south of Buenos Aires) of the populations of planktonic Copepoda and considerations on Cladocera and Copelata.] Tese de Doutorado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. 162 pp. [In Portuguese.]
- Verdinelli, M.E.P. & C.M. Pereira. 1990. Importância das populações e produção de *Acartia tonsa* Dana (Copepoda, Calanoida) na dinâmica trófica de um viveiro bersário de camarão-marinho *Penaeus paulensis*. [Importance of the populations and production of *Acartia tonsa* Dana (Copepoda, Calanoida) in the trophic dynamics of a hatchery pond of the marine shrimp *Penaeus paulensis*.] Anais do VI Simpósio Latino-Americano e V Simpósio Brasileiro de Aqüicultura, Florianópolis, Santa Catarina; 204-215. [In Portuguese.]
- Vetter, E.W. 1994. Hotspots of benthic production. *Nature* 372:47.
- Vidnes, B. 1992. En feltundersøkelse av reproduksjonsstrategier hos skrubbelus, *Lepeophtheirus pectoralis* (Müller) (Copepoda, Caligidae). [A field study of reproductive strategies of the flounder louse, *Lepeophtheirus pectoralis* (Müller) (Copepoda, Caligidae).] Master's Thesis, University of Oslo, Oslo, Norway. 42 pp. [In Norwegian.]
- Vikse, P. 1988. Livssyklus og populasjonsdynamikk av en Calanoid copepod, *Eudiaptomus gracilis*, i Kvernvatn. [Life cycle and population dynamics of a Calanoid copepod, *Eudiaptomus gracilis*, in lake Kvernvatn.] Master's Thesis, University of Bergen, Bergen, Norway. 48 pp. [In Norwegian.]
- Walseng, B. & G. Halvorsen. 1989. Krepssdyrundersøkelser i forbindelse med byggingen av Napetjern kraftverk. [Crustacean studies in relation to the construction of Napetjern dam and hydroelectric power plant.] *Økoforsk Utredning*, Oslo, 15:1-40. [In Norwegian.]
- Warren, J.W. 1991. Diseases of Hatchery Fish (Sixth Edition). U.S. Fish and Wildlife Service, Portland, Oregon, U.S.A. 94 pp.
- Wilkes, S.N. 1966. The life history of *Nectobranchia indivisa* Fraser, 1920 (Copepoda: Lernaepodoida) a parasite of the starry flounder. Ph.D. Thesis, Oregon State University, Corvallis, Oregon, U.S.A.
- Williams, W.D. 1971. Horizontal and vertical distribution and taxonomic composition of net zooplankton in a large lotic ecosystem, the Missouri River. M.A. Thesis, University of South Dakota, Vermillion, South Dakota, U.S.A. 49 pp.
- Wishner, K.F., L. Levin, M. Gowing & L. Mullineaux. 1990. Involvement of the oxygen minimum in benthic zonation on a deep seamount. *Nature* 346:57-59.
- Wurtsbaugh, W.A. & D. Neverman. 1988. Post-feeding thermotaxis and daily vertical migration in a larval fish. *Nature* 333:846-848.
- Yamashita, C. 1972. Fisiocologia e fisiotologia de *Euterpina acutifrons* (Dana) – (Crustacea, Copepoda): influência da salinidade. [Physioecology and physioethology of *Euterpina acutifrons* (Dana) – (Crustacea, Copepoda): influence of salinity.] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 49 pp. [In Portuguese.]
- Yamashita, C. 1977. Flutuação populacional e tolerância a temperatura e salinidade do copépode *Euterpina acutifrons* (Dana, 1847), da região de Santos e do canal de São Sebastião. [Population fluctuations and tolerance to temperature and salinity of the copepod *Euterpina acutifrons* (Dana, 1847), in the region of Santos and the São Sebastião Channel.] Tese de Doutorado, Instituto de

- Biociências, Universidade de São Paulo, São Paulo, Brazil. 135 pp. [In Portuguese.]
- Yoo, K.I. & W. Lee. 1994. A planktonic copepod, *Paracalanus gracilis* Chen & Chang, new to Korea. Korean Journal of Environmental Biology 12(2):87-91.
- Zimmerman, S.T. 1972. Seasonal succession of zooplankton populations in two dissimilar marine embayments on the Oregon coast. Ph.D. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 212 pp.
- 1995**
- Abraham, R., M. Acquarone, A. Andersen, A. Asensi, R. Belle, F. Berger, C. Bergounioux, G. Brunn, C. Buquet-Fagot, D. Fagot, N. Glab, H. Goudeau, M. Goudeau, P. Guerrier, P. Houghton, H. Hendriks, B. Kloareg, M. Lippai, D. Marie, B. Maro, L. Meijer, J. Mester, O. Mulner-Lorillon, S. Poulet, E. Schierenberg, B. Schutte, D. Vaultot & M. Verlhac. 1995. Cellular effects of olomoucine, an inhibitor of cyclin-dependent kinases. Biology of the Cell 83(2):105-120.
- Anonymous. 1995. Zooplankton eggs break longevity record. Science News, 7 October 1995.
- Anonymous. 1995. Don't drink the plankton: epidemiology. The Economist, 23 September 1995.
- Appelbaum, S., W.C. Clarke, J.E. Shelbourn, J.O.T. Jensen, J.N.C. Whyte & G.K. Iwama. 1995. Studies on rearing of lingcod *Ophiodon elongatus*. Aquaculture 135(1):219-227.
- Berg, T. & L. Calise. 1995. Multi-frequency target strength data from copepods: measured data [sic] in relation to models. Proceedings of the 15th International Congress on Acoustics, Vol. 1. Tapir, Trondheim. Pp. 215-218.
- Brekke, E. 1995. Predator avoidance in zooplankton: a general overview and a field study on two freshwater cyclopoid copepods. Master's Thesis, University of Bergen, Bergen, Norway. 48 pp.
- Bristow, G.A. & B. Berland. 1995. Parasites of mature *Salmo salar* L. returning to Western Norway: with emphasis on the salmon lice, *Lepeophtheirus salmonis* and *Caligus elongatus*. Bulletin of the Scandinavian Society for Parasitology 5:74.
- Brocklebank, J. 1995. Assessing fish health during sealice infestations. Northern Aquaculture 1(8):8.
- Burke, J.S. 1995. Role of feeding and prey distribution of summer and southern flounder in selection of estuarine nursery habitats. Journal of Fish Biology 47(3):355-366.
- Cervetto, G. & R. Gaudy. 1995. Comparaison de la répartition spatio-temporelle et de l'écophysiologie de deux espèces de copépodes calanoides congénériques (*Acartia tonsa* et *Acartia clausi*) en milieu côtier et lagunaire (Golfe de Fos, Étang de Berre). [Comparison of the spatio-temporal distribution and the ecophysiology of two congeneric species of calanoid copepods (*Acartia tonsa* and *Acartia clausi*) in the coastal and lagoon environment (Golfe de Fos, Étang de Berre). Thèse Doctorat, Université Aix-Marseille 2, Marseilles, France. 225 pp. [In French.]
- Danovaro, R., M. Fabiano & M. Vincx. 1995. Meiofauna response to the Agip Abruzzo oil spill in subtidal sediments of the Ligurian Sea. Marine Pollution Bulletin 30(2):133-145.
- Dias, C.O. 1995. Degradação ambiental do ecossistema marinho da Baía do Espírito Santo, visto através do estudo da espécie *Acartia lilljeborgi* (Copepoda Crustacea). [Environmental degradation of the marine ecosystem of Espírito Santo Bay, seen through study of the species *Acartia lilljeborgi* (Copepoda Crustacea).] Dissertação de Mestrado, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Epstein, A. 1995. Physical processes and zooplankton distribution in the Great South Channel: observational and numerical studies. Doctoral Thesis, Massachusetts Institute of Technology, Cambridge, Massachusetts, U.S.A. 203 pp.
- Fouda, M.M. 1995. Life history strategies of four small-size fishes in the Suez Canal, Egypt. Journal of Fish Biology 46(4):687-702.
- Gaughan, D.J. & I.C. Potter. 1995. Composition, distribution and seasonal abundance of zooplankton in a shallow, seasonally closed estuary in temperate Australia. Estuarine, Coastal and Shelf Science 41(2):117-135.
- Hopkins, D.R., M. Azam, E. Ruiz-Tiben & K.D. Kappus. 1995. Eradication of dracunculiasis from Pakistan. Lancet 346(8975):621-624.
- Irvine, K., R. Waya & R.C. Hart. 1995. Additional studies into the ecology of *Tropodiptomus cunningtoni*. Pp. 141-158 In: Menz, A. (ed.). Fishery potential and productivity of the pelagic zone of Lake Malawi/Niassa. Natural Resources Institute, Chatham, Kent, U.K.
- Jerling, H.L. & T.H. Wooldridge. 1995. Feeding of two mysid species on plankton in a temperate South African estuary. Journal of Experimental Marine Biology and Ecology 188(2):243-259.
- Juanico, M., Y. Azov, B. Teltsch & G. Shelef. 1995. Effect of effluent addition to a freshwater reservoir on the filter clogging capacity of irrigation water. Water Research 29(7):1695-1702.
- Karasev, A.B., O.G. Kuzmin, B. Finstad & S.T. Nilsen. 1995. Salmon rivers of the Kola peninsula. Salmon lice (*Lepeophtheirus salmonis* Krøyer) on Atlantic salmon (*Salmo salar* L.) from the Varzuga River. ICES CM 1995/R:3: 14 pp.
- Krause, M., J.W. Dippner & J. Beil. 1995. A review of hydrographic controls on the distribution of zooplankton biomass and species in the North Sea with particular reference to a survey conducted in January–March 1987. Progress in Oceanography 35(2):81-152.
- Montagna, P.A., R. Burgess & F. Fiers. 1995. Harpacticoida (Crustacea: Copepoda) from the California Continental

- Shelf. - Final rept. Sep 90-Oct 95. Texas University at Austin, Port Aransas Marine Science Institute, and U.S. Minerals Management Service, Camarillo, California, Pacific OCS Region, U.S.A. UTMSI-TR-95-0002; OCS/MMS-95/0047. 359 pp.
- Muxagata, E. 1995. Influência da dinâmica na composição, distribuição e abundância do holo e meroplâncton no canal de Rio Grande (Lagoa dos Patos-RS, Brasil). [Influence of the dynamics on the composition, distribution and abundance of the holo and meroplankton in the Rio Grande Channel (Lagoa dos Patos – RS, Brazil).] Monografia, Universidade do Rio Grande, Rio Grande, Rio Grande do Sul, Brazil. 74 pp. [In Portuguese.]
- Okoye, S.N., C.O.E. Onwuliri & J.C. Anosike. 1995. A survey of predilection sites and degree of disability associated with guineaworm (*Dracunculus medinensis*). International Journal for Parasitology 25(9):1127-1129.
- Opravilová, V. & O. Komárek. 1995. Comparative study on micro-meiozoobenthos and periphytic algae in three man-made brooks. Folia Facultatis Scientiarum Naturalium Universitatis Masarykiana Brunensis, Biologia, 91:107-120.
- Ribeiro, M.A.G. 1995. Hiperbentos na alimentação de espécies de peixes jovens da região estuarina lagunar de Cananéia (25°02'S – 47°56'W) – São Paulo. Hyperbenthos in the feeding of species of young fishes in the lagoonar estuarine region of Cananéia (25°02'S – 47°56'W) – São Paulo.] Tese de Doutorado, Instituto de Oceanografia, Universidade de São Paulo, São Paulo, Brazil. 142 pp. [In Portuguese.]
- Santos, C.C. 1995. Relações entre fatores físicos e a comunidade zooplanctônica na Baía do Almirantado e regiões costeiras da Ilha Elefante (Antártica). [Relationships between physical factors and the zooplankton community in Admiralty Bay and coastal regions of Elephant Island (Antarctica).] Dissertação de Mestrado, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Santos, P.J.P. 1995. Contribution à l'écologie du méiobenthos et du microphytobenthos dans la zone oligo-mésohaline de l'estuaire de la Gironde et dynamique de population et production secondaire du copépode harpacticoïde *Nannopus palustris* Brady, 1880. [Contribution to the ecology of the meiobenthos and the microphytobenthos in the oligo-mesohaline zone of the Gironde estuary and secondary production of the harpacticoid copepod *Nannopus palustris* Brady, 1880.] Thèse Doctorat, Université Bordeaux 1, Bordeaux, France. 134 pp. [In French.]
- Sommaruga, R. 1995. Microbial and classical food webs: a visit to a hypertrophic lake. FEMS Microbiology & Ecology 17(4):257-270.
- Uda, S., W.A. Tiller, G.J. Edgar & C. Shaw. 1995. The production and trophic ecology of shallow-water fish assemblages in southern Australia II. Diets of fishes and trophic relationships between fishes and benthos at Western Port, Victoria. Journal of Experimental Marine Biology and Ecology 194(1):83-106.
- Vega, M.A.P. 1995. La depredación intrazooplántica: un estudio sobre *Parabroteas sarsi* (Copepoda, Calanoida). [Intrazooplankton predation: a study of *Parabroteas sarsi* (Copepoda, Calanoida).] Tesis de Doctorado, Centro Regional Universitario Bariloche, Universidad Nacional del Comahue, Río Negro, Argentina. [In Spanish.]
- Vieira, N. & F. Amat. 1995. Fluctuation in the zooplankton community in two solar salt ponds, Aveiro, Portugal. International Journal of Salt Lake Research 4(4):327-333.
- Villano, N. & R.M. Warwick. 1995. Meiobenthic communities associated with the seasonal cycle of growth and decay of *Ulva rigida* Agardh in the Palude Della Rosa, Lagoon of Venice. Estuarine, Coastal and Shelf Science 41(2):181-194.

1996

- Araújo, D.B., S.C.S. Martins, L.M.B. Albuquerque & E. Hofer. 1996. Influence of the copepod *Mesocyclops longisetus* (Crustacea: Cyclopidae) on the survival of *Vibrio cholerae* O1 in fresh water. Cadernos de Saúde Pública 12(4):551-554.
- Birkeland, K. 1996. Salmon lice, *Lepeophtheirus salmonis*, infestations and implications for anadromous brown trout, *Salmo trutta*. Ph.D. Thesis, University of Bergen, Bergen, Norway.
- Bjorn, P.A. 1996. The effects of salmon lice (*Lepeophtheirus salmonis* Kroyer) infestation on sea trout (*Salmo trutta* L.) post smolt. M.Sc. Thesis, The Norwegian College of Fishery Science, University of Tromsø, Norway.
- Bot, P.V.M., W. Van Raaphorst, S. Batten, R. Laane, K. Philippart, G. Radach, A. Frohse, H. Schultz, D. van den Eynde & F. Colijn. 1996. Comparison of changes in the annual variability of the seasonal cycles of chlorophyll, nutrients and zooplankton at eight locations on the north-west European shelf (1960-1994). Deutsche Hydrographische Zeitschrift 48:349-364.
- Callaghan, R. & T.K. Mc Carthy. 1996. Metazoan parasite assemblages of eels in the Dunkelin catchment, western Ireland. Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries 4(2a):147-174.
- Carriker, M.R. 1996. History of a systematics odyssey: the marine flora and fauna of the Eastern United States. (MBL Systematics-Ecology Program, Woods Hole Oceanographic Institution). Marine Fisheries Review 58(3):1-23.
- Coale, K.H., K.S. Johnson, S.E. Fitzwater, R.M. Gordon, S. Tanner, F.P. Chavez, L. Ferioli, C. Sakamoto, P. Rogers, F. Millero, P. Steinberg, P. Nightingale, D. Cooper, W.P. Cochlan, M.R. Landry, J. Constantinou, G. Rollwagen,

- A. Trasvina & R. Kudela. 1996. A massive phytoplankton bloom induced by an ecosystem-scale iron fertilization experiment in the equatorial Pacific Ocean. *Nature* 383:495-501.
- Coelho, M. 1996. Cladocera e Copepoda do rio Minho. [Cladocera and Copepoda of the Minho River.] *Actas do 1º. Simpósio Ibérico sobre a bacia Hidrográfica do rio Minho*: 159-166. [In Portuguese.]
- Costello, M.J. 1996. Development and future of cleaner-fish technology and other biological control techniques in fish farming. Pp. 171-184 In: Sayer, M.D.J., J.W. Treasurer & M.J. Costello (eds.). *Wrasse: Biology and Use in Aquaculture*. Fishing News Books, Oxford, U.K.
- Costello, M.J., S. Deady, A. Pike & J.M. Fives. 1996. Parasites and diseases of wrasse being used as cleaner-fish on salmon farms in Ireland and Scotland. Pp. 211-227 184 In: Sayer, M.D.J., J.W. Treasurer & M.J. Costello (eds.). *Wrasse: Biology and Use in Aquaculture*. Fishing News Books, Oxford, U.K.
- Costelloe, M., J. Costelloe, N. Roche & B. O'Connor. 1996. Studies on sea lice larvae *Lepeophtheirus salmonis* Kroyer on the West Coast of Ireland. Pp. 303-324 In: Keegan, B.F. & R. O'Connor (eds.). *Irish Marine Science 1995*. Galway University Press Ltd., Galway.
- Frid, C.L.J. & N.V. Huliselan. 1996. Far-field control of long-term changes in Northumberland (NW North Sea) coastal zooplankton. *ICES Journal of Marine Science* 53:972-977.
- Gaevskaya, A.V. 1996. Copepod *Spyrion lumpi* (Kroyer) as a biological marker in population studies of the deepwater redfish (*Sebastes mentella*). *Canadian Translation of Fisheries and Aquatic Sciences No. 5655*. 10 pp. Canada Institute for Scientific & Technical Information, Ottawa. [English translation of 1984 article.]
- Grimnes, A.F., B. Finstad & P.A. Bjorn. 1996. Ecological and physiological consequences of salmon lice on salmonids in Norwegian fjord systems. *NINA (Norsk Institutt for Naturforskning) Oppdragsmelding 381*:1-37.
- Heuch, P.A. 1996. Host-finding in the parasitic copepod *Lepeophtheirus salmonis*. Dr. Scient. Thesis, University of Oslo, Oslo, Norway.
- Laabir, M. 1996. Étude de la viabilité des embryons et de la fécondité chez le copépode *Calanus helgolandicus*: impact des diatomées. [Study of embryo viability and fecundity in the copepod *Calanus helgolandicus*: impact of diatoms.] Thèse Doctorat, Université Paris 6, Paris, France. 200 pp. [In French.]
- McCann, J.A., L.N. Arkin & J.D. Williams. 1996. Nonindigenous Aquatic and Selected Terrestrial Species of Florida. (Chapter 2: Nonindigenous Diseases and Parasites in Freshwater Systems. Section 2. Nonindigenous Diseases and Parasites of Fishes) Center for Aquatic Plants, University of Florida, Gainesville, Florida, U.S.A. Internet publication: <http://aquat1.ifas.ufl.edu/mctitle.html>
- Morton, K.F. & K.S. Shortreed. 1996. Results from a seven-year limnological study of Shuswap Lake, part II: Zooplankton. *Canadian Data Report of Fisheries and Aquatic Sciences No. 1005*. 138 pp.
- Powlik, J.J. 1996. Studies of the Genus *Tigriopus*: An Annotated Bibliography. Raggedtooth Press/ University of British Columbia Oceanography Department, Vancouver. 76 pp.
- Pyka, J. 1996. Feeding of the tench, *Tinca tinca* (L.), larvae and fry under pond rearing conditions. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 4(1):69-84.
- Souza-Santos, L.P. 1996. Contribution a l'étude de la biologie nutritionnelle des copépodes méiobenthiques: cycles d'ingestion, rôle des bactéries et des diatomées dans le régime alimentaire, budget énergétique. [Contribution to the study of nutritional biology of meiobenthic copepods: feeding cycles, role of bacteria and diatoms in the diet, energy budget.] Thèse Doctorat, Université Bordeaux 1, Bordeaux, France. 159 pp. [In French.]
- Svensson, J.-E. 1996. Predation on females and males of a freshwater copepod. Ph.D. Thesis, Göteborg University, Goteborg, Sweden.
- Visser, M., S. Batten, G. Becker, P. Bot, F. Colijn, P. Damm, D. Danielssen, D. Van den Eynde, L. Foyn, A. Frohse, G. Groeneveld, R. Laane, W. van Raaphorst, G. Radach, H. Schultz & J. Sundermann. 1996. Time series analysis of monthly mean data of temperature, salinity, nutrients, suspended matter, phyto and zooplankton at eight locations on the North-west European shelf. *Deutsche Hydrographische Zeitschrift* 48:299-323.
- Wheeler, P.A., M. Gosselin, E. Sherr, D. Thibault, D.L. Kirchman, R. Benner & T.E. Whitledge. 1996. Active cycling of organic carbon in the central Arctic Ocean. *Nature* 380:697-699.
- Winder, M. 1996. Distribution patterns of benthic crustaceans in an Alpine lake (Lake Piburg). Diploma Thesis, University of Innsbruck, Innsbruck, Austria.

1997

- Ara, K., L.A. Vega-Pérez & L.R. Tommasi. 1997. Temporal and seasonal variability in abundance of *Acartia lilljeborgi* Giesbrecht and *A. tonsa* Dana (Copepoda: Calanoida) in Cananéia Lagoon estuarine system, São Paulo - Brazil. In: *Congresso Latino-Americano sobre Ciências do Mar, 7. Resumos Expandidos*. IOUSP/ALICMAR/FIESP, Santos. Vol. 1:42-44.
- Armstrong, W.A. & S.E. Smith. 1997. Plankton Sampling during the Whale Habitat and Prey Study July 10-August 4, 1996. National Marine Fisheries Service, La Jolla, California, U.S.A.. Southwest Fisheries Science Center Technical Memo No. NOAA-TM-NMFS-SWFSC-242. 48 pp.
- Averof, M. & N.H. Patel. 1997. Crustacean appendage

- evolution associated with changes in Hox gene expression. *Nature* 388:682-686.
- Berry, M. 1997. A physiological and phylogenetic study of *Chromatium purpuratum* 95CAR100A, a purple sulfur bacterium associated with Caribbean Sea copepods. Ph.D. Dissertation, Florida State University, Tallahassee, Florida, U.S.A.
- Braidwood, I. 1997. Control of sea lice on salmon. *Veterinary Record* 140(10):263-264.
- Bristow, G. A. & T. Alvick. 1997. Parasites of marine salmonids from Tanafjorden, Finnmark, Norway: an undisturbed native population. Pp. 36-37 In: Youngson, A.F. et al. (eds.). Interactions between salmon culture and wild stocks of Atlantic salmon: the scientific and management issues. Norwegian Institute for Nature Research, Trondheim, Norway.
- Chen, S.Z. 1997. Microcrustaceans in Wuling Mountains area. Pp. 449-452 In: Song, D.X. (ed.). Invertebrates of Wuling Mountains area, Southwestern China. Science Press, Beijing. 548 pp. [In Chinese.]
- Conversi, A., S. Piontkowski & S. Hameed. 1997. Seasonal and interannual changes in *Calanus finmarchicus* and *Pseudocalanus* spp. in the Gulf of Maine (Northeastern US shelf). ICES Council Meeting Papers CM 1997/T:40: 1p.
- Costello, M.J. 1997. Development of lice control. Report of the workshop on the interactions between salmon lice and salmonids, ICES, Anadromous and Catadromous Fish Committee, CM 1997/M:4, Ref. F.
- Costello, M.J. 1997. Lice dispersion. Report of the workshop on the interactions between salmon lice and salmonids, ICES, Anadromous and Catadromous Fish Committee, CM 1997/M:4, Ref. F.
- Dawson, L.H.J. 1997. Physiological, behavioural and pathological effects of sea lice, *Lepeophtheirus salmonis* (Kroyer, 1837), on salmonids. Ph.D. Thesis, University of Aberdeen, Aberdeen, Scotland.
- deWaterLewis, C.V. 1997. Biological-physical interactions on Georges Bank: plankton transport and population dynamics of the ocean quahog, *Arctica islandica*. Doctoral Thesis, Woods Hole Oceanographic Institution, Woods Hole, Massachusetts, U.S.A. 211 pp.
- Erdal, J.I. 1997. New drug treatment hits sealice when they are most vulnerable. *Fish Farming International* 24(2):9.
- Esteban, M. & B. Sanchiz. 1997. Descripción de nuevas especies animales de la Península Ibérica e Islas Baleares (1978-1994): tendencias taxonómicas y listado sistemático. [Description of new animal species of the Iberian Peninsula and Balearic Islands (1978-1994): taxonomic tendencies and systematic list.] *Graellsia* 53:111-175. [In Spanish; abstract in English.]
- Gasparini, S. 1997. Fécondité, régime alimentaire et production des principaux copépodes planctoniques de quatre estuaires européens. [Fecundity, diet and production of the principal planktonic copepods of four European estuaries.] Thèse Doctorat, Université Bordeaux 1, Bordeaux, France. 203 pp. [In French.]
- Gismervik, I. 1997. Copepod stoichiometry and predation on protozoa as structuring factors in marine pelagic food webs. Dr. Scient. Thesis, University of Oslo, Oslo, Norway.
- González, L., J. Carvajal & A. Medina. 1997. Susceptibilidad comparativa de trucha arco iris y salmón coho a ectoparásitos de importancia económica. [Comparative susceptibility of rainbow trout and coho salmon to economically important ectoparasites.] *Archivos de Medicina Veterinaria* 29(1):127-132. [In Spanish; abstract in English.]
- Karasev, A.B., O.G. Kuzmin, B. Finstad & S.T. Nilsen. 1997. Occurrence and levels of infestation of salmon lice *Lepeophtheirus salmonis* on wild salmon of the White Sea. ICES CM 1997/M:4, Ref.:F: 6 pp.
- Kopecký, J. & B. Koudelková. 1997. Seasonal succession of plankton of two pools in the Morava River floodplain. *Acta Musei Moraviae, Scientiae Naturales* 81:121-145.
- Liu, J.X. & W.J. Wang. 1997. Three new species of the parasitic copepodes [copepods] from the fishes in Wuling Mountains area China. Pp. 262-269 In: Song, D.X. (ed.). Invertebrates of Wuling Mountains area, Southwestern China. Science Press, Beijing. 548 pp. [In Chinese.]
- Madin, L.P., E.F. Horgan, B.K. Sullivan, G. Klein-MacPhee, S.M. Bollens & M. Butler. 1997. Estimating the impact of invertebrate predation on target species of copepods on Georges Bank. International Council for the Exploration of the Seas 1997 Annual Science Conference, ICES CM 1997/T:16: 14 pp.
- Pedreira, M.M. 1997. Alimentação e hábito alimentar de larvas de *Trachurus lathami* (família Carangidae), na região de Ubatuba, estado de São Paulo. [Food and feeding habits of the larvae of *Trachurus lathami* (family Carangidae), in the region of Ubatuba, state of São Paulo.] Dissertação de Mestrado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. 129 pp. [In Portuguese.]
- Skowronski, R.S.P. 1997. A meiofauna em um transecto costeiro na Baía do Almirantado (Antártida). Verões de 1991/92 e 1994/95. [The meiofauna on a coastal transect in Admiralty Bay (Antarctica). Summers of 1991/92 and 1994/95.] Dissertação de Mestrado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. [In Portuguese.]
- Solow, A., H. Franklin & S.M. Bollens. 1997. Retrospective analysis of variability in zooplankton community composition of Georges Bank and the Northwest Atlantic. International Council for the Exploration of the Seas 1997 Annual Science Conference, ICES CM 1997/T:48: 15 pp.
- Tönnesson, K. 1997. Effects of UV-B exposure on the diatom *Thalassiosira weissflogii*: Changes in food quality for the copepod *Acartia tonsa*. Graduate Thesis, Department of Marine Ecology, Göteborg University,

Göteborg, Sweden.

1998

- Abraham, E.R. 1998. The generation of plankton patchiness by turbulent stirring. *Nature* 391:577-580.
- Batten, S.D., R.J.S. Allen & C.O. Wotton. 1998. The effects of the Sea Empress oil spill on the plankton of the southern Irish Sea. *Marine Pollution Bulletin* 36(10):764-774.
- Brierley, A.S., P. Ward, J.L. Watkins & C. Goss. 1998. Acoustic discrimination of Southern Ocean zooplankton. *Deep-Sea Research II* 45(7):1155-1173.
- Bystrom, P., L. Persson & E. Wahlstrom. 1998. Competing predators and prey: juvenile bottlenecks in whole-lake experiments. *Ecology* 79:2153-2167.
- Cooksey, K.E. (ed.). 1998. *Molecular Approaches to the Study of the Ocean*. Chapman & Hall, London. 549 pp.
- Curvêlo, R.R. 1998. A meiofauna vágil associada a *Sargassum cymosum* C Agardh, na Praia do Lázaro, Ubatuba, SP. [The vagile meiofauna associated with *Sargassum cymosum* C Agardh, on Lázaro Beach, Ubatuba, SP.] Dissertação de Mestrado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. [In Portuguese.]
- Dahlberg, M. 1998. Population growth and mortality for the copepod species *Acartia clausii* and *Centropages hamatus*. Graduate Thesis, Department of Marine Ecology, Göteborg University, Göteborg, Sweden.
- De la Rocha, C.L. 1998. Variação temporal da comunidade zooplanctônica e produção anual do copépodo *Acartia lilljeborgi* na Enseada da Praia do Segredo (São Sebastião - S.P.). [Temporal variation of the zooplankton community and annual production of the copepod *Acartia lilljeborgi* in the bight of Segredo Beach (São Sebastião - S.P.).] Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 113 pp. [In Portuguese.]
- Edwards, R. 1998. Infested waters: sea lice from salmon farms threaten Scotland's sea trout. *New Scientist* 159(2141): 23.
- Firth, K.J., N.W. Ross, J.F. Burka & S.C. Johnson. 1998. Changes in protease activity in the skin surface mucus of Atlantic salmon (*Salmo salar*) during sea lice (*Lepeophtheirus salmonis*) infestation. *Bulletin of the Aquaculture Association of Canada* 98(2):93-95.
- Grimnes, A., B. Finstad, P.A. Bjorn, B.M. Tovslid & R. Lund. 1998. Registrations of salmon lice on Atlantic salmon, sea trout and charr. NINA (Norsk Institutt for Naturforskning) Oppdragsmelding 525:1-33. [In Norwegian; English abstract.]
- Gullström, M. 1998. Predatory impacts of the ctenophore *Pleurobachia pileus* on calanoid copepods and cladocerans during May and June in Gullmarsfjorden, Sweden. Graduate Thesis, Department of Marine Ecology, Göteborg University, Göteborg, Sweden.
- Long, E.R., G.I. Scott, J. Kucklick, M. Fulton, B. Thompson, R.S. Carr, J. Biedenbach, K.J. Scott, G.B. Thursby & G. T. Chandler. 1998. Magnitude and Extent of Sediment Toxicity in Selected Estuaries of South Carolina and Georgia. U.S. National Ocean Service, Silver Spring, Maryland, U.S.A. NOAA Technical Memo NOAA-TM-NOS-ORCA-128. 302 pp.
- Margolis, L. 1998. Are naturally-occurring parasite 'tags' stable? An appraisal from four case histories involving Pacific salmonids. Pp. 205-212 In: D.W. Welch, D.M. Eggers, K. Wakayabi & V.I. Karpenko (eds.). *Assessment and Status of Pacific Rim Salmonid Stocks*. North Pacific Anadromous Fish Commission, Vancouver, Scientific Bulletin 1.
- Murphy, J.M., N.E. Maloney & B.L. Wing. 1998. Distribution and Abundance of Zooplankton in the North Pacific Subarctic Frontal Zone and Adjacent Water Masses. National Marine Fisheries Service, Auke Bay Laboratory, Auke Bay, Alaska. Technical Memo. NOAA-TM-NMFS-AFSC-93. 40 pp.
- Opravilová, V. 1998: Microzoobenthos and meiozoobenthos in hyporheal of experimental (artificially constructed) brooks. Pp. 243-246 In: Bretschko, G. & J. Helešic (eds.). *Advances in River Bottom Ecology*. Backhuys Publishers, Leiden.
- Pereira, R.H.G. 1998. Dinâmica das populações de Cladocera em viveiros de piscicultura e sua relação com o fluxo da água e densidade de estocagem de peixes. [Population dynamics of Cladocera in fish hatchery ponds and their relationship with water flow and density of fish stocking.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 137 pp. + appendices. [In Portuguese.]
- Rodrigues, M.S.X.S. 1998. Meiofauna e dinâmica praia: um estudo em microescala em ambiente de alta energia. [Meiofauna and beach dynamics: a microscale study in a high-energy environment.] Dissertação de Mestrado, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Rörig, L.R., C. Resgalla, Jr., P.R. Pezzuto, E. Santos & F. Morelli. 1997. Processos de acumulações massivas de *Anaulus* sp na Praia de Navegantes (Santa Catarina): fatores físicos e zooplâncton associado. [Processes of massive accumulations of *Anaulus* sp on Navegantes Beach (Santa Catarina): physical factors and associated zooplankton.] *Oecologia Brasileira - UFRJ*, 3:29-43. [In Portuguese.]
- Sánchez López, V.M. 1998. Zooplankton en estanques de cultivo semiintensivo de camarón, con y sin fertilización, su relación con algunas variables ambientales y la producción. [Zooplankton in ponds of semi-intensive shrimp culture, with and without fertilization, its relationship to some environmental variables and production.] Tesis de Maestría, Universidad Autónoma de Sinaloa, Escuela de Ciencias del Mar, Culiacán,

- Mexico. 72 pp. [In Spanish.]
- Shahidi, F.M. & J.A. Brown. 1998. Carotenoid pigments in seafoods and aquaculture. *Critical Reviews in Food Science and Nutrition* 38:1-67.
- Silva, W.M. 1998. Caracterização do reservatório de Nova Ponte (MG) nos meses de julho/95 (período de seca) e fevereiro/96 (período chuvoso) com ênfase na composição e distribuição do zooplâncton. [Characterization of Nova Ponte Reservoir (MG) in the months of July/95 (dry season) and February/96 (rainy season) with emphasis on the composition and distribution of the zooplankton.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 100 pp. + appendix. [In Portuguese.]
- Sonoda, S.L. 1998. Estrutura da comunidade planctônica da região litorânea (compartimento Capivara) da Represa de Barra Bonita, SP. [Structure of the plankton community in the littoral zone (Capivara compartment) of Barra Bonita Reservoir, SP.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 148 pp. [In Portuguese.]
- Souissi, S. 1998. Modelisation du cycle de vie d'un poisson: consequences pour la gestion des ressources exploitées. Application a l'étude de l'interaction entre les populations de copépodes et la population d'anchois. [Modelling the life cycle of a fish: consequences for the management of exploited resources. Application to the study of the interaction between copepod populations and the population of anchovies.] Thèse Doctorat, Université Paris 6, Paris, France. 614 pp. [In French.]
- Torres, P., W. Gesche, A. Montefusco, J.C. Miranda, P. Dietz & R. Huijse. 1998. Diphyllobothriosis humana y en peces del lago Riñihue, Chile: efecto de la actividad educativa, distribución estacional y relación con sexo, talla y dieta de los peces. [Diphyllobothriosis in man and fishes from Lake Riñihue, Chile: effect of health education, seasonal distribution and its relationship with sex, length and diet of the fish.] *Archivos de Medicina Veterinaria* 30(1):31-45. [In Spanish; abstract in English.]
- Urawa, S., K. Nagasawa, L. Margolis & A. Moles. 1998. Stock identification of chinook salmon (*Oncorhynchus tshawytscha*) in the North Pacific Ocean and Bering Sea by parasite tags. Pp. 199-204 In: D.W. Welch, D.M. Eggers, K. Wakayabi & V.I. Karpenko (eds.). *Assessment and Status of Pacific Rim Salmonid Stocks*. North Pacific Anadromous Fish Commission, Vancouver, Scientific Bulletin 1.
- Vesnina, L.V. 1998. Zooplankton (Rotifera, Crustacea: Daphniiformes, Copepoda) of lakes of Altay region. Pp. 88-89 In: Utkin, N.A. (ed.). *Invertebrates of the Southern Transurals and adjacent territories: materials of the All-Russian Conference, April 14-16 1998*. Bespozvonochnye zhivotnye Yuzhnogo Zauralya i sopredelnykh territorii: materialy. [In Russian.]
- Wandeness, A.P. 1998. Estrutura espaço-temporal dos Copepoda Harpacticoida em um perfil na região de Macaé, RJ. [Spatio-temporal structure of the Copepoda Harpacticoida on a transect in the region of Macaé, RJ.] Tese de Mestrado, Universidade Federal Fluminense, Niterói, Rio de Janeiro, Brazil. 69 pp. [In Portuguese.]
- Watanabe, Y. & H. Saito. 1998. Feeding and growth of early juvenile Japanese sardines in the Pacific waters off central Japan. *Journal of Fish Biology* 52(3):519-533.
- Węgleńska, T. 1998. Abundance and structure of planktonic crustacean community of a humic Lake Smolak twenty years after the experimental mineral fertilisation. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 6(2):219-232.

1999

- Ara, K. 1999. Variabilidade temporal e produção dos copépodos no complexo estuarino-lagunar de Cananéia, São Paulo, Brasil. [Temporal variability and production of the copepods in the estuary-lagoon complex of Cananéia, São Paulo, Brazil.] Tese de Doutorado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. 308 pp. [In Portuguese.]
- Azeiteiro, U., J.C. Marques & P. Ré. 1999. Zooplankton annual cycle in the Mondego river estuary (Portugal). *Arquivos do Museu Bocage, Nova Série*, 3(8):239-264.
- Barthélémy, R.-M. 1999. Biologie de la reproduction des copépodes calanoïdes: biodiversité morphofonctionnelle et intérêt phylétique des structures génitales femelles: données structurales, ultrastructurales et biochimiques sur les glandes associées. [Reproduction biology of calanoid copepods: biodiversity of functional morphology and phyletic interest of the female genital structures: structural, ultrastructural and biochemical data on the associated glands.] Thèse Doctorat, Université Aix-Marseille 1, Marseilles, France. 2 parts, 96 + 83 pp. [In French.]
- Beare, D.J. & E. McKenzie. 1999. The multinomial logit model: a new tool for exploring Continuous Plankton Recorder data. *Fisheries Oceanography* 8 (Supplement 1):25-39.
- Benitez-Nelson, C.R. & K.O. Buesseler. 1999. Variability of inorganic and organic phosphorus turnover rates in the coastal ocean. *Nature* 398:502-505.
- Bird, F.L. & G.P. Jenkins. 1999. Abundance, biomass and estimated production of invertebrate fauna associated with seagrass, *Heterozostera tasmanica*, in Swan Bay and an adjacent area of Port Phillip Bay, Victoria. *Proceedings of the Royal Society of Victoria* 111(1):1-13.
- Brenton-Davie, V. & H. Kreiberg. 1999. Observations on sealice in Atlantic salmon raised in a sea system floating bag and a conventional netpen. *Bulletin of the Aquaculture Association of Canada* 99(4):22-24.

- Bromley, P.J. & L.T. Kell. 1999. Vertical migration and spatial distribution of pelagic 0-group gadoids (cod, haddock, whiting and Norway pout) prior to and during settlement in the North Sea. *Acta Adriatica* 40(2):7-17.
- Cabrera, G., J. Rosas, T. Flores, A. García, V. Hernández, D. Carrasco, M. Hasegawa, J. Millan & T. Cabrera. 1999. [Analysis of food organisms in aquaculture; varying enrichment diets.] In: Cabrera, T. (ed.). *Acuicultura '99*. Servicio Autónomo de los Recursos Pesqueros y Acuícolas (SARPA), Puerto la Cruz, Venezuela. Pp. 50-64. [In Spanish.]
- Canestri Trotti, G., E.M. Bacarani, F. Paesanti & E. Turolla. 1999. Monitoring of parasitological infections in mussels (*Mytilus galloprovincialis*) from Goro (Ferrara – Northern Adriatic Sea – Italy). *Bollettino Società Italiana di Patologia Ittica* 11(26):40-48.
- Dostatni, D; Mamcarz, A; Kozłowski, J; Poczyczynski, P. 1999. Feeding of early- and late-hatched whitefish in illuminated cages. *Archiwum Rybactwa Polskiego/Archives of Polish Fisheries* 7(2):281-295.
- Duarte Lopes, P.R. & J. Tavares de Oliveira Silva. 1999. Notas sobre a alimentação de *Larimus breviceps* (Cuvier, 1830) (Actinopterygii: Sciaenidae) na praia de Jaguaribe (Ilha de Itamaracá), Pernambuco. [Notes on the feeding of *Larimus breviceps* (Cuvier, 1830) (Actinopterygii: Sciaenidae) in the Jaguaribe Beach (Itamaracá Island), Pernambuco.] *Acta Biologica Leopoldina* 21(1):161-168. [In Portuguese; abstract in English.]
- Dulcic, J. 1999. The diet of larval sardine, *Sardina pilchardus* (Walbaum, 1792) in the eastern central Adriatic. *Annales, Anali za Istrske in Mediteranske študije, Series Historia Naturalis* 1(15):9-14.
- Fielder, S. 1999. Mullet tamed. *Fisheries New South Wales* 3(4):21.
- Folt, C.L. & C.W. Burns. 1999. Biological drivers of zooplankton patchiness. *Trends in Ecology & Evolution* 14(8):300-305.
- Garg, S.K. & A. Bhatnager. 1999. Effect of different doses of organic fertilizer (cow dung) on pond productivity and fish biomass in stillwater ponds. *Journal of Applied Ichthyology* (1):10-18.
- Gradinger, R. 1999. Integrated abundance and biomass of sympagic meiofauna in Arctic and Antarctic pack ice. *Polar Biology* 22(3):169-177.
- Grimnes, A., B. Finstad & P.A. Bjorn. 1999. Registrations of salmon lice on Atlantic salmon, sea trout and charr in 1998. NINA (Norsk Institutt for Naturforskning) Oppdragsmelding 579:1-33. [In Norwegian; abstract in English.]
- Heiskanen, A.-S. 1999. Sedimentation in the open and enclosed water columns: The effect of algal blooms, planktonic food web, and resuspension on the quality of settling organic matter in the coastal northern Baltic Sea. Pp. 69-77 In: Heiskanen, A.-S., C. Lundsgaard, M. Reigstadt, K. Olli & S. Floderus (eds.). *Sedimentation and Recycling in Aquatic Ecosystems – The Impact of Pelagic Processes and Planktonic Food Web Structure*. Proceedings of the 4th Nordic Sediment Trap Association (NOSTRA) Symposium, Tartu, January 1997. Finnish Environment, Helsinki, No. 263:69-77.
- Hernandez, S. 1999. Estudo do zooplâncton da região compreendida entre Cabo Frio (RJ) e Santos (SP), com ênfase nas espécies da família Corycaeidae (Copepoda-Poecilostomatoida). [Study of the zooplankton in the region between Cabo Frio (RJ) and Santos (SP), with emphasis on the species of the family Corycaeidae (Copepoda-Poecilostomatoida).] Dissertação de Mestrado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. 125 pp. [In Portuguese.]
- Javed, M. 1999. Studies on metal eco-toxicity of River Ravi stretch from Shahdera to Head Baloki. *Pakistan Journal of Biological Sciences* 2(3):1062-1068.
- Korshenko, A. & E. Yastrebov. 1999. Zooplankton near the drifting buoy in Skagerrak in June 1990. SKAGEX: The Skagerrak Experiment. *Fisken og Havet* 9:1-14.
- Kurtz, F.W. 1999. Dinâmica larval de *Sardinella brasiliensis* (Steindachner, 1879) (Teleostei, Clupeidae) na região sudeste do Brasil e implicações no recrutamento. [Larval dynamics of *Sardinella brasiliensis* (Steindachner, 1879) (Teleostei, Clupeidae) in the region southast of Brazil and implications for recruitment.] Tese de Doutorado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. 169 pp. [In Portuguese.]
- Margaritora, F.G., O. Ferrara & D. Vagaggini. 1999. Le comunità zooplanctoniche del Lago di Martignano (Lazio, Italia). [The zooplankton community of Lago di Martignano (Lazio, Italy).] *Atti Associazione Italiana Oceanologia Limnologia* 13(1):281-289. [In italian.]
- Martin, L.E. 1999. The population biology and ecology of *Aurelia* sp. (Scyphozoa: Semeostomeae) in a tropical meromictic marine lake in Palau, Micronesia. Ph.D. Dissertation, University of California, Los Angeles, California, U.S.A. 250 pp.
- Mischke, C.C. 1999. Fertilization of walleye production ponds. Ph.D. Dissertation, Iowa State University, Ames, Iowa, U.S.A. 184 pp.
- Oguzie, F.A. 1999. The seasonal food habits of *Oreochromis niloticus* (Osteichthyes: Siluriformes) in the Ikpoba Reservoir [sic; Reservoir], Benin City, Nigeria. *Journal of Aquatic Sciences* 14:33-36.
- Opravilová, V. & O. Komárek. 1999. The micro - meiozoobenthic communities in torrential zone of the Dyje River influenced by hydropeaking. *Folia Facultatis Scientiarum Naturalium Universitatis Masarykiana Brunensis, Biologia* 102:115-138.
- Ounissi, M. & M. Khelifi-Touhami. 1999. Le zooplancton du plateau continental d'El-Kala (Mediterranee sud-occidentale): composition et abondance en mai 1996 [Zooplankton from the continental shelf of El-Kala (southwestern Mediterranean): composition and abundance in May 1996.] *Journal de Recherche*

- Océanographique 25(1):5-11. [In French; abstract in English.]
- Owili, M. 1999. Zooplankton-fish interactions in the littoral zone of Nyanza Gulf, Lake Victoria. Pp. 56-66 In: Tweddle, D. & I.G. Cowx (eds). Lake Victoria Fisheries Research Project Phase 2: Report on Third FIDAWOG Workshop. Lake Victoria Fisheries Research Project, Jinja, Uganda, LVFRP/Tech/99/06.
- Pahl, B.C., D.G. Cole & R.C. Bayer. 1999. Sea lice control. II. Evaluation of a photomechanical device as an alternate sea lice control strategy. *Journal of Applied Aquaculture* 9(3):75-88.
- Paredes, C.R. & J.J. Salaya. 1999. Composition and variation of zooplankton and macrobenthic fauna in culture ponds of *Litopenaeus vannamei*. *Aquicultura '99*. *Aquicultura '99*, Memorias 2:386-396.
- Pietroch, M. & R. Krüger. 1999. Larven-Triaenophorose juveniler Flussbarsche (*Perca fluviatilis* L.) des mesotrophen Grossen Vätersees. [Larval triaenophorosis of juvenile river perch (*Perca fluviatilis*) of the mesotrophic lake Grosser Vätersee.] Pp. 13-20 In: Wedekind, H. (ed.). Diseases of Aquatic Organisms. Krankheiten der aquatischen Organismen. 7. Tagung der Deutschen Sektion der European Association of Fish Pathologists (EAFP), Schmallebenberg-Grafschaft (FRG), 23-25 September 1998. Institut für Binnenfischerei, Gross Glienicke, Germany. [In German.]
- Pope, M.L. 1999. Meiofaunal responses to predators, flow, diel periodicity, watershed size, and silvicultural intensity in headwater streams of the interior highlands, Arkansas, USA. Ph.D. Dissertation, University of Arkansas, Fayetteville, Arkansas, U.S.A. 113 pp.
- Pulkkinen, K. 1999. Transmission of *Triaenophorus crassus* from copepod first to coregonid second intermediate hosts and effects on intermediate hosts. Ph.D. Thesis. Biological Research Reports from the University of Jyväskylä, Jyväskylä, Finland, No. 76.
- Pyka, J. 1999. Daily foraging cycle, and daily food ration of roach *Rutilus rutilus* (L.) in Bachotek Lake (Brodnickie Lakeland) in spring. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 7(2):353-358.
- Pyka, J. & R. Kolman. 1999. Food selection by pond-reared Siberian sturgeon *Acipenser baeri* (Brandt) fry. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 7(1):123-128.
- Rankin, L.M., J.A.E. Gibson, P.D. Franzmann & H.R. Burton. 1999. The chemical stratification and microbial communities of Ace Lake, Antarctica: A review of the characteristics of a marine-derived meromictic lake. *Polarforschung* 66(1-2):33-52.
- Reiss, C.S., I.A. McLaren & P.A. Avendaño. 1999. Utility of storage lipid volumes in inferring recent trophic history of copepods. *Canadian Journal of Fisheries and Aquatic Sciences* 56(12):2444-2449.
- Ruangsri, J. & K. Supamattaya. 1999. DNA detection of suspected virus (SEMBV) carriers by PCR (Polymerase Chain Reaction). Proceedings of the 37th Kasetsart University Annual Conference, Kasetsart, Thailand. Pp. 82-94.
- Satapoomin, S. 1999. Carbon content of some common tropical Andaman Sea copepods. *Journal of Plankton Research* 28(11):2117-2123.
- Spencer, M., L. Blaustein, S.S. Schwartz & J.E. Cohen. 1999. Species richness and the proportion of predatory animal species in temporary freshwater pools: relationships with habitat size and permanence. *Ecology Letters* 2(3):157-166.
- Stom, D.I., T.A. Gil', A.E. Balayan & O.A. Barkhatova. 1999. Uptake of water-insoluble xenobiotics by *Epischura*. *Water Resources (Vodnye Resursy)* 26(2):178-180.
- Talbot, H.M., R.N. Head, R.P. Harris & J.R. Maxwell. 1999. Distribution and stability of steryl chlorin esters in copepod faecal pellets from diatom grazing. *Organic Geochemistry* 30(9):1163-1174.
- Tarasov, V.G., A.V. Gebruk, V.M. Shulkin, G.M. Kamenev, V.I. Fadeev, V.N. Kosmyrin, V.V. Malakhov, D.A. Starynin & A.I. Obzhairov. 1999. Effect of shallow-water hydrothermal venting on the biota of Matupi Harbour (Rabaul Caldera, New Britain Island, Papua New Guinea). *Continental Shelf Research* 19(1):79-116.
- Thibault, D., S. Roy, C.S. Wong & J.K. Bishop. 1999. The downward flux of biogenic material in the NE subarctic Pacific: importance of algal sinking and mesozooplankton herbivory. *Deep-Sea Research, Part II, Topical Studies in Oceanography* 46(11-12):2669-2697.
- Tirelli, V. 1999. Stratégies alimentaires du copépode *Acartia clausi*: mécanismes d'acclimation du métabolisme nutritionnel aux variations qualitatives et quantitatives de la nourriture. [Feeding strategies of the copepod *Acartia clausi*: mechanisms of acclimation of nutritional metabolism to qualitative and quantitative variations in food.] Thèse Doctorat, Université Paris 6, Paris, France. 217 pp. [In French.]
- Vargas F., M., S. Cifuentes P. & E. Emparanza M. 1999. Espectro trófico de peces concurrentes al área de crianza Playa Chipana (21°19'S - 70°04'W) del norte de Chile. [Trophic spectrum of concurrent fishes at the Playa Chipana nursery grounds (21°19'S - 70°04'W) in northern Chile.] *Revista de Biología Tropical* 47(3):597-600. [In Spanish.]
- Vilela, M.H. (ed.). 1999. Estudo comparativo do zooplâncton colhido entre 1962 e 1987 em vários locais da Ria Formosa. [Comparative study of zooplankton collected between 1962 and 1987 in the Ria Formosa (Algarve, Portugal).] *Relatórios Científicos e Técnicos do Instituto de Investigação das Pescas e do Mar (IPIMAR)*, Lisbon, No. 34:1-21. [In Portuguese.]
- Vorobieva, L.V. 1999. Meiobentos Ukrainского shel'fa Chernogo i Azovskogo morei. [Meiobenthos of the Ukrainian coast of the Black and Azov seas.] *Naukova Dumka, Kiev*. 300 pp. [In Russian.]

- Waggett, R. & J.H. Costello. 1999. Capture mechanisms used by the lobate ctenophore, *Mnemiopsis leidyi*, preying on the copepod *Acartia tonsa*. *Journal of Plankton Research* 21(11):2037-2052.
- Walve, J. & U. Larsson. 1999. Carbon, nitrogen and phosphorus stoichiometry of crustacean zooplankton in the Baltic Sea: implications for nutrient recycling. *Journal of Plankton Research* 21(12):2309-2321.
- Watson, J., G. Craig, V. Chalvidan, J.P. Chambard, A. Diard, G.L. Foresti, B. Forre, S. Gentili, P.R. Hobson, R.S. Lampitt, J.T. Maine, J.T. Malmo, H. Nareid & G. Pieroni. 1999. High-resolution in situ holographic recording and analysis of marine organisms and particles. In: Barthel, K.G., H. Barth, M. Bohle-Carbonell, C. Fragakis, E. Lipiatou, P. Martin, G. Ollier & M. Weydert (eds.). *Proceedings of the Third European Marine Science and Technology Conference (MAST Conference)*, Lisbon, 23-27 May 1998. Pp. 104-105.
- Weihs, D. 1999. Marine biology: No hibernation for basking sharks. *Nature* 400:717-718.
- Whisler, H.C., B.P. Gabriel, J. Chanpaisaeng, S.L. Zebold & L.E. Padua. 1999. Observations on the life cycle of *Coelomomyces indicus* (Blastocladiales: Coelomomycetaceae) in anopheline mosquitoes from the Philippines and Thailand. *Journal of Medical Entomology* 36(6):695-701.
- Yozzo, D.J. & R.J. Diaz. 1999. Tidal freshwater wetlands: invertebrate diversity, ecology, and functional significance. Pp. 889-918 In: Batzer, D.P., R.B. Rader & S.A. Wissinger (eds.). *Invertebrates in Freshwater Wetlands of North America: Ecology and Management*. John Wiley & Sons, New York.
- 2000**
- Ahmed, Z.F., M.A. Wahab, M.S. Haq & M.A.H. Miah. 2000. Evaluation of food selection of *Catla catla* (Hamilton) fingerling by determining electivity index grown in earthen ponds in Bangladesh. *Pakistan Journal of Biological Sciences* 3(6):1066-1068.
- Akiba, T. & Y. Kakui. 2000. Design and testing of an underwater microscope and image processing system for the study of zooplankton distribution. *IEEE Journal of Oceanic Engineering* 25(1):97-104.
- Alonzo, F. 2000. *Stratégies reproductives des copépodes subantarctiques dominant l'écosystème pélagique côtier des Iles Kerguelen: Implications écologiques*. [Reproductive strategies of the subantarctic copepods dominating the coastal pelagic ecosystem of the Kerguelen Islands.] Thèse Doctorat, Université Aix-Marseille 2, Marseilles, France. 130 pp. [In French.]
- Alves, D.R., J.L. Luque & A.R. Paraguassú. 2000. Ectoparasitos da tilápia nilótica *Oreochromis niloticus* (Osteichthyes: Cichlidae) da Estação de Piscicultura da UFRRJ. [Ectoparasites of the Nile *Oreochromis niloticus* (Osteichthyes: Cichlidae) at the UFRRJ Fish Hatchery.] *Revista da Universidade Rural, Série Ciências da Vida, Seropédica* 22(1):81-85. [In Portuguese.]
- Azeiteiro, U.M.M., J.C. Marques & P. Ré. 2000. Zooplankton assemblages in a shallow, seasonally tidal estuary in temperate Atlantic Ocean (western Portugal: Mondego Estuary). *Arquivos do Museu Bocage, Nova Série* 3(12):357-376.
- Bark, S. 2000. *Argulus*. *Fish Farmer* 23(3):40.
- Beaugrand, G., F. Ibañez & P.C. Reid. 2000. Spatial, seasonal and long-term fluctuations of plankton in relation to hydroclimatic features in the English Channel, Celtic Sea and Bay of Biscay. *Marine Ecology Progress Series* 200:93-102.
- Branson, E. 2000. Chance to get on top of sea lice problem. *Fish Farmer* 23(1):8.
- Breton, E. 2000. *Qualité du pool nutritif et nutrition des copépodes pélagiques en Manche orientale*. [Quality of the food pool and feeding of the pelagic copepods in the eastern English Channel.] Thèse Doctorat, Université du Littoral-Côte d'Opale, Dunkerque, France. 282 pp. [In French.]
- Bucklin, A. 2000. Methods for population genetic analysis of zooplankton. Pp. 533-570 In: Harris, R., P. Wiebe, J. Lenz, H.R. Skjoldal & M. Huntley (eds.). *ICES Zooplankton Methodology Manual*. Academic Press, San Diego.
- Castillo-Rivera, M., A. Kobelkowsky & A.M. Chavez. 2000. Feeding biology of the flatfish *Citharichthys spilopterus* (Bothidae) in a tropical estuary of Mexico. *Journal of Applied Ichthyology* 16(2):73-78.
- Danovaro, R., A. Tselepidis, A. Otegui & N.D. Croce. 2000. Dynamics of meiofaunal assemblages on the continental shelf and deep-sea sediments of the Cretan Sea (NE Mediterranean): relationships with seasonal changes in food supply. *Progress in Oceanography* 46(2-4):367-400.
- Davenport, J., R.J.J.W. Smith & M. Packer. 2000. Mussels *Mytilus edulis*: significant consumers and destroyers of mesozooplankton. *Marine Ecology Progress Series* 198:131-137.
- Deker, C.M. 2000. *Efeitos da inundação do rio Tietê na estrutura da comunidade zooplanctônica do lago do Parque Ecológico do Tietê, São Paulo*. [Effects of flooding of the Tietê River on the zooplankton community structure in the lake of the Tietê Ecological Park, São Paulo.] Dissertação de Mestrado, Faculdade de Saúde Pública, Universidade de São Paulo, São Paulo, Brazil. 104 pp. [In Portuguese.]
- Dippner, J.W., G. Kornilovs & L. Sidrevics. 2000. Long-term variability of mesozooplankton in the central Baltic Sea. *Journal of Marine Systems* 25(1):23-31.
- Dotsu, Y., M. Yanagi & T. Inui. 2000. Spawning-induction and larva-rearing of the Australian gobiid fish *Hypseleotris compressus*. *Bulletin of the Faculty of Fisheries, Nagasaki University* 81:43-48. [In Japanese; abstract in English.]

- Duponchelle, F., H. Bootsma, A.J. Ribbink, C. Davis, A. Msukwa, J. Mafuka & D. Mandere. 2000. Temporal diet patterns of some Lake Malawi fish species as revealed by stomach contents and stable isotope analysis. Pp. 189-201 In: Duponchelle, F. & A.J. Ribbink (eds.). Fish Ecology Report. Lake Malawi/Nyasa/Niassa Biodiversity Conservation Project. SADC/GEF (Southern African Development Community, Gaborone, Botswana / Global Environmental Facility, Washington, D.C. 325 pp.
- Duro, A. & E. Saiz. 2000. Distribution and trophic ecology of chaetognaths in the western Mediterranean in relation to an inshore-offshore gradient. *Journal of Plankton Research* 22(2):339-361.
- Eler, M.N. 2000. Efeito da densidade de estocagem de peixes e do fluxo de água na qualidade da água e na sucessão do plâncton em viveiros de piscicultura. [Effect of fish stocking density and water flow on water quality and plankton succession in hatchery ponds.] Tese de Doutorado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 258 pp. [In Portuguese.]
- Faith, S.A. & C.A. Miller. 2000. A newly emerging toxic dinoflagellate, *Pfiesteria piscicida*: natural ecology and toxicosis to fish and other species. *Veterinary and Human Toxicology* 42(1):26-29.
- Froneman, P.W., E.A. Pakhomov, R. Perissinotto & C.D. McQuaid. 2000. Zooplankton structure and grazing in the Atlantic sector of the Southern Ocean in late austral summer 1993. Part 2. Biochemical zonation. Deep-Sea Research, Part I, Oceanographic Research Papers, 47(9):1687-1702.
- Gillooly, J.F. 2000. Effect of body size and temperature on generation time in zooplankton. *Journal of Plankton Research* 22(2):241-251.
- Gollasch, S., J. Lenz, M. Dammer & H.-G. Andres. 2000. Survival of tropical ballast water organisms during a cruise from the Indian Ocean to the North Sea. *Journal of Plankton Research* 22(5):923-937.
- Gonzalez, H.E., V.C. Ortiz & M. Sobarzo. 2000. The role of faecal material in the particulate organic carbon flux in the northern Humboldt Current, Chile (23 degree S), before and during the 1997-1998 El Nino. *Journal of Plankton Research* 22(3):499-529.
- Gordon, C. 2000. Hypersaline lagoons as conservation habitats: macro-invertebrates at Muni Lagoon, Ghana. *Biodiversity and Conservation* 9(4):465-478.
- Grimnes, A., B. Finstad & P.A. Bjorn. 2000. Registrations of salmon lice on Atlantic salmon, sea trout and charr in 1999. NINA (Norsk Institutt for Naturforskning) Oppdragsmelding 634:1-34. [In Norwegian; English abstract.]
- Hann, B.J. & M.A. Turner. 2000. Erratum to 'Littoral microcrustacea in lake 302S in the Experimental Lakes Area of Canada: acidification and recovery' [*Freshwater Biology* 43(2000):133-166.]. *Freshwater Biology* 43(2):373-374.
- Hansen, A.-M. 2000. Response of ciliates and *Cryptomonas* to the spring cohort of a cyclopoid copepod in a shallow hypereutrophic lake. *Journal of Plankton Research* 22(1):185-203.
- Harris, R., P. Wiebe, J. Lenz, M. Huntley & H.R. Skjoldal (eds.). 2000. ICES Zooplankton Methodology Manual. Academic Press, San Diego. 684 pp. ISBN 0123276454
- Hassan, H., M. Javed & G. Mahmood. 2000. Response of different levels of nitrogen from broiler droppings towards planktonic biota of major carps rearing ponds. *Pakistan Journal of Biological Sciences* 3(10):1712-1715.
- Haurly, L.R., C. Fey, C. Newland & A. Genin. 2000. Zooplankton distribution around four eastern North Pacific seamounts. *Progress in Oceanography* 45(1):69-10.
- Havel, J.E., E.M. Eisenbacher & A.A. Black. 2000. Diversity of crustacean zooplankton in riparian wetlands: colonization and egg banks. *Aquatic Ecology* 34(1):63-76.
- Hughes, J.E., L.A. Deegan, B.J. Peterson, R.M. Holmes & B. Fry. 2000. Nitrogen flow through the food web in the oligohaline zone of a New England estuary. *Ecology* 81(2):433-452.
- Hulot, F.D., G. Lacroix, F. Lescher-Moutoué & M. Loreau. 2000. Functional diversity governs ecosystem response to nutrient enrichment. *Nature* 405:340-344.
- Hunt, B.P.V. 2000. Mesozooplankton community structure in the vicinity of the Prince Edward Islands (Southern Ocean) 37° 50'E, 46° 45'S. M.Sc. Thesis (Zoology), Rhodes University, Grahamstown, South Africa.
- Irigoien, X., R.P. Harris, R.N. Head, J.A. Lindley & D. Harbour. 2000. Physiology and population structure of *Calanus finmarchicus* (Copepoda: Calanoida) during a Lagrangian tracer release experiment in the North Atlantic. *Journal of Plankton Research* 22(2):205-221.
- Kasuya, T., T. Ishimaru & M. Murano. 2000. Seasonal variations in abundance and size composition of the lobate ctenophore *Bolinopsis mikado* (Moser) in Tokyo Bay, central Japan. *Journal of Oceanography* 56(4):419-427.
- Kideys, A.E., A.V. Kovalev, G. Shulman, A. Gordina & F. Binge. 2000. A review of zooplankton investigations of the Black Sea over the last decade. *Journal of Marine Systems* 24(3-4):355-371.
- Klug, J.L., J.M. Fischer, A.R. Ives & B. Dennis. 2000. Compensatory dynamics in planktonic community responses to pH perturbations. *Ecology* 81(2):387-398.
- Luque, J.L., D.R. Alves & C.S.S. Sabas. 2000. Metazoários parasitos do xaréu *Caranx hippos* (Linnaeus, 1766) e do xerelete *Caranx latus* Agassiz, 1831 (Osteichthyes: Carangidae) do litoral do Estado do Rio de Janeiro, Brasil. [Metazoan parasites of the xaréu *Caranx hippos* (Linnaeus, 1766) and the xerelete *Caranx latus* Agassiz, 1831 (Osteichthyes: Carangidae) off the coast of the state of Rio de Janeiro, Brazil.] *Contribuições Avulsas Sobre a*

- História Natural do Brasil, Seropédica 25:1-17. [In Portuguese.]
- Mandima, J.J. 2000. Spatial and temporal variations in the food of the sardine *Limnothrissa miodon* (Boulenger, 1906) in Lake Kariba, Zimbabwe. Fisheries Research, Amsterdam 44(2):197-203.
- McArthur, V.E., D. Koutsoubas, N. Lampadariou & C. Dounas. 2000. The meiofaunal community structure of a Mediterranean lagoon (Gialova Lagoon, Ionian Sea). Helgoland Marine Research 54(1):7-17.
- Mejanelle, L., J. Laureillard, F. Rassoulzadegan & A. Saliot. 2000. A biomarker approach applied to the microbial loop in the Mediterranean surface waters: fatty acid composition of bacteria and protozoa. P. 102 In: Baudimant, G., J. Guézennec, P. Roy & J.F. Samain (eds.). Marine Lipids: Proceedings of the Symposium held in Brest, 19-20 November 1998. Actes de Colloques, Institut Français de Recherche pour l'Exploitation de la Mer (IFREMER) 27.
- Miranda, M.A., L. Durante & E. Serra. 2000. Zoocenoses dans les bassins de première évaporation dans une saline de la Sardaigne. [Zoocenoses in the first evaporation basins in a salt pond of Sardinia.] Mediterránea, Série de Estudos Biológicos, Universidad de Alicante 2(17):1-21. [In French.]
- Monteiro, M.T. & M.R. Oliveira. 2000. Estrutura e interações das comunidades planctônicas em tanques de cultura de *Dicentrarchus labrax* L. e *Solea senegalensis* Kaup. [Structure and interactions of planktonic communities in *Dicentrarchus labrax* L. and *Solea senegalensis* Kaup culture ponds.] Relatórios Científicos e Técnicos do Instituto de Investigação das Pescas e do Mar (IPIMAR), Lisbon, No. 54. 18 pp. [In Portuguese; abstract in English.]
- Montero-Royo, F.E. 2000. Estudio parasitológico en cultivos de *Seriola dumerili* (Risso, 1810) en el Mediterraneo. [Parasitological study in culture ponds of *Seriola dumerili* (Risso, 1810) in the Mediterranean.] Tesis Doctoral, Universidad de Valencia, Valencia, Spain. [In Spanish.]
- Mueller, G. & M.J. Horn. 2000. Description of the Pelagic Zooplankton and Fish Communities of Lakes Powell and Mead. U.S. Geological Survey Report USGS/OFR-99-109. 458 pp.
- Nagasawa, K. 2000. Winter zooplankton biomass in the Subarctic North Pacific, with a discussion on the overwintering survival strategy of Pacific Salmon (*Oncorhynchus* spp.). Pp. 21-32 In: Helle, J.H., Y. Ishido, D. Noakes & V. Radchenko (eds.). Recent Changes in Ocean Production of Pacific Salmon. North Pacific Anadromous Fish Commission, Vancouver, Scientific Bulletin 2.
- Nessimian, J.L. & J.R.I. Ribeiro. 2000. On the biology of *Buenoa platycnemis* (Fieber) (Insecta, Heteroptera, Notonectidae) at Restinga de Maricá, Rio de Janeiro State, Brazil. Revista Brasileira de Zoologia 17(1):229-239.
- Oliveira, M.R. 2000. Zooplâncton da plataforma continental sudeste do Brasil, entre Mongaguá-SP (24°05'S) e o Cabo de Santa Marta Grande-SC (28°40'S), com especial referência aos copépodos Eucalanidae. [Zooplankton of the southeastern continental shelf of Brazil, between Mongaguá-SP (24°05'S) and Cabo de Santa Marta Grande-SC (28°40'S), with special reference to the Eucalanidae copepods.] Dissertação de Mestrado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. 147 pp. [In Portuguese.]
- Oliveira da Silva, L., J.L. Luque & D. Ramos-Alves. 2000. Metazoários parasitos do peixe espada, *Trichiurus lepturus* (Osteichthyes: Trichiuridae) do litoral do estado do Rio de Janeiro, Brasil. [Metazoan parasites of the largehead hairtail, *Trichiurus lepturus* (Osteichthyes: Trichiuridae) off the coast of the state of Rio de Janeiro, Brazil.] Parasitología al Día 24(3-4):97-101. [In Portuguese; abstract in English.]
- Pakhomov, E.A., R. Perissinotto, C.D. McQuaid & P.W. Froneman. 2000. Zooplankton structure and grazing in the Atlantic sector of the Southern Ocean in late austral summer 1993. Part 1. Ecological zonation. Deep-Sea Research, Part I, Oceanographic Research Papers 47(9):1663-1686.
- Pandolfini, E., I. Thys, B. Leporcq & J.-P. Descy. 2000. Grazing experiments with two freshwater zooplankters: fate of chlorophyll and carotenoid pigments. Journal of Plankton Research 22(2):305-319.
- Pedersen, O.-P. 2000. Life cycle strategies of *Calanus finmarchicus* on the Norwegian mid-shelf and adjacent areas: a study of generation patterns and impact of physical processes. Dr. Scient. Thesis, Institute of Marine and Freshwater Biology, University of Tromsø, Tromsø, Norway.
- Perticarrari, A. 2000. Migração vertical de microcrustáceos, Chaoboridae e Hydracarina no Lago Monte Alegre. [Vertical migration of microcrustaceans, Chaoboridae and Hydracarina in Monte Alegre Lake.] Dissertação de Mestrado, Universidade de São Paulo, Ribeirão Preto, São Paulo, Brazil. 94 pp. [In Portuguese.]
- Perumal, P., V.A. Prabhu, T. Nedumaran & P. Santhanam. 2000. Studies on behaviour and survival rate of *Oithona rigida* Giesbrecht (Copepoda: Cyclopoida) fed with *Coscinodiscus centralis* Ehrenberg and *Skeletonema costatum* (Grev.) Cleve. Seaweed Research and Utilisation, Namakkal 22(1-2):135-137.
- Pesant, S., L. Legendre, M. Gosselin, P.K. Bjornsen, L. Fortier, J. Michaud & T.G. Nielsen. 2000. Pathways of carbon cycling in marine surface waters: the fate of small-sized phytoplankton in the Northeast Water Polynya. Journal of Plankton Research 22(4):779-801.
- Quevedo, M. & R. Anadon. 2000. Spring microzooplankton composition, biomass and potential grazing in the central

- Cantabrian coast (southern Bay of Biscay). *Oceanologica Acta* 23(3):297-310.
- Ramos-Alves, D. & J.L. Luque. 2000. Metazoários parasitos de *Micropogonias furnieri* (Osteichthyes: Sciaenidae) do litoral do Estado do Rio de Janeiro, Brasil. [Metazoan parasites of *Micropogonias furnieri* (Osteichthyes: Sciaenidae) off the coast of the State of Rio de Janeiro, Brazil.] *Parasitologia al Día* 24(1-2):40-45. [In Portuguese.]
- Rawson, P.D., D.A. Brazeau & R.S. Burton. 2000. Isolation and characterization of cytochrome c from the marine copepod *Tigriopus californicus*. *Gene* 248(1-2):15-22.
- Rey, C. 2000. Étude du développement, de la croissance, de la ponte et de leurs sources de variabilité chez les copépodes marins élevés em milieu contrôlé. [Study of development, growth, egg-laying and their sources of variability in marine copepods reared in a controlled environment.] Thèse Doctorat, Université Paris 6, Paris, France. 639 pp. [In French.]
- Roman, M.R., S. Smith, K.F. Wishner, X. Zhang & M. Gowing. 2000. Mesozooplankton production and grazing in the Arabian Sea. *Deep-Sea Research, Part II, Topical Studies in Oceanography* 47(7-8):1423-1450.
- Rothsey, S. 2000. The reactions of larval copepods and monogeneans to light, gravity and magnetic fields. Honours Thesis, University of New England, Armidale, New South Wales, Australia. 83 pp.
- Roy, S., N. Silverberg, N. Romero, D. Deibel, B. Klein, C. Savenkoff, A. Vezina, J.-E. Tremblay, L. Legendre & R.B. Rivkin. 2000. Importance of mesozooplankton feeding for the downward flux of biogenic carbon in the Gulf of St. Lawrence (Canada). *Deep-Sea Research, Part II, Topical Studies in Oceanography* 47(3-4):519-544.
- Sant'anna, E.M.E. 2000. Estudo da dieta natural de *Parvocalanus crassirostris*, *Paracalanus quasimodo*, *Temora stylifera* e *Temora turbinata* (Copepoda, Calanoida), no canal de São Sebastião (SP, Brasil). [Study of the natural diet of *Parvocalanus crassirostris*, *Paracalanus quasimodo*, *Temora stylifera* and *Temora turbinata* (Copepoda, Calanoida), in São Sebastião Channel (SP, Brazil).] Tese de Doutorado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 317 pp. [In Portuguese.]
- Santos, P.J.P., C.A.A. Gomes, Z.S. Almeida, V.G. Fônsaca-Genevois & L. Souza-Santos. 2000. Diversidade de Copepoda Harpacticoida em área de manguezal no Canal de Santa Cruz, PE. [Diversity of Copepoda Harpacticoida in a mangrove area in the Santa Cruz Channel, PE.] *Publicações da Academia de Ciências do Estado de São Paulo* 109(2):319-326. [In Portuguese.]
- Sato, M.B., G. Pavanelli & J.L. Luque. 2000. Ocorrência e aspectos quantitativos de *Gamispinus diabolicus* (Copepoda: Ergasilidae) parasitando o mandi-amarelo, *Pimelodus maculatus* (Siluroidei: Pimelodidae), no rio Paraná, Brasil. [Occurrence and quantitative aspects of *Gamispinus diabolicus* (Copepoda: Ergasilidae) parasitizing the yellow mandi *Pimelodus maculatus* (Siluroidei: Pimelodidae), in the Paraná River, Brazil.] *Revista da Universidade Rural, Série Ciências da Vida, Seropédica* 22(1):67-69. [In Portuguese.]
- Shimanaga, M., H. Kitazato & Y. Shirayama. 2000. Seasonal patterns of vertical distribution between meiofaunal groups in relation to phytodetritus deposition in the bathyal Sagami Bay, central Japan. *Journal of Oceanography* 56(4):379-387.
- Shuntov, V.P., E.P. Dulepova, K.M. Gorbatenko, A.M. Slabinskii & A. Efimkin. 2000. Feeding of the walleye pollack *Theragra chalcogramma* in the Anadyr-Navarin region of the Bering Sea. *Journal of Ichthyology* 40(5):370-377.
- Silva, L.G.O., J.L. Luque & D.R. Alves. 2000. Ectoparasitos do peixe-espada, *Trichiurus lepturus* (Osteichthyes: Trichiuridae), do litoral do Estado do Rio de Janeiro, Brasil. *Revista da Universidade Rural, Série Ciências da Vida, Seropédica* 22(1):59-66. [In Portuguese.]
- Stehlik, L.L. & C.J. Meise. 2000. Diet of winter flounder in a New Jersey estuary: onto-genetic change and spatial variation. *Estuaries* 23(3):381-391.
- Talbot, H.M., R.N. Head, R.P. Harris & J.R. Maxwell. 2000. Discrimination against 4-methyl sterol uptake during sterol chlorin ester production by copepods. *Organic Geochemistry* 31(9):871-880.
- Thoumelin, G., V. Beghin, L. Bodineau, J.C. Dauvin & M. Wartel. 2000. Study of the diets of two organisms the copepod *Eurytemora affinis* and the white shrimp *Palaemon longirostris*, in the Seine estuary: the use of fatty acid and sterol biomarkers. Pp. 78-86 In: Baudimant, G., J. Guézennec, P. Roy & J.F. Samain (eds.). *Marine Lipids: Proceedings of the Symposium Held in Brest, 19-20 November 1998. Actes de Colloques, Institut Français de Recherche pour l'Exploitation de la Mer (IFREMER)* 27.
- Vihnerluoto, M., H. Kuosa, J. Flinkman & M. Viitasalo. 2000. Food utilisation of pelagic mysids, *Mysis mixta* and *M. relicta*, during their growing season in the northern Baltic Sea. *Marine Biology* 136(3):553-559.
- Visser, A.W. & P.R. Jonsson. 2000. On the reorientation of non-spherical prey particles in a feeding current. *Journal of Plankton Research* 22(4):761-777.
- Vivian, D.N., J.T. Duffy-Anderson, R.G. Arndt & K.W. Able. 2000. Feeding habits of young-of-the-year winter flounder, *Pseudopleuronectes americanus*, in the Hudson River estuary, U.S.A. *Bulletin of the New Jersey Academy of Science* 45(2):1-6.
- Vrizer, B. 2000. Meiobenthic Harpacticoida (Copepoda) from the southern part of the Gulf of Trieste (Northern Adriatic). II. Ecology and spatial distribution. *Annales, Anali za Istrske in Mediteranske študije, Series Historia Naturalis* 10(1):39-54.
- Widder, E.A. & S. Johnsen. 2000. 3D spatial point patterns of bioluminescent plankton: a map of the 'minefield'. *Journal of Plankton Research* 22(3):409-420.

- Wilkońska, H. & A. Strelnikova. 2000. Feeding patterns of some cyprinid fish larvae in Licheńskie and Gosławskie Lakes in 1994. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 8(2):213-224.
- Winder, M., H.E. Pehofer & L. Fuereder. 2000. Distribution patterns of benthic crustaceans in a formerly meromictic lake with changing trophic conditions (Lake Piburg, Tyrol, Austria). *Archiv für Hydrobiologie* 147(4):519-533.
- Winkler, G. 2000. Zur Ökologie zweier interagierender Mysidaceenarten *Neomysis integer* (Leach 1814) und *Praunus flexuosus* F. Müller 1776 (Peracarida, Mysidacea). [On the ecology of two interacting mysid species *Neomysis integer* (Leach 1814) and *Praunus flexuosus* F. Müller 1776 (Peracarida, Mysidacea).] Ph.D. Dissertation, University of Hamburg, Hamburg, Germany. [In German.]
- Yang, Y.F. & X.F. Huang. 2000. Advances in ecological studies on zooplankton. *Journal of Lake Sciences* 12(1):81-89.
- Young, J.W. 2000. Do large whales have an impact on commercial fishing in the South Pacific Ocean? *Journal of International Wildlife Law & Policy* 3(3): 253-275.

2001

- Apostolov, A. 2001. Copépodes harpacticoides souterraines de France 3. *Elaphoidella claudboui* n. sp. un stygobie du genre *Elaphoidella* Chappuis, 1929 du Massif Central. Copepods harpacticoids from groundwaters in France. 3. *Elaphoidella claudboui* n. sp. *Rivista di Idrobiologia* 40(2-3):181-190. [In French; abstract in English.]
- Batten, S.D., E.S. Fileman & E. Halvorsen. 2001. The contribution of microzooplankton to the diet of mesozooplankton in an upwelling filament off the north west coast of Spain. *Progress in Oceanography* 51(2-4):385-398.
- Bonnet, D. 2001. Effet de la diversité nutritionnelle du microplancton sur le zooplancton: étude de processus démographiques et trophiques de copépodes marins dans des conditions de laboratoire et in situ. [Effect of nutritional diversity of microplankton on zooplankton: study of demographic and trophic processes of marine copepods in laboratory conditions and in situ.] Thèse Doctorat, Université Paris 6, Paris, France. 364 pp. [In French.]
- Botelho-Neto, S.L., J.L. Luque & L.E.R. Tavares. 2001. Estrutura e composição da comunidade de metazoários parasitos do bagre-branco, *Netuma barba* (Osteichthyes: Ariidae), do litoral do Estado do Rio de Janeiro, Brasil. [Structure and composition of the metazoan parasite community of the white sea catfish, *Netuma barba* (Osteichthyes: Ariidae), off the coast of the State of Rio de Janeiro, Brazil.] In: XI Jornada de Iniciação Científica, 2001, Seropédica. Anais da XI Jornada de Iniciação Científica, Universidade Federal Rural, EDUR, 2001, 1:237-240. [In Portuguese.]
- Brancelj, A. & T. Pipan. 2001. Micro and macroscale diversity of copepods in the subterranean realm of Slovenia. (Mikro- in makrodiverziteteta ceponozcev v podzemnem svetu Slovenije.) *Annales, Anali za Istrske in Mediteranske študije, Series Historia Naturalis* 11(1, Suppl.):17.
- Canadian Science Advisory Secretariat. 2001. Proceedings of the Workshop on the Northwest Atlantic Ecosystem: A basin scale approach. Canadian Science Advisory Secretariat, Ottawa, Proceedings Series No. 2001/23. 113 pp.
- Carvajal, J., G. Ruiz & F. Sepúlveda. 2001. Symbiotic relationship between *Udonella* sp. (Monogenea) and *Caligus rogercresseyi* (Copepoda), a parasite of the Chilean rock cod *Eleginops maclovinus*. *Archivos de Medicina Veterinaria* 33(1):31-36.
- Cohen, J.H., E.W. Johnson & D.H.F. Pragoff. 2001. Zooplankton in flood tide conduit water from anchialine ponds on San Salvador Island, Bahamas. Pp. 6-14 In: Clark-Simpson, C. & G. Smith (eds.). Proceedings of the 8th Symposium on the Natural History of the Bahamas, Gerace Research Center, San Salvador, Bahamas.
- Conversi, A., S. Piontkovski & S. Hameed. 2001. Seasonal and interannual dynamics of *Calanus finmarchicus* in the Gulf of Maine (northeastern US shelf) with reference to the North Atlantic Oscillation. *Deep-Sea Research II* 48(1-3):519-530.
- Gillooly, J.F., J.H. Brown, G.B. West, V.M. Savage & E.L. Charnov. 2001. Effects of size and temperature on metabolic rate. *Science* 293(5538):2248-2251. [Erratum in: *Science* 294(5546):1463.]
- Hatfield, T. & J. Ptolemy. 2001. Status of the stickleback species pair, *Gasterosteus* spp., in Paxton Lake, Texada Island, British Columbia. *Canadian Field-Naturalist* 115(4):591-596.
- Humlen, Rikard. 2001. Grazing rates, reproduction and faecal pellet production of marine copepods in different plankton communities. Master's Thesis, University of Bergen, Bergen, Norway. 60 pp.
- Iepure, S. 2001. Cyclopides du Parc National des Monts Apuseni. I. *Acanthocyclops plesai* n. sp. et *Acanthocyclops balcanicus bisaetosus* n. ssp. (Crustacea, Copepoda). *Studia Universitatis Babeş-Bolyai, Biologia* 46(2):31-41. [In French; abstract in English.] [Corrected year and title.]
- Jorge, D.S., J.L. Luque, A.R. Paraguassú & D.R. Alves. 2001. Estrutura e composição da comunidade de metazoários parasitos da abrótea, *Urophycis mystaceus* (Osteichthyes: Phycidae), do litoral do Estado do Rio de Janeiro, Brasil. [Structure and composition of the community of metazoan parasites of the abrótea, *Urophycis mystaceus* (Osteichthyes: Phycidae), off the coast of the State of Rio de Janeiro, Brazil.] In: XI Jornada de Iniciação Científica, 2001, Seropédica. Anais

- da XI Jornada de Iniciação Científica, Seropédica, EDUR, 2001, 1:240-244. [In Portuguese.]
- Kurtz, F.W. & Y. Matsuura. 2001. Food and feeding ecology of Brazilian sardine (*Sardinella brasiliensis*) larvae from the southeastern Brazilian Bight. *Revista Brasileira de Oceanografia* 49(1/2):61-74.
- Lake, P.S. 2001. The fauna of Lake Pedder – changes after the flooding and thoughts on restoration. In: Sharples, C. (ed.). *Lake Pedder: Values and Restoration*. Centre for Environmental Studies, University of Tasmania, Occasional Paper 27:87-98.
- Margaritora, F.G., O. Ferrara & D. Vagaggini. 2001. Cambiamenti a breve e a lungo termine nella composizione qualitativa delle biocenosi zooplanctoniche del Lago di Martignano (Lazio). [Long- and short-term changes in the qualitative composition of the zooplankton biocoenosis of Lago di Martignano (Lazio).] *Atti Associazione Italiana Oceanologia Limnologia* 14:281-290. [In Italian.]
- Michels, E. 2001. Landscape structure and genetic variation in natural zooplankton populations: cladocerans in a set of interconnected ponds. Ph.D. Thesis, Katholieke Universiteit Leuven, Leuven, Belgium. 180 pp.
- Miramand, P., T. Guyot, H. Rybarczyk, B. Elkaim, P. Mouny, J.C. Dauvin & C. Bessineton. 2001. Contamination of the biological compartment in the Seine estuary by Cd, Cu, Pb, and Zn. *Estuaries* 24(6B):1056-1065.
- Moellmann, A.M., T.N. Corbisier & R.R. Corvêlo. 2001. Variação espacial entre verão e inverno da meiofauna do Canal de São Sebastião-SP. [Spatial variation between summer and winter of the meiofauna of the São Sebastião Channel-SP.] *Revista Brasileira de Oceanografia* 49(1/2):75-85. [In Portuguese.]
- Moretto, E.M. 2001. Diversidade zooplantônica e variáveis limnológicas das regiões limnética e litorânea de cinco lagoas do Vale do Rio Doce-MG, e suas relações com o entorno. [Zooplankton diversity and limnological variables of the limnetic and littoral zones of five lakes in the Rio Doce Valley-MG, and their relationships with the surroundings.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 267 pp. + appendices. [In Portuguese.]
- Nobre Carvalho, L. 2001. Ecologia da interação parasito-hospedeiro entre branquiúros (Crustacea: Argulidae) e piranhas (Osteichthyes: Characidae) no Pantanal Sul Mato-Grossense. [Ecology of the parasite-host interaction between branchiurans (Crustacea: Argulidae) and piranhas (Osteichthyes: Characidae) in the Southern Pantanal of Mato Grosso.] Dissertação de Mestrado, Universidade Federal de Mato Grosso do Sul, Campo Grande, Mato Grosso do Sul, Brazil. 34 pp. [In Portuguese.]
- Payne, J.F. 2001. Laboratory exposure of invertebrate and vertebrate species to concentrations of IA-35 (Petroleum Canada) drill mud fluid, production water, and Hibernia drill mud cuttings. Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 2560. 33 pp.
- Pershing, A.J. 2001. Response of large marine ecosystems to climate variability: patterns, processes, concepts, and methods. Ph.D. Thesis, Cornell University, Ithaca, New York, U.S.A. 116 pp.
- Ramos-Jiliberto, R. & L.R. Zúñiga. 2001. Depth-selection patterns and diel vertical migration of *Daphnia ambigua* (Crustacea: Cladocera) in lake El Plateado. *Revista Chilena de Historia Natural* 74(3):573-585.
- Rivera-Prisco, A., S.B. García de la Rosa & J.M. Díaz de Astarloa. 2001. Feeding ecology of flatfish juveniles (Pleuronectiformes) in Mar Chiquita coastal lagoon (Buenos Aires, Argentina). *Estuaries* 24(6A):917-925.
- Scasso, F., N. Mazzeo, J. Gorga, C. Kruk, G. Lacerot, J. Clemente, D. Fabián & S. Bonilla. 2001. Limnological changes in a sub-tropical shallow hypertrophic lake during its restoration: two years of a whole-lake experiment. *Aquatic Conservation: Marine and Freshwater Ecosystems* 11(1):31-44.
- Schaper, S. 2001. Beitrag zur Verwendung von *Mesocyclops thermocyclopoides* für die Bekämpfung der Stechmücke *Aedes aegypti* in Costa Rica. Biologische und strategische Aspekte. [Study of the application of *Mesocyclops thermocyclopoides* for control of the mosquito *Aedes aegypti* in Costa Rica.] Ph.D. Dissertation, University of Hanover, Hanover, Germany. 147 pp. BoD GmbH, Norderstedt. ISBN: 3831116687. [In German.]
- Scherthan, H. 2001. TIMELINE: A bouquet makes ends meet. *Nature Reviews Molecular Cell Biology* 2:621-627.
- Speirs, D.C. & W.S.C. Gurney. 2001. Population persistence in rivers and estuaries. *Ecology* 82(5):1219-1237.
- Szumiec, M.A., M. Jakubas, B. Kolasa-Jamińska & W. Urbaniec-Brózda. 2001. The effect of temperature decrease on carp *Cyprinus carpio* L. culture in a temperate climate. Part II. Zoo- and phytoplankton dynamics and the chemical composition of pond water. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 9(2):209-218.
- Winder, M., M. Monaghan & P. Spaak. 2001. Have human impacts changed alpine zooplankton diversity over the past 100 years? *Arctic, Antarctic & Alpine Research* 33:467-475.
- Zhang, Z.-N., H. Zhou, Z.-S. Yu & J. Han. 2001. Abundance and biomass of the benthic meiofauna in the northern soft-bottom of the Jiaozhou Bay. *Oceanologia et Limnologia Sinica* 32:149-147.
- Zimmer, K.D. 2001. Effects of fathead minnows and drainage on wetland ecosystems. Ph.D. Dissertation, North Dakota State University, Fargo, North Dakota, U.S.A.

- Abdallah, V.D., J.L. Luque & D.R. Alves. 2002. Aspectos quantitativos das infrapopulações de metazoários parasitos da cavalinha, *Scomber japonicus* (Osteichthyes: Scombridae) do litoral do Estado do Rio de Janeiro, Brasil. [Quantitative aspects of the infrapopulations of metazoan parasites of the chub mackerel, *Scomber japonicus* (Osteichthyes: Scombridae) off the coast of the State of Rio de Janeiro, Brazil.] In: XII Jornada de Iniciação Científica, UFRRJ, 2002, Seropédica. Anais da XII Jornada Científica 1:49-50. [In Portuguese.]
- Agbon, A.O., P.C. Ofójekwu, I.S. Ezenwaka & W.O. Alegbeleye. 2002. Acute toxicity of diazin of rotifers, cyclops, mosquito larvae and fish. *Journal of Applied Sciences & Environmental Management* 6(1):18-21.
- Alves, D.R., J.L. Luque & A.R. Paraguassú. 2002. Metazoários parasitos do Congro-rosa *Gemypterus brasiliensis* (Osteichthyes: Ophidiidae) do litoral do Estado do Rio de Janeiro. [Metazoan parasites of the Congro-rosa *Gemypterus brasiliensis* (Osteichthyes: Ophidiidae) off the coast of the State of Rio de Janeiro.] *Revista Brasileira de Zoociências, Juiz de Fora* 4(1):133-142. [In Portuguese.]
- Alves, D.R., J.L. Luque, A.R. Paraguassú, D.S. Jorge & R.A. Viñas. 2002. Ecologia da comunidade de metazoários parasitos da abrótea *Urophycis mystaceus* (Osteichthyes: Phycidae) do litoral do Estado do Rio de Janeiro. [Ecology of the community of metazoan parasites of the abrótea *Urophycis mystaceus* (Osteichthyes: Phycidae) off the coast of the State of Rio de Janeiro, Brazil.] *Revista Brasileira de Zoociências, Juiz de Fora* 4(1):19-30. [In Portuguese.]
- Aronés-Flores, K. & P. Ayón-Dejo. 2002. Effects of El Niño 1997-1998 on copepod community structure at San José Coastal Station (Peru). *Investigaciones Marinas* 30(1, Suppl. Symp. Valparaíso):104-105.
- Barry, K.L. & C.D. Levings. 2002. Feasibility of using the RAMAS-Metapopulation model to assess the risk of a non-indigenous copepod, *Pseudodiaptomus marinus*, establishing in Vancouver Harbour from ballast water. *Canadian Technical Report of Fisheries and Aquatic Sciences* No. 2401. 31 pp.
- Boero, F. 2002. Ship-driven biological invasions in the Mediterranean Sea. *CIESM Workshop Monographs* 20:87-91.
- Calles, A.K., L. Domínguez, S. Guartatanga, V. Ruiz, K. González, M.P. Cornejo R. de Grunauer & M. Vincx. 2002. Interannual variability of the meiobenthos and hyperbenthos communities from two Ecuadorian sandy beaches (1999-2001). *Investigaciones Marinas* 30(1, Suppl. Symp., Valparaíso):135-137.
- Durbin, E.G., G. Teegarden, R.G. Campbell, A. Cembella, M.F. Baumgartner & B.R. Mark. 2002. North Atlantic right whales, *Eubalaena glacialis*, exposed to paralytic shellfish poisoning (PSP) toxins via a zooplankton vector, *Calanus finmarchicus*. *Harmful Algae* 1(3):243-251.
- Dzika, E. 2002. The parasites of bream *Abramis brama* (L.) from Lake Kortowskie. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 10(1):85-96.
- Escribano, R., P. Hidalgo & D. Fernández. 2002. Responses of zooplankton populations to the 1997/98 El Niño in the coastal upwelling zone off northern Chile: Is El Niño that bad? *Investigaciones Marinas* 30(1, Suppl. Symp., Valparaíso):109-111.
- Gaviria, S. 2002. Krebstiere: Wasserflöhe & Ruderfusskrebse. (Crustacea: Cladocera und Copepoda). In: Ess, F. & W. Ralitsch (eds.). *Neobiota in Österreich*. Umweltbundesamt, Federal Environment Agency, Austria. Pp. 263-268.
- Gaviria, S., A. Herzig & L. Forró. 2002. Crustacea, Copepoda, Calanoida. - Part III. In: Moog, O. (ed.). *Fauna Aquatica Austriaca, Katalog zur autökologischen Einstufung aquatischer Organismen Österreichs*. Series Water Ecology Register, Federal Ministry of Agriculture, Forestry, Environments and Water Economy, Vienna. 3 pp. (www.lebensministerium.at/wasser)
- Gaviria, S., A. Herzig, P. Pospisil & L. Forró. 2002. Crustacea, Copepoda, Cyclopoida. - Part III. In: Moog, O. (ed.). *Fauna Aquatica Austriaca, Katalog zur autökologischen Einstufung aquatischer Organismen Österreichs*. Series Water Ecology Register, Federal Ministry of Agriculture, Forestry, Environments and Water Economy, Vienna. 1 pp. (www.lebensministerium.at/wasser)
- Gaviria, S., V. Kowarc & A. Fuchs. 2002. Crustacea, Copepoda, Harpacticoida. - Part III. In: Moog, O. (ed.). *Fauna Aquatica Austriaca, Katalog zur autökologischen Einstufung aquatischer Organismen Österreichs*. Series Water Ecology Register, Federal Ministry of Agriculture, Forestry, Environments and Water Economy, Vienna. 1 pp. (www.lebensministerium.at/wasser)
- Gheskiere, T., E. Hoste, L. Kotwicki, S. Degraer, J. Vanaverbeke & M. Vincx. 2002. The sandy beach meiofauna and free-living nematodes from De Panne (Belgium). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique* 72(Suppl.):43-49.
- González, H.E, F. Pagés, M. Sobarzo & E. Escribano. 2002. Effects of the 1997-98 El Niño on the oceanographic conditions and zooplankton community structure in the coastal upwelling system off northern Chile. *Investigaciones Marinas* 30 (1, Suppl. Symp., Valparaíso):112-114.
- Grimberg, E.M. 2002. Estudo comparativo da comunidade zooplanctônica de um sistema artificial (represa de Barra Bonita, SP) e de um sistema natural (lagoa Baixa Verde, MG). [Comparative study of the zooplankton community of an artificial system (Barra Bonita Reservoir, SP) and a natural system (Baixa Verde Pond, MG).] *Dissertação de Mestrado, Escola de Engenharia de São Carlos*,

- Universidade de São Paulo, São Carlos, São Paulo, Brazil. 233 pp. [In Portuguese.]
- Kakareko, T. 2002. The importance of benthic fauna in the diet of small common bream *Abramis brama* (L.), roach *Rutilus rutilus* (L.), pikeperch *Sander lucioperca* (L.) and ruffe *Gymnocephalus cernuus* (L.) in the Włocławek Reservoir. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 10(2):221-231.
- Kay, B.H., S.N. Vu, V.T. Tran, T.Y. Nguyen, V.P. Tran, T.B.D. Vu, U.N. Truong, A. Bektas & J.G. Aaskov. 2002. Control of *Aedes* vectors of dengue in three provinces of Vietnam by use of *Mesocyclops* (Copepoda) and community-based methods validated by entomologic, clinical, and serological surveillance. *American Journal of Tropical Medicine and Hygiene* 66(1):40-48. [Corrected author names.]
- Khan, R.A. 2002. The ecology and faunal diversity of two floodplain ox-bow lakes of south-eastern West Bengal. *Records of the Zoological Survey of India, Occasional Paper* 195:1-57.
- Kotwicki, L. 2002. Benthic Harpacticoida (Crustacea, Copepoda) from the Svalbard Archipelago. *Polish Polar Research* 23(2):185-191.
- Lin, X., Y.F. Zhu & Y. Zhao. 2002. Effects of some environmental factors on the feeding behaviour of *Centropages mcmurrichi*. *Transactions of Oceanology and Limnology* 4:38-45; Ser. No. 94. [In Chinese.]
- Linse, K., A. Brandt, B. Hilbig & G. Wegener. 2002. Composition and distribution of suprabenthic fauna in the southeastern Weddell Sea and off King George Island. *Antarctic Science* 14(1):3-10.
- Locke, A. 2002. Ichthyoplankton and invertebrate zooplankton of the coastal waters of Cape Breton Island: A review. *Canadian Manuscript Report of Fisheries and Aquatic Sciences* No. 2606. 30 pp.
- Moldovan, O.T., S. Iepure & G. Rajka. 2002. Research on groundwater fauna in north-western Romania. *Studia Universitatis Babeş-Bolyai, Biologia* 47(1):17-32.
- Möllmann, C., J.O. Schmidt, A. Temming, J.-P. Herrmann, J. Flöter & A. Sell. 2002. Video Plankton Recorder reveals environmental problems of marine copepod. *International GLOBEC Newsletter* 8(2):20-21.
- Ozturk, M.O. 2002. Metazoan parasites of the tench (*Tinca tinca* L.) from Lake Uluabat, Turkey. *Israel Journal of Zoology* 48(4):285-293.
- Pennell, W. & J. Dawson-Coates. 2002. Introduction to the Biology of the Calanoid Copepods of the Strait of Georgia, British Columbia, Canada. C2T2, Malaspina University-College & Ministry of Advanced Education, Canada. Available in electronic and printed versions; see http://www.c2t2.ca/article.asp?item_id=3377&path=ecc
- ** Pleşa, C. & S. Iepure. 2002. La présence de *Cyclops praealpinus* Kiefer, 1939 (Crustacea, Copepoda) en Roumanie. *Studia Universitatis Babeş-Bolyai, Biologia* 47(2):15-24. [In French; abstract in English.] [Corrected spelling of title.]
- Ribeiro, R.S., J.L. Luque & D.R. Alves. 2002. Aspectos quantitativos dos parasitos da maria-luiza, *Paralonchurus brasiliensis* (Osteichthyes: Sciaenidae), do litoral do Estado do Rio de Janeiro, Brasil. [Quantitative aspects of the parasites of the banded croaker, *Paralonchurus brasiliensis* (Osteichthyes: Sciaenidae), off the coast of the State of Rio de Janeiro, Brazil.] In: XII Jornada de Iniciação Científica, UFRRJ, 2002, Seropédica. *Anais da XII Jornada de Iniciação Científica, 2002*, 1:34-35. [In Portuguese.]
- Rundle, S.D., A. Foggo, V. Choiseul & D.T. Bilton. 2002. Are distribution patterns linked to dispersal mechanism? An investigation using pond invertebrate assemblages. *Freshwater Biology* 47(9):1571-1581.
- Siddiqi, S.Z. & R.A. Khan. 2002. Comparative limnology of few man-made lakes in and around Hyderabad, India. *Records of the Zoological Survey of India, Occasional Paper* 203:1-64.
- Silva-Filho, J.P. 2002. Avaliação ambiental da represa de Piracuruca (Piracuruca-Piauí), com ênfase nas características físicas e químicas da água e na comunidade zooplanctônica. [Environmental evaluation of the Piracuruca Reservoir (Piracuruca-Piauí), with emphasis on the physical and chemical characteristics of the water and on the zooplankton community.] Tese de Doutorado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 183 pp. + appendices. [In Portuguese.]
- Svetlichny, L.S., E.S. Hubareva & E.G. Arashkevich. 2002. The effect of oxygen concentration on metabolism of migrating and diapausing copepods *Calanus euxinus* in the Black Sea. *Okeanologiya* 42(5):702-708. [In Russian.]
- Trudel, M. 2002. Prevalence and intensity of sea lice (*Lepeophtheirus salmonis*) infection on juvenile pink salmon, *Oncorhynchus gorbuscha*, in the Bering Sea, September 2002. *Canadian Data Report of Fisheries and Aquatic Sciences* No. 1107. 25 pp.
- Werner, I., K. Meiners & H. Schünemann. 2002. Copepods in Arctic pack ice and the underlying water layer: living conditions and exchange processes. *Proceedings of the IAHR 16th International Symposium on Ice, Dunedin, New Zealand (2-6 December 2002)*, Vol. 3:30-40.

2003

- Achinelly, M.F., M.V. Micieli & J.J. García. 2003. Pre-parasitic juveniles of *Strelkovimermis spiculatus* Poinar & Camino, 1986 (Nematoda: Mermithidae) predated upon by freshwater copepods (Crustacea: Copepoda). *Nematology* 5(6):885-888.
- Ali, M., A. Salam, S. Jamshaid & T. Zahra. 2003. Studies on biodiversity in relation to seasonal variations in water of River Indus at Ghazi Ghatt, Punjab, Pakistan. *Pakistan Journal of Biological Sciences* 6(21):1840-1844.

- Alves, D.R., J.L. Luque & V.D. Abdallah. 2003. Metazoan parasites of chub mackerel, *Scomber japonicus* (Osteichthyes: Scombridae), from the coastal zone of the State of Rio de Janeiro, Brazil. *Revista Brasileira de Parasitologia Veterinária*, Rio de Janeiro 12(4):143-149.
- Andreev, V.P., T.K. Zhakovshchikova, V.N. Ryabova, E.F. Sorokoletova & A.A. Sharygin. 2003. Biological analysis of water quality in the Norilsko-Pyasinskaya system. *Water Resources* 30(4):427-433.
- Appeltans, W., A. Hannouti, S. van Damme, K. Soetaert, R. Vanthomme & M. Tackx. 2003. Zooplankton in the Schelde estuary (Belgium/The Netherlands). The distribution of *Eurytemora affinis*: effect of oxygen? *Journal of Plankton Research* 25(11):1441-1445.
- Arscott, D.B., K. Tockner & J.V. Ward. 2003. Spatio-temporal patterns of benthic invertebrates along the continuum of a braided Alpine river. *Archiv für Hydrobiologie* 158(4):431-460.
- Ashjian, C.J., R.G. Campbell, H.E. Welch, M. Butler & D. Van Keuren. 2003. Annual cycle in abundance, distribution, and size in relation to hydrography of important copepod species in the western Arctic Ocean. *Deep Sea Research* 50(10-11):1235-1261.
- Auel, H. & I. Werner. 2003. Feeding and respiration of the hyperiid amphipod *Themisto libellula* in the marginal ice zone of the Greenland Sea (Arctic). *Journal of Experimental Marine Biology and Ecology* 296:183-197.
- Azevedo, F. & C.C. Bonecker. 2003. Community size structure of zooplanktonic assemblages in three lakes on the upper River Paraná floodplain, PR-MS, Brazil. *Hydrobiologia* 505(1-3):147-158.
- Badran, A.F., M. El Hashem & H.M.A. Tantawy. 2003. Morphological and immunological studies on *Procamallanus laeviconchus* worms in catfish (*Clarias gariepinus*). *Assiut Veterinary Medical Journal* 49(97):174-189.
- Bailey-Brock, J.H. 2003. Three new species of *Saccocirrus* (Polychaeta: Saccocirridae) from Hawai'i. *Pacific Science* 57(4):463-478.
- Baribwegure, D. & H.J. Dumont. 2003. The integumental pore signature of *Thermocyclops schmeili* (Poppe & Mrázek, 1895); *Thermocyclops dybowskii* (Landé, 1890); *Thermocyclops hooki* Löffler, 1968; *Thermocyclops incisus* Kiefer, 1932 and *Thermocyclops inopinus* (Kiefer, 1926). *Hydrobiologia* 505(1-3):15-30.
- Barron, M.G. & L. Ka'aihue. 2003. Critical evaluation of CROSERF test methods for oil dispersant toxicity testing under subarctic conditions. *Marine Pollution Bulletin* 46(9):1191-1199.
- Baumgärtner, D. & K.-O. Rothhaupt. 2003. Predictive length-dry mass regressions for freshwater invertebrates in a pre-alpine lake littoral. *International Review of Hydrobiology* 88(5):453-463.
- Baumgartner, M.F., T.V.N. Cole, R.G. Campbell, G.J. Teegarden & E.G. Durbin. 2003. Associations between North Atlantic right whales and their prey *Calanus finmarchicus* over diel and tidal time scales. *Marine Ecology Progress Series* 264:155-166.
- Bayly, I.A.E., J.A.E. Gibson, B. Wagner & K.M. Swadling. 2003. Taxonomy, ecology and zoogeography of two East Antarctic freshwater calanoid copepod species: *Boeckella poppei* and *Gladioferens antarcticus*. *Antarctic Science* 15(4):439-448.
- Beaugrand, G., K.M. Brander, J.A. Lindley, S. Souissi & P.C. Reid. 2003. Plankton effect on cod recruitment in the North Sea. *Nature* 426:661-664.
- Bejarano, A.C. & G.T. Chandler. 2003. Reproductive and developmental effects of atrazine on the estuarine meiobenthic copepod *Amphiascus tenuiremis*. *Environmental Toxicology and Chemistry* 22(12):3009-3016.
- Berera, R. & V. Cottarelli. 2003. Two new species of interstitial harpacticoids from southern Italy and proposal of a new *Parastenocaris* species-group. *Italian Journal of Zoology* 70(3):261-268.
- Boldt, J.L. & L.J. Haldorson. 2003. Seasonal and geographic variation in juvenile pink salmon diets in the northern Gulf of Alaska and Prince William Sound. *Transactions of the American Fisheries Society* 132(6):1035-1052.
- Bolduc, F. & A.D. Afton. 2003. Effects of structural marsh management and salinity on invertebrate prey of waterbirds in marsh ponds during winter on the Gulf Coast Chenier Plain. *Wetlands* 23(4):897-910.
- Boudreau, S.A. & N.D. Yan. 2003. The differing crustacean zooplankton communities of Canadian Shield lakes with and without the nonindigenous zooplanktivore *Bythotrephes longimanus*. *Canadian Journal of Fisheries and Aquatic Sciences* 60(11):1307-1313.
- Boudreau, T.M., C.J. Wilson, W.J. Cheong, P.K. Sibley, S.A. Mabury, D.C. Muir & K.R. Solomon. 2003. Response of the zooplankton community and environmental fate of perfluorooctane sulfonic acid in aquatic microcosms. *Environmental Toxicology and Chemistry* 22(11):2739-2745.
- Bradford-Grieve, J.M., P.K. Probert, S.D. Nodder, D. Thompson, J. Hall, S. Hanchet, P. Boyd, J. Zeldis, A.N. Baker, H.A. Best, N. Broekhuizen, S. Childerhouse, M. Clark, M. Hadfield, K. Safi & I. Wilkinson. 2003. Pilot trophic model for subantarctic water over the Southern Plateau, New Zealand: a low biomass, high transfer efficiency system. *Journal of Experimental Marine Biology and Ecology* 289(2):223-262.
- Brendonck, L., J. Maes, W. Rommens, N. Dekeza, T. Nhiwatiwa, M. Barson, V. Callebaut, C. Phiri, K. Moreau, B. Gratwicke, M. Stevens, N. Alyn, E. Holsters, F. Ollevier & B. Marshall. 2003. The impact of water hyacinth (*Eichhornia crassipes*) in a eutrophic subtropical impoundment (Lake Chivero, Zimbabwe). II. Species diversity. *Archiv für Hydrobiologie* 158(3):389-405.
- Brinton, E. & A. Townsend. 2003. Decadal variability in abundances of the dominant euphausiid species in

- southern sectors of the California Current. Deep Sea Research Part II: Topical Studies in Oceanography 50(14-16):2449-2472.
- Bruno, M.C., K.J. Cunningham & S.A. Perry. 2003. Copepod communities from surface and ground waters in the Everglades, South Florida. Southeastern Naturalist 2(4):523-546.
- Buhl-Mortensen, L. & P.B. Mortensen. 2003. Crustaceans associated with the deep-water gorgonian corals *Paragorgia arborea* (L., 1758) and *Primnoa resedaeformis* (Gunn., 1763). Journal of Natural History 38(10):1233-1247. [For 2004. Publication date 18 November 2003.]
- Bunnell, D.B., M.J. González & R.A. Stein. 2003. Zooplankton biomass enhances growth, but not survival, of first-feeding *Pomoxis* spp. larvae. Canadian Journal of Fisheries and Aquatic Sciences 60(11):1314-1323.
- Burford, M.A., S.D. Costanzo, W.C. Dennison, C.J. Jackson, A.B. Jones, A.D. McKinnon, N.P. Preston & L.A. Trott. 2003. A synthesis of dominant ecological processes in intensive shrimp ponds and adjacent coastal environments in NE Australia. Marine Pollution Bulletin 46(11):1456-1469.
- Cabo, L., A. Puig, S. Arreghini, H.F. Olguín, R. Seoane & I. Obertello. 2003. Physicochemical variables and plankton from the Lower Delta of the Paraná River (Argentina) in relation to flow. Hydrological Processes 17(7):1279-1290.
- Campbell, R.W. & J.F. Dower. 2003. The role of lipids in the maintenance of neutral buoyancy by zooplankton. Marine Ecology Progress Series 263:93-99.
- Cardoso, M.M., R. Siqueira, M. Chaves & J. Torelli. 2003. Dados comparativos do comportamento alimentar de *Astyanax bimaculatus* em açudes da bacia do rio Taperoá, Cariris Velhos, Estado da Paraíba – resultados preliminares. [Comparative data on the feeding behavior of *Astyanax bimaculatus* in impoundments of the Taperoá River basin, Cariris Velhos, State of Paraíba – preliminary results.] Proceedings, VI Congresso de Ecologia do Brasil, Fortaleza, 2003: 341. [In Portuguese.]
- Carneiro, L.S., R.L. Bozelli & F.A. Esteves. 2003. Long-term changes in the density of the copepod community in an Amazonian lake impacted by bauxite tailings. Amazoniana 17(3/4):553-566.
- Carvalho, L.N., K. Del-Claro & R.M. Takemoto. 2003. Host-parasite interaction between branchiurans (Crustacea: Argulidae) and piranhas (Osteichthyes: Serrasalminae) in the Pantanal wetland of Brazil. Environmental Biology of Fishes 67(3):289-296.
- Champalbert, G., J. Neveux, R. Gaudy & R. Le Borgne. 2004. Diel variations of copepod feeding and grazing impact in the high-nutrient, low-chlorophyll zone of the equatorial Pacific Ocean (0°; 3°S, 180°). Journal of Geophysical Research 108(12): EBE 10.1. (DOI 10.1029/2001JC000810)
- Cheney, K.L. & I.M. Côté. 2003. Do ectoparasites determine cleaner fish abundance? Evidence on two spatial scales. Marine Ecology Progress Series 263:189-196.
- Chinnery, F.E. & J.A. Williams. 2003. Photoperiod and temperature regulation of diapause egg production in *Acartia bifilosa* from Southampton Water. Marine Ecology Progress Series 263:149-157.
- Clarke, A. 2003. Costs and consequences of evolutionary temperature adaptation. Trends in Ecology and Evolution 18(11):573-581.
- Clason, B., S. Duquesne, M. Liess, R. Schulz & G.-P. Zauke. 2003. Bioaccumulation of trace metals in the Antarctic amphipod *Paramoera walkeri* (Stebbing, 1906): comparison of two-compartment and hyperbolic toxicokinetic models. Aquatic Toxicology 65(2):117-140.
- Collins, A.E. 2003. Vulnerability to coastal cholera ecology. Social Science & Medicine 57(8):1397-1407.
- Copf, T., N. Rabet, S.E. Celniker & M. Averof. 2003. Posterior patterning genes and the identification of a unique body region in the brine shrimp *Artemia franciscana*. Development 130:5915-5927.
- Dahms, H.-U. & P.-Y. Qian. 2003. Life histories of the Harpacticoida (Copepoda, Crustacea): a comparison with meiofauna and macrofauna. Journal of Natural History 38(14):1725-1734. [For 2004. Publication date 20 November 2003.]
- Dalsgaard, J., M. St. John, G. Kattner, D. Muller-Navarra & W. Hagen. 2003. Fatty acid trophic markers in the pelagic marine environment. Advances in Marine Biology 46:225-340.
- Daly Yahia, M.N., J. Goy & O. Daly Yahia-Kéfi. 2003. Distribution et écologie des Méduses (Cnidaria) du golfe de Tunis (Méditerranée sud occidentale). [Distribution and ecology of the Medusans (Cnidaria) of the Gulf of Tunis (southwestern Mediterranean.) Oceanologica Acta 26(5-6):645-655. [In French.]
- DeFelice, R.C. 2003. Importance of benthic prey for fishes in coral reef-associated sediments. Pacific Science 57(4):359-384.
- Derraz, K., R. Elalami, I. Atiki & M. Alaoui Mhamdi. 2003. Composition biochimique du zooplancton crustacé et broutage du phytoplancton et des protistes ciliés dans un réservoir récemment mis en eau (Sahela, Maroc). [Biochemical composition of the crustacean zooplankton and browsing on phytoplankton and ciliated protists in a recently filled reservoir (Sahel, Morocco.) Comptes Rendus Biologies 326(8):761-770. [In French.]
- Derry, A.M., E.E. Prepas & P.D.N. Hebert. 2003. A comparison of zooplankton communities in saline lakewater with variable anion composition. Hydrobiologia 505(1-3):199-215.
- Deubel, H., M. Engel, I. Fetzer, S. Gagayev, H.-J. Hirche, M. Klages, V. Larionov, P. Lubin, O. Lubina, E.-M. Nöthig, Y. Okolodkov & E. Rachor. 2003. The Kara Sea ecosystem: phytoplankton, zooplankton and benthos

- communities influenced by river run-off. Proceedings in Marine Sciences, Elsevier, 6:237-266.
- Deus, C. P. & M. Petrere-Junior. 2003. Seasonal diet shifts of seven fish species in an Atlantic rainforest stream in Southeastern Brazil. *Brazilian Journal of Biology* 63(4):579-588. [In English; abstract in Portuguese.]
- Druet, C. 2003. The fine structure of marine hydrophysical fields and its influence on the behaviour of plankton: an overview of some experimental and theoretical investigations. *Oceanologia* 45(4):517-555.
- Dubovskaya, O.P., M.I. Gladyshev, V.G. Gubanov & O.N. Makhutova. 2003. Study of non-consumptive mortality of Crustacean zooplankton in a Siberian reservoir using staining for live/dead sorting and sediment traps. *Hydrobiologia* 504(1-3):223-227.
- Dunbar, F.N. & M.K. Webber. 2003. Zooplankton distribution in the eutrophic Kingston Harbour, Jamaica. *Bulletin of Marine Science* 73(2):343-359.
- Duque, G. & A. Acero P. 2003. Food habits of *Anchovia clupeioides* (Pisces: Engraulidae) in the Ciénaga Grande de Santa Marta, Colombian Caribbean. *Gulf of Mexico Science* 21(1):1-9.
- Duque, G. & A. Acero P. 2003. Feeding selectivity of *Anchovia clupeioides* (Pisces: Engraulidae) in the Ciénaga Grande de Santa Marta, Colombian Caribbean. *Gulf and Caribbean Research* 15:21-26.
- Dzikowski, R., I. Paperna & A. Diamant. 2003. Use of fish parasite species richness indices in analyzing anthropogenically impacted coastal marine ecosystems. *Helgoland Marine Research* 57(3-4):220-227.
- Edmands, S. & J.S. Harrison. 2003. Molecular and quantitative trait variation within and among populations of the intertidal copepod *Tigriopus californicus*. *Evolution* 57(10):2277-2285.
- Ellsworth, P.M. & D.W. Blinn. 2003. Distribution and biomass of *Tropocyclops prasinus mexicanus* (Cyclopoida) in a near-thermally constant environment, Montezuma Well, Arizona. *Southwestern Naturalist* 48(3):341-346.
- Extavour, C.G. & M. Akam. 2003. Mechanisms of germ cell specification across the metazoans: epigenesis and preformation. *Development* 130:5869-5884.
- Farkas, A., J. Salánki & I. Varanka. 2003. Crustaceans as biological indicators of heavy metal pollution in Lake Balaton (Hungary). *Hydrobiologia* 506-509(1-3):359-364.
- Fennel, W. & T. Neumann. 2003. Variability of copepods as seen in a coupled physical biological model of the Baltic Sea. *ICES Marine Science Symposia* 219:208-219.
- Fernández de Puellas, M.L., J.-M. Pinot & J. Valencia. 2003. Seasonal and interannual variability of zooplankton community in waters off Mallorca island (Balearic Sea, Western Mediterranean): 1994-1999. *Oceanologica Acta* 26(5-6):673-686.
- Ferrari, F.D. & M.J. Grygier. 2003. Comparative morphology among trunk limbs of *Caenestheriella gifuensis* and *Leptestheria kawachiensis* (Crustacea: Branchiopoda: Spinicaudata). *Zoological Journal of the Linnean Society* 139(4):547-564.
- Feuchtmayr, H. & J. Grey. 2003. Effect of preparation and preservation procedures on carbon and nitrogen stable isotope determinations from zooplankton. *Rapid Communications in Mass Spectrometry* 17(23):2605-2610.
- Fleeger, J.W., K.R. Carman & R.M. Nisbet. 2004. Indirect effects of contaminants in aquatic ecosystems. *The Science of the Total Environment* 317(1-3):207-233.
- Forest, J., J.C. von Vaupel Klein & F.R. Schram (eds.). 2003. The Revised and Updated CRUSTACEA from the *Traité de Zoologie. Treatise on Zoology – Anatomy, Taxonomy, Biology, Vol. 1*. Brill Academic Publishers, Leiden. 406 pp. ISBN 90-04-12918-9
- Freeman, M.A., A.S. Bell & C. Sommerville. 2003. A hyperparasitic microsporidian infecting the salmon louse, *Lepeophtheirus salmonis*: an rDNA-based molecular phylogenetic study. *Journal of Fish Diseases* 26(11-12):667-676.
- Frost, P. & F. Nilsen. 2003. Validation of reference genes for transcription profiling in the salmon louse, *Lepeophtheirus salmonis*, by quantitative real-time PCR. *Veterinary Parasitology* 118(1-2):169-174.
- Fuentes, L., A. Miranda, C. Moxica & J.J. Otero. 2003. Influence of some variables on zooplankton capture methods in an upwelling area (Galicia, NW Spain). *Thalassas* 19(1):39-47.
- Fuentes-Zambrano, J.L., C. Silva-Rojas & L.Y. Reyes. 2003. Parasitos en juveniles de *Lutjanus griseus* (Pisces: Lutjanidae) de la Laguna de la Restinga, Isla de Margarita, Venezuela. [Parasites in juveniles of *Lutjanus griseus* (Pisces: Lutjanidae) at La Restinga Lagoon, Margarita Island, Venezuela.] *Interciencia* 28(8):463-468. [In Spanish.]
- García-Prieto, L., F. Bertoni-Ruiz, D. Osorio-Sarabia, V. León-Régagnon, R. Lamothe-Argumedo & H. Akahane. 2003. Gnathostomiasis in Tres Palos Lagoon, Acapulco, Mexico. *Bulletin of the Central Research Institute, Fukuoka University, Series E, Interdisciplinary Sciences* 1:207-212.
- Gargan, P.G., O. Tully & W.R. Poole. 2003. The relationship between sea lice infestation, sea lice production and sea trout survival in Ireland, 1992-2001. Chapter 10 In: Mills, D. (ed.). *Salmon at the Edge*. Proceedings of the 6th International Atlantic Salmon Symposium 'Salmon on the Edge' Edinburgh, UK, 16-18 July 2002, Atlantic Salmon Trust/Atlantic Salmon Federation. Blackwell Publishing, Oxford. Pp. 119-135.
- George, T.K., K. Liber, K.R. Solomon & P.K. Sibley. 2003. Assessment of the probabilistic ecological risk assessment-toxic equivalent combination approach for evaluating pesticide mixture toxicity to zooplankton in outdoor microcosms. *Archives of Environmental Contamination and Toxicology* 45(4):453-461.

- Gislason, A. 2003. Life-cycle strategies and seasonal migrations of oceanic copepods in the Irminger Sea. *Hydrobiologia* 503(1-3):195-209.
- Godlewska, M., G. Mazurkiewicz-Boron, A. Pocięcha, E. Wilk-Wozniak & M. Jelonek. 2003. Effects of flood on the functioning of the Dobczyce reservoir ecosystem. *Hydrobiologia* 504(1-3):305-313.
- Gomez-Marquez, J.L., B. Pena-Mendoza, I.H. Salgado-Ugarte & J.S. Hernandez-Aviles. 2003. Zooplankton in Lake Coatetelco, a eutrophic shallow tropical lake in Mexico. *Journal of Freshwater Ecology* 18(4):659-660.
- González-Sagrario, M. De Los A. & E. Balseiro. 2003. Indirect enhancement of large zooplankton by consumption of predacious macroinvertebrates by littoral fish. *Archiv für Hydrobiologie* 158(4):551-574.
- Gophen, M. 2003. Water quality management in Lake Kinneret (Israel): hydrological and food web perspectives. Papers from Bolsena Conference, 2002. Residence Time in Lakes: Science, Management, Education. *Journal of Limnology* 62(Supplement):91-101.
- Graciolli, G., M.A. Azevedo & F.A.G. de Melo. 2003. Comparative study of the diet of Glandulocaudinae and Tetragonopterinae (Ostariophysi: Characidae) in a small stream in southern Brazil. *Studies on Neotropical Fauna and Environment* 38(2):95-103.
- Granados-Ramírez, J.G. & E. Suárez-Morales. 2003. A new *Hesperodiptomus* Light (Copepoda, Calanoida, Diaptomidae) from Mexico with comments on the distribution of the genus. *Journal of Plankton Research* 25(11):1383-1395.
- Greene, C.H., A.J. Pershing, A. Conversi, B. Planque, C. Hannah, D. Sameoto, E. Head, P.C. Smith, P.C. Reid, J. Jossi, D. Mountain, M.C. Benfield, P.H. Wiebe & E. Durbin. 2003. Trans-Atlantic responses of *Calanus finmarchicus* populations to basin-scale forcing associated with the North Atlantic Oscillation. *Progress in Oceanography* 58(2):301-312.
- Greene, C.H., A.J. Pershing, R.D. Kenney & J.W. Jossi. 2003. Impact of climate variability on the recovery of endangered North Atlantic right whales. *Oceanography* 16(4):96-101.
- Haberman, J. & R. Laugaste. 2003. On characteristics reflecting the trophic state of large and shallow Estonian lakes (L. Peipsi, L. Võrtsjärv). *Hydrobiologia* 506-509(1-3):737-744.
- Hamasaki, K., T. Takahashi & S.-i. Uye. 2003. Accumulation of paralytic shellfish poisoning toxins in planktonic copepods during a bloom of the toxic dinoflagellate *Alexandrium tamarense* in Hiroshima Bay, western Japan. *Marine Biology* 143(5):981-988.
- Hamm, C.E. & V. Rousseau. 2003. Composition, assimilation and degradation of *Phaeocystis globosa*-derived fatty acids in the North Sea. *Journal of Sea Research* 50(4):271-283.
- Hansen, A.-M. & B. Santer. 2003. The life cycle of *Cyclops vicinus* in Lake Søbygård: new aspects derived from sediment analyses. *Hydrobiologia* 510(1-3):17-21.
- Hansson, L.-A. & L.J. Tranvik. 2003. Food webs in sub-Antarctic lakes: a stable isotope approach. *Polar Biology* 26(12):783-788.
- Haond, C., D.T. Nolan, N.M. Ruane, J. Rotllant & S.E. Wendelaar Bonga. 2003. Cortisol influences the host-parasite interaction between the rainbow trout (*Oncorhynchus mykiss*) and the crustacean ectoparasite *Argulus japonicus*. *Parasitology* 127(6):551-560.
- Harvey, M. & G. Morrier. 2003. Laboratory feeding experiments on zoea of northern shrimp *Pandalus borealis* fed with natural zooplankton. *Marine Ecology Progress Series* 265:165-174.
- Hays, G.C. 2003. A review of the adaptive significance and ecosystem consequences of zooplankton diel vertical migrations. *Hydrobiologia* 503(1-3):163-170.
- Head, E.J.H., L.R. Harris & I. Yashayaev. 2003. Distributions of *Calanus* spp. and other mesozooplankton in the Labrador Sea in relation to hydrography in spring and summer (1995-2000). *Progress in Oceanography* 59(1):1-30.
- Heckmann, R.A. 2003. Other ectoparasites infesting fish: copepods, branchiurans, isopods, mites and bivalves. *Aquaculture Magazine* 29(6):20-31.
- Heinrich, A.K. 2003. *Arietellus acutus*, a new species of Copepoda (Calanoida: Arietellidae) from the southwestern Indian Ocean. *Arthropoda Selecta* 11(3):173-175. [In English; for 2002.]
- Hirche, H.-J., I. Fetzer, M. Graeve & G. Kattner. 2003. *Limnocalanus macrurus* in the Kara Sea (Arctic Ocean): an opportunistic copepod as evident from distribution and lipid patterns. *Polar Biology* 26(11):720-726.
- Ho, J.-s. & C.-L. Lin. 2003. *Caligus planktonis* Pillai (Copepoda, Siphonostomatoida) parasitic on the largescale mullet of Taiwan. *Crustaceana* 76(10):1201-1209.
- Holst, J.C., P. Jakobsen, F. Nilsen, M. Holm, L. Asplin & J. Aure. 2003. Mortality of seaward migrating post-smolts of Atlantic salmon due to salmon lice infection in Norwegian salmon stocks. Chapter 11 In: Mills, D. (ed.). *Salmon at the Edge*. Proceedings of the 6th International Atlantic Salmon Symposium 'Salmon on the Edge' Edinburgh, UK, 16-18 July 2002, Atlantic Salmon Trust/Atlantic Salmon Federation. Blackwell Publishing, Oxford. Pp. 136-138.
- Horn, W. 2003. Long-term development of the crustacean plankton in the Saldenbach Reservoir (Germany) – changes, causes, consequences. *Hydrobiologia* 504(1-3):185-192.
- Hosie, G.W., M. Fukuchi & S. Kawaguchi. 2003. Development of the Southern Ocean Continuous Plankton Recorder survey. *Progress in Oceanography* 58(2):263-283.

- Hoste, E., W. Bonne & M. Vincx. 2003. The impact of primary production in the water column on benthic copepods. Pp. 42 In: Mees, J. & J. Seys (eds.): VLIZ Young Scientists' Day, Brugge, Belgium, 28 February 2003: book of abstracts. VLIZ Special Publication, 12. Vlaams Instituut voor de Zee (VLIZ), Oostende, Belgium.
- Hrbáček, J., Z. Brandl & M. Straškraba. 2003. Do the long-term changes in zooplankton biomass indicate changes in fish stock? *Hydrobiologia* 504(1-3):203-213.
- Huising, M.O., E. Stolte, G. Flik, H.F. Savelkoul & B.M. Verburg-van Kemenade. 2003. CXC chemokines and leukocyte chemotaxis in common carp (*Cyprinus carpio* L.). *Developmental & Comparative Immunology* 27(10):875-888.
- Hunt, B.P.V. & G.W. Hosie. 2003. The Continuous Plankton Recorder in the Southern Ocean: a comparative analysis of zooplankton communities sampled by the CPR and vertical net hauls along 140°E. *Journal of Plankton Research* 25(12):1561-1579.
- Huys, R. 2003. Book Review: Martin, J.W. & G.E. Davis. 2001. An Updated Classification of the Recent Crustacea. *Journal of Crustacean Biology* 23(2):495-497.
- Hyenstrand, P., T. Rohrlack, K.A. Beattie, J.S. Metcalf, G.A. Codd & K. Christoffersen. 2003. Laboratory studies of dissolved radiolabelled microcystin-LR in lake water. *Water Research* 37(14):3299-3306.
- Iannacone, J., L. Alvarino, A. Guabloche, M. Alayo, J. Sanchez, A. Arrascue & M. Abanto. 2003. Comunidades ectoparasitarias branquiales de la pintadilla *Cheilodactylus variegatus* Valenciennes 1833 (Pisces: Cheilodactylidae). [Ectoparasite communities on the gills of Peruvian morwong *Cheilodactylus variegatus* Valenciennes 1833 (Pisces: Cheilodactylidae).] *Parasitologia Latinoamericana* 58(1-2):59-67. [In Spanish; abstract in English.]
- **Ishida, T. 2003. Description of *Eucyclops serrulatus* (Fischer, 1851) (Copepoda, [sic] Cyclopoida) from Japan, with reference to the degree of difference from specimens from the type locality. *Biogeography* 5:1-7.
- **Ishida, T. 2003. Copepods (Crustacea) in Tokyo Metropolis. *Biology of Inland Waters* 18:1-6. [In Japanese; abstract, figure legends in English.]
- **Ivanenko, V.N. & F.D. Ferrari. 2003. Redescription of adults and description of copepodid development of *Dermatomyzon nigripes* (Brady & Robertson, 1876) and of *Asterocheres lilljeborgi* Boeck, 1859 (Copepoda: Siphonostomatoida: Asterocheridae). *Proceedings of the Biological Society of Washington* 116(3):661-691.
- Jamieson, C.D. & B. Santer. 2003. Maternal aging in the univoltine freshwater copepod *Cyclops kolensis*: variation in egg sizes, egg development times, and naupliar development times. *Hydrobiologia* 510(1-3):75-81.
- Jensen, H., P.J. Wright & P. Munk. 2003. Vertical distribution of pre-settled sandeel (*Ammodytes marinus*) in the North Sea in relation to size and environmental variables. *ICES Journal of Marine Science* 60(6):1342-1351.
- Jönsson, K.I. 2003. Causes and consequences of excess resistance in cryptobiotic metazoans. *Physiological and Biochemical Zoology* 76(4):429-435.
- Kalman, J.E. 2003. *Acanthochondria hoi*, a new species of parasitic copepod (Poecilostomatoida: Chondracanthidae) on the California halibut, *Paralichthys californicus*, from Santa Monica Bay, California, with an amended key to the genus *Acanthochondria*. *Proceedings of the Biological Society of Washington* 116(3):811-819.
- Kattner, G., C. Albers, M. Graeve & S.B. Schnack-Schiel. 2003. Fatty acid and alcohol composition of the small polar copepods, *Oithona* and *Oncaea*: indication on feeding modes. *Polar Biology* 26(10):666-671.
- Ke, L.G.C. 2003. Application and prospect of marine copepod diapause eggs in mariculture. *Journal of the Ocean University of Qingdao, Chinese Edition*, 33(6):901-929. [In Chinese.]
- Kerguelen-Durango, E., I. Sánchez-Alonso & V.J. Atencio-García. 2003. Influencia de la presa en la primera alimentación del Bocachico (*Prochilodus magdalenae* Steindachner, 1878). [Influence of prey on the first feeding of the Bocachico (*Prochilodus magdalenae* Steindachner, 1878).] *Proceedings, II Congreso Iberoamericano Virtual de Acuicultura – CIVA 2003*: 295-302. <http://www.civa2003.org> [In Spanish.]
- Khan, R.A. 2003. Faunal diversity of zooplankton in freshwater wetlands of southeastern West Bengal. *Records of the Zoological Survey of India, Occasional Paper* 204:1-107.
- Khan, R.A. 2003. Fish faunal resources of Sunderban estuarine system with special reference to the biology of some commercially important species. *Records of the Zoological Survey of India, Occasional Paper* 209:1-150.
- Khan, T.A. 2003. Dietary studies on exotic carp (*Cyprinus carpio* L.) from two lakes of western Victoria, Australia. *Aquatic Sciences* 65(3):272-286.
- Kibirige, I. & R. Perissinotto. 2003. The zooplankton community of the Mpenjati Estuary, a South African temporarily open/closed system. *Estuarine, Coastal and Shelf Science* 58(4):727-741.
- Kiddon, J.A., J.F. Paul, H.W. Buffum, C.S. Strobel, S.S. Hale, D. Cobb & B.S. Brown. 2003. Ecological condition of US mid-Atlantic estuaries, 1997-1998. *Marine Pollution Bulletin* 46(10):1224-1244.
- **Kim, I.H. 2003. Copepods (Crustacea) associated with marine invertebrates from New Caledonia. *Korean Journal of Systematic Zoology, Special Issue* 4:1-167.
- **Kim, I.H. & J.I. Song. 2003. Two new species of *Oreocetus* (Copepoda: Siphonostomatoida: Asterocheridae) associated with octocorals from Korea. *Korean Journal of Systematic Zoology* 19(2):177-188.

- Klimpel, S., A. Seehagen & H.W. Palm. 2003. Metazoan parasites and feeding behaviour of four small-sized fish species from the central North Sea. *Parasitology Research* 91(4):290-297.
- Klosterhaus, S.L., L.M. DiPinto & G.T. Chandler. 2003. A comparative assessment of azinphosmethyl bioaccumulation and toxicity in two estuarine meiobenthic harpacticoid copepods. *Environmental Toxicology and Chemistry* 22(12):2960-2968.
- Kondo, M., S. Tomonaga & Y. Takahashi. 2003. Morphological and cytochemical properties of hemocytes of *Argulus japonicus* (Arguloida, Branchiura, Crustacea). *Journal of National Fisheries University* 51(2):45-52. [In Japanese.]
- Koski, M. & W.C.M. Klein Breteler. 2003. Influence of diet on copepod survival in the laboratory. *Marine Ecology Progress Series* 264:73-82.
- Kuczyńska-Kippen, N. & S. Cerbin. 2003. Diurnal changes in horizontal distribution of rotifers and crustaceans of a polymictic lake. *Denné zmeny v horizontálnom rozšírení Rotifera a Crustacea polymiktického jazera. Ekológia, Bratislava* 22(3):248-256.
- Kuczyńska-Kippen, N., B. Messyasz & B. Nagengast. 2003. Plankton communities within *Chara fragilis* of a mid-forest pond in Poland. *Biologia, Bratislava* 58(4):555-561.
- Kumar, R. & T. Ramakrishna Rao. 2003. Predation on mosquito larvae by *Mesocyclops thermocyclopoides* (Copepoda: Cyclopoida) in the presence of alternate prey. *International Review of Hydrobiology* 88(6):570-581.
- Kurtz, J. 2003. Sex, parasites and resistance – an evolutionary approach. *Zoology* 106(4):327-339.
- Kurtz, J. & K. Franz. 2003. Innate defence: Evidence for memory in invertebrate immunity. *Nature* 425:37-38.
- Lamai, S.L. & R.J. Kolo. 2003. Biodiversity and abundance of fish and plankton of Dan-Zaria Dam, Niger State, Nigeria. *Journal of Aquatic Sciences* 18(2):141-150.
- Lamche, G. & P. Whelan. 2003. Initial survey of underground mosquito breeding sites in Darwin, NT. *The Northern Territory Disease Control Bulletin* 10(3):10-11.
- Laxson, C.L., K.N. McPhedran, J.C. Makarewicz, I.V. Telesh & H.J. Macisaac. 2003. Effects of the non-indigenous cladoceran *Cercopagis pengoi* on the lower food web of Lake Ontario. *Freshwater Biology* 48(12):2094-2106.
- Lee, J.-S. 2003. cDNA cloning of RhoA gene from the intertidal harpacticoid copepod *Tigriopus japonicus* (Crustacea, Copepoda). *Korean Journal of Genetics* 25(4):403-408.
- Leitão, A.C., R.H.F. Freire & O. Rocha. 2003. Composição e variação sazonal da comunidade zooplancônica em três reservatórios da região metropolitana de Fortaleza, Ceará, Brasil. [Composition and seasonal variation of the zooplankton community in three reservoirs of the metropolitan region of Fortaleza, Ceará, Brazil.] *Proceedings, VI Congresso de Ecologia do Brasil, Fortaleza, 2003: 164-166. [In Portuguese.]*
- Li, S.-j., D.-h. Guo, F. Chen, Y.-s. Lin & G. Chen. 2003. Studies on carbon and nitrogen budgets of *Calanus sinicus* from Xiamen Harbour. *Journal of Oceanography in Taiwan Strait* 22(4):415-420.
- Liang, T.-H., K. Ara, L.B. Miranda, A.L. Bérnago & M. Bernardes. 2003. On the variability of the chaetognath *Sagitta friderici* Ritter-Záhony at Cananéia Lagoon Estuarine system, São Paulo, Brazil. *Hydrobiologia* 510(1-3):91-102.
- Lin, C.-L. & J.-s. Ho. 2003. Two species of rare sea lice (Copepoda, Caligidae) parasitic on marine fishes of Taiwan. *Journal of the Fisheries Society of Taiwan* 30(2):147-158.
- Lin, Q.-Q., S.-S. Duan, R. Hu & B.-P. Han. 2003. Zooplankton distribution in tropical reservoirs, South China. *International Review of Hydrobiology* 88(6):602-613.
- Lindeque, P.K., R.P. Harris, M.B. Jones & G.R. Smerdon. 2003. Distribution of *Calanus* spp. as determined using a genetic identification system. *Scientia Marina* 67(Suppl. 3):121-128. [In English; abstract in Spanish.]
- Lindeque, P.K. & G.R. Smerdon. 2003. Temporal transcription of two antennapedia class homeobox genes in the marine copepod *Calanus helgolandicus*. *Marine Biotechnology (New York)* 5(6):604-615.
- Little, C.T.S. & R.C. Vrijenhoek. 2003. Are hydrothermal vent animals living fossils? *Trends in Ecology and Evolution* 18:582-588.
- Løvik, J.E. & G. Kjellberg. 2003. Long-term changes of the crustacean zooplankton community in Lake Mjøsa, the largest lake in Norway. *Journal of Limnology* 62(2):143-150.
- Luque, J.L. & D.R. Alves. 2003. *Pseudolernentoma brasiliensis* n. g., n. sp. (Copepoda: Poecilostomatoida: Chondracanthidae) parasitic on *Genypterus brasiliensis* (Osteichthyes: Ophidiidae) from off the State of Rio de Janeiro, Brazil. *Systematic Parasitology* 56(3):195-199.
- Luque, J.L., D.R. Alves & R.S. Ribeiro. 2003. Community ecology of the metazoan parasites of Banded Croaker, *Paralichthys brasiliensis* (Osteichthyes: Sciaenidae), from the coastal zone of the State of Rio de Janeiro, Brazil. *Acta Scientiarum, Maringá* 25(2):273-278.
- Manera, M. & B.S. Dezfūli. 2003. *Lernanthropus kroyeri* infections in farmed sea bass *Dicentrarchus labrax*: pathological features. *Diseases of Aquatic Organisms* 57(1-2):177-180.
- Marchenkov, A.V. & G. Boxshall. 2003. Copepods of the genera *Haplostomella* and *Haplostomides* (Cyclopoida: Ascidicolidae) associated with ascidians from the White Sea and Russian Far East coastal waters. *Hydrobiologia* 510(1-3):1-15.
- Marcial, H.S., A. Hagiwara & T.W. Snell. 2003. Estrogenic compounds affect development of harpacticoid copepod

- Tigriopus japonicus*. Environmental Toxicology and Chemistry 22(12):3025-3030.
- Margaritora, F.G., M. Bazzanti, O. Ferrara, L. Mastrantuono, M. Seminara & D. Vagaggini. 2003. Classification of the ecological status of volcanic lakes in Central Italy. Papers from Bolsena Conference (2002). Residence Time in Lakes: Science, Management, Education. Journal of Limnology 62(Suppl. 1):49-59.
- Marte, C.L. 2003. Larviculture of marine species in Southeast Asia: current research and industry prospects. Aquaculture 227(1-4):293-304.
- Martynova, D.M. 2003. Copepod faecal pellets in the White Sea: experimental and in situ studies. Oceanology 43 (Supplement 1):S123-S133.
- Matsumura-Tundisi, T. & J.G. Tundisi. 2003. Calanoida (Copepoda) species composition changes in the reservoirs of São Paulo State (Brazil) in the last twenty years. Hydrobiologia 504(1-3):215-222.
- Mazzeo, N., L. Rodríguez-Gallego, C. Kruk, M. Meerhoff, J. Gorga, G. Lacerot, F. Quintans, M. Loureiro, D. Larrea & F. García-Rodríguez. 2003. Effects of *Egeria densa* Planch. beds on a shallow lake without piscivorous fish. Hydrobiologia 506-509(1-3):591-602.
- McGowan, J.A., S.J. Bograd, R.J. Lynn & A.J. Miller. 2003. The biological response to the 1977 regime shift in the California Current. Deep Sea Research Part II: Topical Studies in Oceanography 50(14-16):2567-2582.
- McKinnon, A.D. & S. Duggan. 2003. Summer copepod production in subtropical waters adjacent to Australia's North West Cape. Marine Biology 143(5):897-907.
- Meerhoff, M., N. Mazzeo, B. Moss & L. Rodríguez-Gallego. 2003. The structuring role of free-floating versus submerged plants in a subtropical shallow lake. Aquatic Ecology 37(4):377-391.
- Menn, I., C. Junghans & K. Reise. 2003. Buried alive: Effects of beach nourishment on the infauna of an erosive shore in the North Sea. Senckenbergiana Maritima 32(1-2):125-145.
- Meredith, S.N., V.F. Matveev & P. Mayes. 2003. Spatial and temporal variability in the distribution and diet of the gudgeon (Eleotridae: *Hypseleotris* spp.) in a subtropical Australian reservoir. Marine and Freshwater Research 54(8):1009-1017.
- Miller, C. 2003. Biological Oceanography. Blackwell Publishing, Oxford, U.K. 416 pp.
- Mitamura, O., Y. Seike, K. Kondo, N. Goto, K. Anbutsu, T. Akatsuka, M. Kihira, T.Q. Tsering & M. Nishimura. 2003. First investigation of ultraoligotrophic alpine Lake Puma Yumco in the pre-Himalayas, China. Limnology 4(3):167-175.
- Modenutti, B., C. Queimalinos, E. Balseiro & M. Reissig. 2003. Impact of different zooplankton structures on the microbial food web of a South Andean oligotrophic lake. Acta Oecologica 24 (Supplement 1): S289-S298. **[Correction: complete page nos.]**
- Monchenko, V.I. 2003. New north records, redescription and halopathy of *Apocyclops dengizicus* (Copepoda, Cyclopoida). Vestnik Zoologii 37(6):79-84.
- **Monchenko, V.I. 2003. Svobodnozshivushchie tsiklopoobraznye kopepody Ponto-Kaspijskogo Bassejna. (Free-living cyclopoid copepods of the Ponto-Caspian Basin.) Natsionalnaya Akademiya Ukrainy, Institut Zoologii, Naukova Dumka, Kiev. 350 pp.
- Morgado, F., C. Antunes & R. Pastorinho. 2003. Distribution and patterns of emergence of suprabenthic and pelagic crustaceans in a shallow temperate estuary (Ria de Aveiro, Portugal). Acta Oecologica 24(1001):205-217.
- Morgado, F., H. Queiroga, F. Melo & J.-C. Sorbe. 2003. Zooplankton abundance in a coastal station off the Ria de Aveiro inlet (north-western Portugal): relations with tidal and day/night cycles. Acta Oecologica 24(1001):175-181.
- Mu, F.-H. & R. Huys. 2003. Canuellidae (Copepoda, Harpacticoida) from the Bohai Sea, China. Journal of Natural History 38(1):1-36. **[Corrected publication date. For 10 January 2004; actual publication date 30 October 2003.]**
- Naylor, R.L., J. Eagle & W.L. Smith. 2003. Salmon aquaculture in the Pacific Northwest: a global industry. Environment 45(8):18-39.
- Nejstgaard, J.C., M.E. Frischer, C.L. Raule, R. Gruebel, K.E. Kohlberg & P.G. Verity. 2003. Molecular detection of algal prey in copepod guts and fecal pellets. Limnology and Oceanography: Methods 1:29-38. **[Corrected spelling in title.]**
- Netto, S.A. & F. Gallucci. 2003. Meiofauna and macrofauna communities in a mangrove from the Island of Santa Catarina, South Brazil. Hydrobiologia 505(1-3):159-170.
- Niehoff, B. & J.A. Runge. 2003. A revised methodology for prediction of egg production *Calanus finmarchicus* from preserved samples. Journal of Plankton Research 25(12):1581-1587.
- Nielsen, D.L., M.A. Brock, K. Crosslé, K. Harris, M. Healey & I. Jarosinski. 2003. The effects of salinity on aquatic plant germination and zooplankton hatching from two wetland sediments. Freshwater Biology 48(12):2214-2223.
- Nogueira, J.M.M. 2003. Fauna living in colonies of *Mussismilia hispida* (Verrill) (Cnidaria: Scleractinia) in four South-eastern Brazil islands. Brazilian Archives of Biology and Technology 46(3):421-432.
- Odate, T. & K. Imai. 2003. Seasonal variation in chlorophyll-specific growth and microzooplankton grazing of phytoplankton in Japanese coastal water. Journal of Plankton Research 25(12):1497-1505.
- Ökter, A. 2003. A checklist of metazoan parasites recorded in freshwater fish from Turkey. Zootaxa 394:1-28.
- **O'Reilly, M.G. 2003. A new species of parasitic copepod, *Sphaeronella keppelensis* n.sp. (Siphonostomatoida):

- Nicothoidae), from the amphipod *Orchomene nanus* (Kroyer, 1846) in the Firth of Clyde, Scotland. *Glasgow Naturalist* 24(1):83-91. [For 2002; publ. date Oct. 2003.]
- Paffenhöfer, G.-A., M. Tzeng, R. Hristov, C. L. Smith & M.G. Mazzocchi. 2003. Abundance and distribution of nanoplankton in the epipelagic subtropical/tropical open Atlantic Ocean. *Journal of Plankton Research* 25(12):1535-1549.
- Pandourski, I. 2003. Hydrobiological investigation of the wet zones along the Bulgarian Black Sea Coast. I. The Lake Vaja. *Recherches hydrobiologiques des zones humides de la cote Bulgare de la mer Noire. I. Le lac de Vaja. Rivista di Idrobiologia* 40(2-3):321-334. [For 2001.]
- Parker, G.A., J.C. Chubb, G.N. Roberts, M. Michaud & M. Milinski. 2003. Optimal growth strategies of larval helminths in their intermediate hosts. *Journal of Evolutionary Biology* 16(1):47-54. Erratum in: *Journal of Evolutionary Biology* 16(2):362.
- Parpalá, L., L. G.-Tóth L., V. Zinevici, P. Németh & K. Szalontai. 2003. Structure and production of the metazoan zooplankton in Lake Balaton (Hungary) in summer. *Hydrobiologia* 506-509(1-3):347-351.
- Parra, G., R. Jiménez-Melero & F. Guerrero. 2003. A study of the oxygen consumption rates in the copepod, *Neolovenula alluaudi* (Calanoida). *Crustaceana* 76(7):851-858.
- Pel, R., H. Hoogveld & V. Floris. 2003. Using the hidden isotopic heterogeneity in phyto- and zooplankton to unmask disparity in trophic carbon transfer. *Limnology and Oceanography* 48(6):2200-2207.
- Persad, G., R.R. Hopcroft, M.K. Webber & J.C. Roff. 2003. Abundance, biomass and production of ctenophores and medusae off Kingston, Jamaica. *Bulletin of Marine Science* 73(2):379-396.
- Pertsova, N.M. & K.N. Kosobokova. 2003. Zooplankton of the White Sea: features of the composition and structure, seasonal dynamics, and the contribution to the formation of matter fluxes. *Oceanology* 43 (Supplement 1): S108-S122.
- Peterson, W.T. & J.E. Keister. 2003. Interannual variability in copepod community composition at a coastal station in the northern California Current: a multivariate approach. *Deep Sea Research Part II: Topical Studies in Oceanography* 50(14-16):2499-2517.
- Pichlová, R. & Z. Brandl. 2003. Predatory impact of *Leptodora kindtii* on zooplankton community in the Słapy Reservoir. *Hydrobiologia* 504(1-3):177-184.
- Pinto, T.K. & C.E. Bemvenuti. 2003. Effects of burrowing macrofauna on meiofauna community structure. *Acta Limnologica Brasiliensia* 15(3):41-51. [In English; abstract in Portuguese.]
- Pinto-Coelho, R.M., J.F. Bezerra-Neto, A. Giani, C.F. Macedo, C.C. Figueredo & E.A. Carvalho. 2003. The collapse of a *Daphnia laevis* (Birge, 1878) population in Pampulha reservoir, Brazil. *Acta Limnologica Brasiliensia* 15(3):53-70. [In English; abstract in Portuguese.]
- Poulet, S.A., M. Richer de Forges, A. Cuff & J.-F. Lennon. 2003. Double-labelling methods used to diagnose apoptotic and necrotic cell degradations in copepod nauplii. *Marine Biology* 143(5):889-895.
- Proudlove, G.S., P.J. Wood, P.H. Harding, D.J. Horne, T. Gledhill & L.R.F.D. Knight. 2003. A review of the status and distribution of the subterranean aquatic Crustacea of Britain and Ireland. *Cave and Karst Science* 30(2):53-74.
- Prusova, I.Y. 2003. Adjusted description of *Subeucalanus subtenuis* and *Subeucalanus mucronatus* males from the Arabian Sea. *Vestnik Zoologii* 37(2):61-65. [In Russian.]
- Pyka, J. & R. Kolman. 2003. Feeding intensity and growth of Siberian sturgeon *Acipenser baeri* Brandt in pond cultivation. *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 11(2):287-294.
- Rask, M., M. Olin, J. Kesitalo, A. Lehtovaara, J. Ruuhijärvi & S. Vesala. 2003. Responses of plankton and fish communities to mass removal of planktivorous fish in a two-basin lake in southern Finland. *Hydrobiologia* 506-509(1-3):451-457.
- Rau, G.H., M.D. Ohman & A. Pierrot-Bults. 2003. Linking nitrogen dynamics to climate variability off central California: a 51 year record based on ¹⁵N/¹⁴N in CalCOFI zooplankton. *Deep Sea Research Part II: Topical Studies in Oceanography* 50(14-16):2431-2447.
- Rayner, N.A. & M. Coke. 2003. Book Review: *A Guide to Tropical Freshwater Zooplankton* edited by CH Fernando (2002). *African Journal of Aquatic Science* 28(1):87-88.
- Read, P. & T. Fernandes. 2003. Management of environmental impacts of marine aquaculture in Europe. *Aquaculture* 226(1):139-163.
- Rebstock, G.A. 2003. Long-term change and stability in the California Current System: lessons from CalCOFI and other long-term data sets. *Deep Sea Research Part II: Topical Studies in Oceanography* 50(14-16):2583-2594.
- Reichert, M.J.M. 2003. Diet, consumption, and growth of juvenile fringed flounder (*Etropus crossotus*); a test of the 'maximum growth/optimum food hypothesis' in a subtropical nursery area. *Journal of Sea Research* 50(2-3):97-116.
- Reid, J.W., G.W. Hunt & E.H. Stanley. 2003. A new species of *Stygonitocrella* (Crustacea: Copepoda: Ameiridae), the first report of the genus in North America. *Proceedings of the Biological Society of Washington* 116(4):996-1006.
- Reiss, C.S., I.A. McLaren & P. Avendaño. 2003. Horizontal and vertical distribution patterns, retention rates, and population dynamics of zooplankton on Western Bank, Scotian Shelf. *Canadian Journal of Fisheries and Aquatic Sciences* 60(10):1229-1244.
- Revie, C.W., G. Gettinby, J.W. Treasurer & C. Wallace. 2003. Identifying epidemiological factors affecting sea lice *Lepeophtheirus salmonis* abundance on Scottish

- salmon farms using general linear models. *Diseases of Aquatic Organisms* 57(1-2):85-95.
- Rhodes, A. 2003. Methods for mass culture of *Nitokra lacustris*, a marine harpacticoid copepod. In: Browman, H.I. & A.B. Skiftesvik (eds.). *The Big Fish Bang*. Proceedings of the 26th Annual Larval Fish Conference. Institute of Marine Research, Bergen. Pp. 449-465. [Available online free at: <http://www.fishlarvae.com/>, click on the link for the proceedings of the 26th Annual Larval Fish Conference.]
- Ribera d'Alcalà, M., F. Conversano, F. Corato, P. Licandro, O. Mangoni, D. Marino, M.G. Mazzocchi, M. Modigh, M. Montesor, M. Nardella, V. Saggiomo, D. Sarno & A. Zingone. 2003. Seasonal patterns in plankton communities in a pluriannual time series at a coastal Mediterranean site (Gulf of Naples): an attempt to discern recurrences and trends. *Scientia Marina* 67(Suppl. 3):65-83. [In English; abstract in Spanish.]
- Rocha, A.A.F., S.C. Marcelino, E.C. Silva, A.C.A. El-Deir & W. Severi. 2003. Estudo da composição e distribuição temporal do macrozooplâncton do Estuário do rio Jaguaribe – Itamaracá/PE. [Study of the composition and temporal distribution of the macrozooplankton of the estuary of the Jaguaribe River – Itamaracá/PE.] Proceedings, VI Congresso de Ecologia do Brasil, Fortaleza, 2003: 177-178. [In Portuguese.]
- Rocha, G.R.A., C.L.D.B. Rossi-Wongtschowski, A.M.S. Pires-Vanin & A. Jarre-Teichmann. 2003. Seasonal budgets of organic matter in the Ubatuba shelf system, SE Brazil. I. Planktonic and benthic components. *Oceanologica Acta* 26(5-6):487-495.
- Rodrigo, M.A., C. Rojo & X. Armengol. 2003. Plankton biodiversity in a landscape of shallow water bodies (Mediterranean coast, Spain). *Hydrobiologia* 506-509(1-3):317-326.
- Rodríguez, J.G. 2003. Intertidal water column meiofauna in relation to wave intensity on an exposed beach. *Scientia Marina* 67(Suppl. 3):181-187. [In English; abstract in Spanish.]
- Roelke, D., S. Augustine & Y. Buyukates. 2003. Fundamental predictability in multispecies competition: the influence of large disturbance. *American Naturalist* 162:615-623.
- Rumyantzev, E.A., E.P. Ieshko & B.S. Shulman. 2003. The formation of parasite fauna in the bullhead *Cottus gobio* (Pisces: Cottidae). *Parazitologiya* 37(2):140-144.
- Saarinen, M. & J. Taskinen. 2003. Reduction in the level of infection of the bivalve *Anodonta piscinalis* by the copepod *Paraergasilus rylovi* using high temperature and low oxygen. *Journal of Parasitology* 89(6):1167-1171.
- Sabatés, A., A. Bozzano & I. Vallvey. 2003. Feeding pattern and the visual light environment in myctophid fish larvae. *Journal of Fish Biology* 63(6):1476-1490.
- Sagrario, M.D.L.Á.G. & E. Balseiro. 2003. Indirect enhancement of large zooplankton by consumption of predacious macroinvertebrates by littoral fish. *Archiv für Hydrobiologie* 158(4):551-574.
- Saha Das, S. & B.B. Jana. 2003. Fish-macrophyte association as a low-cost strategy for wastewater reclamation. *Ecological Engineering* 21(1):21-41.
- Samak, O.A.A. 2003. Distribution, mode of attachment and pathology associated with the copepod parasite *Sciaenophilus pharaonis* infesting the meager drumfish, *Argyrosomus regius* in Egypt. *Journal of the Egyptian German Society of Zoology* 42(D):63-78.
- Sánchez-Ramírez, M. 2003. Diet composition and feeding habits of Atlantic bumper, *Chloroscombrus chrysurus* (Pisces: Carangidae), larvae in the southern Gulf of Mexico. *Bulletin of Marine Science* 72(3):675-683.
- Santos, P.J.P., L. Souza-Santos & J. Castel. 2003. Population dynamics of *Nannopus palustris* Brady, 1880 (Copepoda, Harpacticoida) in the oligo-mesohaline area of the Gironde estuary (France). *Cahiers de Biologie Marine* 44(4):329-338.
- Sapper, S.A. 2003. Variation in structure of the subcanopy assemblage associated with Southern California populations of the intertidal rockweed *Silvetia compressa* (Fucales). *Pacific Science* 57(4):433-462.
- Schmidt, J., C. Möllmann, A. Temming, J.-P. Herrmann, J. Floeter, A. Sell & M.A. St. John. 2003. Unusual water mass advection affected Central Baltic key species 2: *Pseudocalanus* and the winter inflow. *International GLOBEC Newsletter* 9(2):28-29.
- Schmidt, V., S. Zander, W. Körting & D. Steinhagen. 2003. Parasites of the flounder *Platichthys flesus* (L.) from the German Bight, North Sea, and their potential use in ecosystem monitoring. A. Infection characteristics of potential indicator species. *Helgoland Marine Research* 57(3-4):236-251.
- Schmidt, V., S. Zander, W. Körting, K. Broeg, H. von Westernhagen, H. Dizer, P.D. Hansen, A. Skouras & D. Steinhagen. 2003. Parasites of flounder (*Platichthys flesus* L.) from the German Bight, North Sea, and their potential use in biological effects monitoring. C. Pollution effects on the parasite community and a comparison to biomarker responses. *Helgoland Marine Research* 57(3-4): 262-271.
- Scholtz, G. (ed.). 2003. *Evolutionary Developmental Biology of Crustacea*. Crustacean Issues 15. Balkema, Lisse. 316 pp. ISBN: 90 5809 637 8
- Schulz, M., P. Kasprzak, K. Anwand & T. Mehner. 2003. Diet composition and food preference of vendace (*Coregonus albula* (L.)) in response to seasonal zooplankton succession in Lake Stechlin. In: Koschel, R. & D.D. Adams (eds.). *Lake Stechlin – an approach to understanding an oligotrophic lowland lake*. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart. *Archiv für Hydrobiologie – Advances in Limnology* 58:215-226.
- **Schutze, M.L.M. & T.K.S. Björnberg. 2003. Population structure of *Temora stylifera* (Dana, 1849) (Copepoda)

- off Ipanema and in Guanabara Bay (Rio de Janeiro, Brazil). *Nauplius* 10(2):83-95. [For 2002.]
- Sellanes, J., C. Neira & E. Quiroga. 2003. Composición, estructura y flujo energético del meiobentos frente a Chile central. (Composition, structure and energy flux of the meiobenthos off central Chile.) *Revista Chilena de Historia Natural* 76(3):401-415. [In Spanish.]
- Seuront, L. & P. Strutton (eds.). 2003. *Handbook of Scaling Methods in Aquatic Ecology: Measurement, Analysis, Simulation*. CRC Press, New York, New York.
- Severin, G.E., G. Welzl, I. Juttner, G. Pfister & K.W. Schramm. 2003. Effects of nonylphenol on zooplankton in aquatic microcosms. *Environmental Toxicology and Chemistry* 22(11):2733-2738.
- Shibatta, O.A. & S.T. Bennemann. 2003. Plasticidade alimentar em *Rivulus pictus* Costa (Osteichthyes, Cyprinodontiformes, Rivulidae) de uma pequena lagoa em Brasília, Distrito Federal, Brasil. [Feeding plasticity of *Rivulus pictus* Costa (Osteichthyes, Cyprinodontiformes, Rivulidae) from a small lake in Brasília, Distrito Federal, Brazil.] *Revista Brasileira de Zoologia* 20(4):615-618. [In Portuguese; abstract in English.]
- Sipura, J., E. Lores & R.A. Snyder. 2003. Effect of copepods on estuarine microbial plankton in short-term microcosms. *Aquatic Microbial Ecology* 33(2):181-190.
- Skouras, A., V. Schmidt, W. Körting & D. Steinhagen. 2003. Note: the effect of parasite infection on the innate immune response of European flounder (*Platichthys flesus* L.) in the southern North Sea. *Helgoland Marine Research* 57(3-4):176-180.
- Skov, C., O. Lousdal, P.H. Johansen & S. Berg. 2003. Piscivory of 0+ pike (*Esox lucius* L.) in a small eutrophic lake and its implication for biomanipulation. *Hydrobiologia* 506-509(1-3):481-487.
- Somerfield, P.J., V.G. Fonsêca-Genevois, A.C.L. Rodrigues, F.J.V. Castro & G.A.P. Santos. 2003. Factors affecting meiofaunal community structure in the Pina Basin, an urbanized embayment on the coast of Pernambuco, Brazil. *Journal of the Marine Biological Association of the United Kingdom* 83(6):1209-1213.
- Sommer, F. 2003. A comparison of the impact of major mesozooplankton taxa on marine, brackish and freshwater phytoplankton during summer. *Berichte aus dem Institut für Meereskunde an der Christian Albrechts Universität* 329:1-91.
- Søreide, J.E., H. Hop, S. Falk-Petersen, B. Gulliksen & E. Hansen. 2003. Macrozooplankton communities and environmental variables in the Barents Sea marginal ice zone in late winter and spring. *Marine Ecology Progress Series* 263:43-64.
- Souissi, S. & O. Bernard. 2003. Identification of interactions in copepod populations using a qualitative study of stage-structured population models. Pp. 365-383 In: Seuront, L. & P. Strutton (eds.). *Handbook of Scaling Methods in Aquatic Ecology: Measurement, Analysis, Simulation*. CRC Press, New York, New York.
- Sreenivasan, A. 2003. Copepod crash leaves cod hungry. *Science Now*, December 2003:3.
- Steinarsdóttir, M.B., A. Ingólfsson & E. Ólafsson. 2003. Seasonality of harpacticoids (Crustacea, Copepoda) in a tidal pool in subarctic south-western Iceland. *Hydrobiologia* 503(1-3):211-221.
- Suárez-Morales, E. 2003. Historical biogeography and distribution of the freshwater calanoid copepods (Crustacea: Copepoda) of the Yucatan Peninsula, Mexico. *Journal of Biogeography* 30(12):1851-1859.
- Suárez-Morales, E. 2003. Three species of monstrilloids (Copepoda: Monstrilloida) from Banco Chinchorro, Mexican Caribbean Sea. *Bulletin of Marine Science* 73(1):63-76.
- Suárez-Morales, E., M.A. Gutiérrez-Aguirre & M. Elías-Gutiérrez. 2003. Observations on the structure of the mandibular gnathobase in some American *Mesocyclops* (Copepoda: Cyclopidae). *Proceedings of the Biological Society of Washington* 116(3):742-753.
- Suárez-Morales, E. & J.W. Reid. 2003. An updated checklist of the continental copepod fauna of the Yucatan Peninsula, Mexico, with notes on its regional associations. *Crustaceana* 76(8):977-992.
- Suzuki, H., H. Sasaki & M. Fukuchi. 2003. Loss processes of sinking fecal pellets of zooplankton in the mesopelagic layers of the Antarctic marginal ice zone. *Journal of Oceanography* 59(6):809-818.
- Tadonlélé, R.D., A. Thouvenot, D. Gilbert, T. Sime-Ngando, D. Debroas & J. Devaux. 2003. Size-fractionated phytoplankton and relationships with metazooplankton in a newly flooded reservoir. *International Review of Hydrobiology* 88(6):614-634.
- Tassaduqe, K., M. Ali, A. Salam, M. Latif & T. Zahra. 2003. Study of the seasonal variations in the physico chemical and biological aspects of Indus River Pakistan. *Pakistan Journal of Biological Sciences* 6(21):1795-1801.
- Thistle, D. 2003. On the utility of metazoan meiofauna for studying the soft-bottom deep sea. *Vie et Milieu* 53(2/3):97-102.
- Thomas, K.V., N. Barnard, K. Collins & J. Eggleton. 2003. Toxicity characterisation of sediment porewaters collected from UK estuaries using a *Tisbe battagliai* bioassay. *Chemosphere* 53(9):1105-1111.
- Timi, J.T. & R. Poulin. 2003. Parasite community structure within and across host populations of a marine pelagic fish: how repeatable is it? *International Journal for Parasitology* 33(12):1353-1362.
- Tóro, R.M., A.A.F. Gessner, N.A.J.C. Furtado, P.S. Ceccarelli, S. Albuquerque & J.K. Bastos. 2003. Activity of the *Pinus elliottii* resin compounds against *Lernaea cyprinacea* in vitro. *Veterinary Parasitology* 118(1-2):143-149.
- Travizi, A. & N. Zavodnik. 2003. Phenology of *Caulerpa taxifolia* and temporal dynamics of its epibiotic

- meiofauna in the port of Malinska (Croatia, northern Adriatic Sea). *Scientia Marina* 67(Suppl. 3):145-154. [In English; abstract in Spanish.]
- Tudorancea, C. 2003. Book Review: A Guide to Tropical Freshwater Zooplankton. By C.H. Fernando. *International Review of Hydrobiology* 88(3-4):430-431.
- Turner, T.B., P.M. Kyne & M.B. Bennett. 2003. Description of *Paeon asymboli* n. sp. (Copepoda: Sphyrriidae), parasitic on *Asymbolus* spp. (catsharks) and a new host record for *P. australis* Kabata, 1993. *Systematic Parasitology* 56(3):235-239.
- Vandendriessche, S., S. Degraer & M. Vincx. 2003. Drijvende wieren als habitat voor macrofauna aan de Belgische kust. [Floating seaweeds as habitats for macrofauna on the Belgian coast.] *Strandvlo* 23(2):50-57. [In Dutch.]
- van der Meeren, T. 2003. Kartlegging av biokjemisk innhold i copepoder som basis for kvalitetsvurdering av fôr i oppdrett av marin fiskeyngel. [Analysis of biochemical components in copepods for evaluation of feed quality in juvenile production of marine fish.] *Fisken og Havet, Havforskningsinstituttet, Bergen*, 5-2003: 1-24.
- Vezzulli, L., D. Marralle, M. Moreno & M. Fabiano. 2003. Sediment organic matter and meiofauna community response to long-term fish-farm impact in the Ligurian Sea (Western Mediterranean). *Chemistry and Ecology* 19(6):431-440.
- Vidal-Martínez, V.M. & R. Poulin. 2003. Spatial and temporal repeatability in parasite community structure of tropical fish hosts. *Parasitology* 127(4):387-398.
- Vieira, L., F. Morgado, P. Ré, A. Nogueira, R. Pastorinho, M. Pereira, P. Bacelar-Nicolau, J.C. Marques & U. Azeteiro. 2003. Population dynamics of *Acartia clausi* from a temperate estuary (Mondego estuary, western Portugal). *Invertebrate Reproduction and Development* 44(1):9-15.
- Villalobos, L., S. Woelfl, O. Parra & H. Campos. 2003. Lake Chapo: a baseline study of a deep, oligotrophic North Patagonian lake prior to its use for hydroelectricity generation: II. Biological properties. *Hydrobiologia* 510(1-3):225-237.
- Vincent, A.G. & W.F. Font. 2003. Seasonal and yearly population dynamics of two exotic helminths, *Camallanus cotti* (Nematoda) and *Bothriocephalus acheilognathi* (Cestoda), parasitizing exotic fishes in Waianu Stream, O'ahu, Hawaii. *Journal of Parasitology* 89(4):756-760.
- Voronina, N.M. 2003. The effect of sea ice on the life cycles of mass species of Antarctic copepods in the Weddell Sea. *Okeanologiya* 43(6):832-839. [In Russian; abstract in English.]
- Voronina, N.M. 2003. The effect of sea ice on the life cycles of mass species of Antarctic copepods in the Weddell Sea. *Oceanology* 43(6):832-839. [English version.]
- **Vyshkvartzeva, N.V. 2003. A new bathypelagic copepod *Pseudomallothrix paralaminata* sp.n. from the Arctic Basin and arguments for the transfer of *Xanthocalanus soaresmoreirai* Bjornberg, 1975 to the genus *Pseudomallothrix* (Calanoida: Scoletrichidae). *Zoosystematica Rossica* 12(1):39-47.
- Walz, N. 2003. Book Review: Freshwater Meiofauna: Biology and Ecology. By S.D. Rundle, A.L. Robertson and J.M. Schmid-Araya. *International Review of Hydrobiology* 88(2):233.
- Webber, M.K., D.F. Webber, E.R. Ranston, F.N. Dunbar & R.-M.A. Simmonds. 2003. Changes in water quality and plankton of Kingston Harbour, Jamaica, after 20 years of continued eutrophication. *Bulletin of Marine Science* 73(2):361-378.
- Welker, T.L. & D.L. Scarnecchia. 2003. Differences in species composition and feeding ecology of catostomid fishes in two distinct segments of the Missouri River, North Dakota, U.S.A. *Environmental Biology of Fishes* 68(2):129-141.
- Willett, C.S. & R.S. Burton. 2003. Environmental influences on epistatic interactions: viabilities of cytochrome c genotypes in interpopulation crosses. *Evolution* 57(10):2286-2292.
- Williams, D.D. 2003. The brackishwater hyporheic zone: invertebrate community structure across a novel ecotone. *Hydrobiologia* 510(1-3):153-173.
- Wirtz, P. & H. Debelius. 2003. *Mediterranean and Atlantic Invertebrate Guide*. ConchBooks, Hackenheim. 305 pp. ISBN 3-925919-62-7
- Własow, T., I. Zmysłowska, D. Lewandowska, K. Mierzejewska, R. Idzikowski & E. Ziomek. 2003. Bacteria and parasites on the gills of pike *Esox lucius* L. and tench *Tinca tinca* (L.) as indices of the trophic level of Oświn Lake (northeastern Poland). *Archiwum Rybactwa Polskiego/ Archives of Polish Fisheries* 11(2):225-235.
- Wojtal, A., P. Frankiewicz, K. Izydorczyk & M. Zalewski. 2003. Horizontal migration of zooplankton in a littoral zone of the lowland Sulejow Reservoir (Central Poland). *Hydrobiologia* 506-509(1-3):339-346.
- Wokem, G.N. & J.K. Udonsi. 2003. Studies on physico-chemical properties of pond water in relation to zooplanktonic organisms of the ponds of Oso-Edda in Afikpo, Ebonyi State Nigeria. *Global Journal of Environmental Sciences* 2(2):82-87.
- Wong, D.C.L., D. Whittle, L. Maltby & P. Warren. 2003. Multivariate analyses of invertebrate community responses to a C₁₂₋₁₅AE-3S anionic surfactant in stream mesocosms. *Aquatic Toxicology* 62(2):105-117.
- Xu, Z.L., M. Jiang, M. Chao, Y.L. Wang, Q. Yuan & Y.Q. Chen. 2003. Quantitative distribution of pelagic copepods in the East China Sea. *Journal of Fisheries of China* 27(3):258-264. [In Chinese.]
- Yamamuro, M. 2003. Ecosystem and material cycling in enclosed coastal seas (3) Abundance and distribution of sublittoral meiobenthos along estuarine salinity gradients. *Aquabiology* 25(1):27-33. [In Japanese.]

- Yan, Y.J. & Y.L. Liang. 2003. Energy flow of macrozoobenthos community in an algal lake, Houhu Lake (Wuhan, China). *Chinese Journal of Oceanology and Limnology* 21(3):229-244.
- Yao, W.-J. 2003. Spatial distribution of monogeneans and Copepoda on gills of bullhead catfish *Pelteobagrus fulvidraco*. *Acta Hydrobiologica Sinica* 27(6):638.
- Yeh, S.-L., Q.-C. Dai, Y.-T. Chu, C.-M. Kuo, Y.-Y. Ting & C.-F. Chang. 2003. Induced sex change, spawning and larviculture of potato grouper, *Epinephelus tukula*. *Aquaculture* 228(1-4):371-381.
- Zöllner, E., B. Santer, M. Boersma, H.-G. Hoppe & K. Jürgens. 2003. Cascading predation effects of *Daphnia* and copepods on microbial food web components. *Freshwater Biology* 48(12):2174-2193.
- 2004**
- Aksnes, D.L., J. Nejstgaard, E. Sædberg & T. Sørnes. 2004. Optical control of fish and zooplankton populations. *Limnology and Oceanography* 49(1):233-238.
- Alonso, C., V. Rocco, J.P. Barriga, M.Á. Battini & H. Zagarese. 2004. Surface avoidance by freshwater zooplankton: Field evidence on the role of ultraviolet radiation. *Limnology and Oceanography* 49(1):225-232.
- Andersen, V., C. Devey, A. Gubanova, M. Picheral, V. Melnikov, S. Tsarin & L. Prieur. 2004. Vertical distributions of zooplankton across the Almeria-Oran frontal zone (Mediterranean Sea). *Journal of Plankton Research* 26(3):275-293.
- Anderson, J.T. & L.M. Smith. 2004. Persistence and colonization strategies of playa wetland invertebrates. *Hydrobiologia* 513(1):77-86.
- Arroyo, N.-L., M. Maldonado, R. Pérez-Portela & J. Benito. 2004. Distribution patterns of meiofauna associated with a sublittoral *Laminaria* bed in the Cantabrian Sea (north-eastern Atlantic). *Marine Biology* 144(2):231-242.
- Azémar, F., F. Fiers & M. Tackx. 2004. Zooplankton distribution across the brackish and freshwater zone of the Scheldt estuary. In: Mees, J. & J. Seys (eds.) VLIZ Young Scientists' Day, Brugge, Belgium, 5 March 2004: book of abstracts. VLIZ Special Publication 17:33. [Abstract.]
- Bailey, S.A., I.C. Duggan, C.D.A. van Overdijk, T.H. Johengen, D.F. Reid & H.J. MacIsaac. 2004. Salinity tolerance of diapausing eggs of freshwater zooplankton. *Freshwater Biology* 49(3):286-295.
- Bamber, R.N. & R.M.H. Seaby. 2004. The effects of power station entrainment passage on three species of marine planktonic crustacean, *Acartia tonsa* (Copepoda), *Crangon crangon* (Decapoda) and *Homarus gammarus* (Decapoda). *Marine Environmental Research* 57(4):281-294.
- Beaugrand, G. 2004. Monitoring marine plankton ecosystems. I. Description of an ecosystem approach based on plankton indicators. *Marine Ecology Progress Series* 269:69-81.
- Bode, A., S. Barquero, N. González, M.T. Alvarez-Ossorio & M. Varela. 2004. Contribution of heterotrophic plankton to nitrogen regeneration in the upwelling ecosystem of A Coruña (NW Spain). *Journal of Plankton Research* 26(1):11-28.
- Böttger-Schnack, R. & R. Huys. 2004. Size polymorphism in *Oncaea venusta* Philippi, 1843 and the validity of *O. frosti* Heron, 2002: a commentary. *Hydrobiologia* 513(1-3):1-5.
- Boulton, A.J., M.-J. Dole-Olivier & P. Marmonier. 2004. Effects of sample volume and taxonomic resolution on assessment of hyporheic assemblage composition sampled using a Bou-Rouch pump. *Archiv für Hydrobiologie* 159(3):327-355.
- Boxshall, G.A. & S.H. Halsey. 2004. An Introduction to Copepod Diversity. The Ray Society, London. 966 pp.
- Broglio, E., E. Saiz, A. Calbet, I. Trepát & M. Alcaraz. 2004. Trophic impact and prey selection by crustacean zooplankton on the microbial communities of an oligotrophic coastal area (NW Mediterranean Sea). *Aquatic Microbial Ecology* 35:65-78.
- Bucklin, A. & L.D. Allen. 2004. MtDNA sequencing from zooplankton after long-term preservation in buffered formalin. *Molecular Phylogenetics and Evolution* 30(3):879-882.
- Byström, P., J. Andersson, L. Persson & A.M. De Roos. 2004. Size-dependent resource limitation and foraging-predation risk trade-offs: growth and habitat use in young arctic char. *Oikos* 104(1):109-121.
- Cabrol, N.A., E.A. Grin, A. Hock, A. Kiss, G. Borics, K. Kiss, E. Acs, G. Kovacs, G. Chong, C. Demergasso, R. Sivila, E. Ortega Casamayor, J. Zambrana, M. Liberman, M. Sunagua Coro, L. Escudero, C. Tambley, V. Gaete, R.L. Morris, B. Grigsby, R. Fitzpatrick & G. Hovde. 2004. Investigating the impact of UV radiation on high-altitude shallow lake habitats, life diversity, and life survival strategies: clues for Mars' past habitability potential? Lunar and Planetary Science Conference 35, March 15-19, League City, Texas, U.S.A. Extended abstract, 2 pp.
url: www.lpi.usra.edu/meetings/lpsc2004/pdf/1049.pdf
- Cacic, P., M. Lenhardt & J. Kolarevic. 2004. *Sinergasilus polycolpus*, a new copepod species in ichthyoparasitofauna of Serbia and Montenegro. *Diseases of Aquatic Organisms* 58(2/3):265-266.
- Cartes, J.E. & M. Carrassón. 2004. Influence of trophic variables on the depth-range distributions and zonation rates of deep-sea megafauna: the case of the Western Mediterranean assemblages. *Deep Sea Research Part I: Oceanographic Research Papers* 51(2):263-279.
- Cary, T.L., G.T. Chandler, D.C. Volz, S.S. Walse & J.L. Ferry. 2004. Phenylpyrazole insecticide fipronil induces male infertility in the estuarine meiobenthic crustacean

- Amphiascus tenuiremis*. Environmental Science and Technology 38(2):522-528.
- Caudill, C.C. & A. Bucklin. 2004. Molecular phylogeography and evolutionary history of the estuarine copepod, *Acartia tonsa*, on the northwest Atlantic coast. Hydrobiologia 511(1):91-102.
- Chandler, G.T., T.L. Cary, D.C. Volz, S.S. Walse, J.L. Ferry & S.L. Klosterhaus. 2004. Fipronil effects on estuarine copepod (*Amphiascus tenuiremis*) development, fertility, and reproduction: a rapid life-cycle assay in 96-well microplate format. Environmental Toxicology and Chemistry 23(1):117-124.
- Ciannelli, L., R.D. Brodeur & J.M. Napp. 2004. Foraging impact on zooplankton by age-0 walleye pollock (*Theragra chalcogramma*) around a front in the southeast Bering Sea. Marine Biology 144(3):515-526.
- Conroy-Dalton, S. 2004. Systematics and phylogeny of the Ancorabolidae (Copepoda: Harpacticoida). V. Description of *Lobopleura*, new genus, with notes on *Probosciphontodes* Fiers. Journal of Crustacean Biology 24(1):17-36.
- Cribb, T.H. 2004. Living on the edge: parasite taxonomy in Australia. International Journal for Parasitology 34:117-123.
- Cristoni, C., M.A. Colangelo & V.U. Ceccherelli. 2004. Spatial scale and meiobenthic copepod recolonisation: testing the effect of disturbance size in a seagrass habitat. Journal of Experimental Marine Biology and Ecology 298(1):49-70.
- Dahms, H.-U. & P.-Y. Qian. 2004. Life histories of the Harpacticoida (Copepoda, Crustacea): a comparison with meiofauna and macrofauna. Journal of Natural History 38(14):1725-1734.
- Damkaer, D. 2004. Introduction to History of Copepodology. World Association of Copepodologists homepage: <http://www.copepoda.uconn.edu/history2.htm>
- Dejen, E., J. Vijverberg, L.A.J. Nagelkerke & F.A. Sibbing. 2004. Temporal and spatial distribution of microcrustacean zooplankton in relation to turbidity and other environmental factors in a large tropical lake (L. Tana, Ethiopia). Hydrobiologia 513(1-3):39-49.
- Dzierzbicka-Głowacka, L. 2004. Growth and development of copepodite stages of *Pseudocalanus* spp. Journal of Plankton Research 26(1):49-60.
- Dzierzbicka-Głowacka, L. 2004. The dependence of body weight in copepodite stages of *Pseudocalanus* spp. on variations of ambient temperature and food concentration. Oceanologia 46(1):45-63.
- Eiane, K. & M.D. Ohman. 2004. Stage-specific mortality of *Calanus finmarchicus*, *Pseudocalanus elongatus* and *Oithona similis* on Fladen Ground, North Sea, during a spring bloom. Marine Ecology Progress Series 268:183-193.
- Engell-Sørensen, K., J.G. Støttrup & M. Holmstrup. 2004. Rearing of flounder (*Platichthys flesus*) juveniles in semiextensive systems. Aquaculture 230(1-4):475-491.
- Fahrbach, S.E. 2004. What arthropod brains say about arthropod phylogeny. Proceedings of the National Academy of Sciences 101:3723-3724.
- Fanenbruck, M., S. Harzsch & J.W. Wägele. 2004. The brain of the Remipedia (Crustacea) and an alternative hypothesis on their phylogenetic relationships. Proceedings of the National Academy of Sciences 101:3868-3873.
- Faust, H.A., A.K. Gamperl & K.J. Rodnick. 2004. All rainbow trout (*Oncorhynchus mykiss*) are not created equal: intra-specific variation in cardiac hypoxia tolerance. Journal of Experimental Biology 207:1005-1015.
- Fera, M.T., T.L. Maugeri, C. Gugliandolo, C. Beninati, M. Giannone, E. La Camera & M. Carbone. 2004. Detection of *Arcobacter* spp. in the coastal environment of the Mediterranean Sea. Applied and Environmental Microbiology 70:1271-1276.
- Flynn, K., R. Harris, I. Jenkinson & J.T. Lehman. 2004. 'Horizons.' Journal of Plankton Research 26(3):257. [Editorial.]
- Froneman, P.W. 2004. Food web dynamics in a temperate temporarily open/closed estuary (South Africa). Estuarine, Coastal and Shelf Science 59(1):87-95.
- Gaedke, U. & S.A. Wickham. 2004. Ciliate dynamics in response to changing biotic and abiotic conditions in a large, deep lake (Lake Constance). Aquatic Microbial Ecology 34:247-261.
- Gaevskii, N.A., V.I. Kolmakov, O.P. Dubovskaya & E.P. Klimova. 2004. Interrelations of epibiontic microalgae and crustacean zooplankton under conditions of a blooming eutrophic water body. Russian Journal of Ecology 35(1):35-41.
- Gasiūnaitė, Z.R. & A. Razinkovas. 2004. Temporal and spatial patterns of crustacean zooplankton dynamics in a transitional lagoon ecosystem. Hydrobiologia 514(1-3):139-149.
- Galassi, D.M.P. & P. De Laurentiis. 2004. Towards a revision of the genus *Parastenocaris* Kessler, 1913: establishment of *Simplicaris* gen. nov. from groundwaters in central Italy and review of the *P. brevipes*-group (Copepoda, Harpacticoida, Parastenocarididae). Zoological Journal of the Linnean Society 140(3):417-436.
- Gallienne, C.P., D.V.P. Conway, J. Robinson, N. Naya, J.S. William, T. Lynch & S. Meunier. 2004. Epipelagic mesozooplankton distribution and abundance over the Mascarene Plateau and Basin, south-western Indian Ocean. Journal of the Marine Biological Association of the United Kingdom 84(1):1-8.
- Gallager, S.M., H. Yamazaki & C.S. Davis. 2004. The contribution of fine-scale vertical structure and swimming behavior to the formation of plankton layers on Georges Bank. Marine Ecology Progress Series 267:27-43.

- Gaudy, R. & G. Verriopoulos. 2004. Spatial and seasonal variations in size, body volume and body proportion (prosome:urosome ratio) of the copepod *Acartia tonsa* in a semi-closed ecosystem (Berre lagoon, western Mediterranean). *Hydrobiologia* 513(1-3):219-231.
- Giasecke, R. & H.E. González. 2004. Feeding of *Sagitta enflata* and vertical distribution of chaetognaths in relation to low oxygen concentrations. *Journal of Plankton Research* 26(4):475-486.
- Glover, K.A., L.A. Hamre, Ø. Skaala & F. Nilsen. 2004. A comparison of sea louse (*Lepeophtheirus salmonis*) infection levels in farmed and wild Atlantic salmon (*Salmo salar* L.) stocks. *Aquaculture* 232(1-4):41-52.
- Gogou, A. & E.G. Stephanou. 2004. Marine organic geochemistry of the Eastern Mediterranean 2. Polar biomarkers in Cretan Sea surficial sediments. *Marine Chemistry* 85(1-2):1-25.
- Goldman, E. 2004. Forecasting cholera outbreaks. *Science Now*, Feb 2004:1.
- Golez, M.S.N., T. Takahashi, T. Ishimaru & A. Ohno. 2004. Post-embryonic development and reproduction of *Pseudodiaptomus annandalei* (Copepoda: Calanoida). *Plankton Biology and Ecology* 51(1):15-25.
- Greenaway, C. 2004. Dracunculiasis (guinea worm disease). *Canadian Medical Association Journal* 170(4):495-500.
- Guher, H., T. Kirgiz, B. Camur & U. Guner. 2004. A study on zooplankton organisms community structures of Lake Terkos (Istanbul-Turkey). *Pakistan Journal of Biological Sciences* 7(4):566-570.
- Hakalahti, T., A.F. Pasternak & E.T. Valtonen. 2004. Seasonal dynamics of egg laying strategy of the ectoparasite *Argulus coregoni* (Crustacea: Branchiura). *Parasitology* 128:1-6.
- Hassett, R.P. 2004. Supplementation of a diatom diet with cholesterol can enhance copepod egg-production rates. *Limnology and Oceanography* 49(2):488-494.
- Hense, B.A., G.F. Severin, G. Welzl & K.-W. Schramm. 2004. Effects of 17 alpha-ethinylestradiol on zoo- and phytoplankton in lentic microcosms. *Analytical and Bioanalytical Chemistry* 378(3):716-724.
- Herwig, B.R., D.A. Soluk, J.M. Dettmers & D.H. Wahl. 2004. Trophic structure and energy flow in backwater lakes of two large floodplain rivers assessed using stable isotopes. *Canadian Journal of Fisheries and Aquatic Sciences/ Journal Canadien des Sciences Halieutiques et Aquatiques* 61(1):12-22.
- Hirota, Y., S. Uehara & H. Honda. 2004. Ontogenetic changes of feeding selectivity in juvenile jack mackerel *Trachurus japonicus* collected off south-east Kyushu, Japan. *Fisheries Science* 70(1):100-107.
- Ho, J.-s., S. Gómez, K. Ogawa & M. Aritaki. 2004. Two species of parasitic copepods (Caligidae) new to Japan. *Systematic Parasitology* 57(1):19-34.
- Hoffmeyer, M.S. 2004. Decadal change in zooplankton seasonal succession in the Bahía Blanca estuary, Argentina, following introduction of two zooplankton species. *Journal of Plankton Research* 26(2):181-189.
- Houlbrèque, F., E. Tambutté, D. Allemand & C. Ferrier-Pagès. 2004. Interactions between zooplankton feeding, photosynthesis and skeletal growth in the scleractinian coral *Stylophora pistillata*. *Journal of Experimental Biology* 207:1461-1469.
- Huskin, I., L. Viesca & R. Anadón. 2004. Particle flux in the subtropical Atlantic near the Azores; influence of mesozooplankton. *Journal of Plankton Research* 26(4):403-415.
- Huys, R. & S.J. Song. 2004. The Ismardiidae (Copepoda, Harpacticoida incertae sedis): enigmatic as ever? *Journal of Crustacean Biology* 24(1):37-53.
- Ingram, A.L. 2004. Muscular anatomy and aspects of the structure of the antennae of *Anthosoma crassum* (Dichelethiidae: Siphonostomatoida: Copepoda). *Journal of Parasitology* 90(1):175-177.
- Irigoién, X. 2004. Some ideas about the role of lipids in the life cycle of *Calanus finmarchicus*. *Journal of Plankton Research* 26(3):259-263.
- Irigoién, X., D.V.P. Conway & R.P. Harris. 2004. Flexible diel vertical migration behaviour of zooplankton in the Irish Sea. *Marine Ecology Progress Series* 267:85-97.
- Jackson, G.A. & T. Kiørboe. 2004. Zooplankton use of chemodetection to find and eat particles. *Marine Ecology Progress Series* 269:153-162.
- Jo, S.-G. & N.H. Marcus. 2004. The effect of temperature and duration of incubation on the hatching of diapause eggs of *Centropages hamatus* (Lilljeborg) (Copepoda, Calanoida). *Aquaculture Research* 35(5):432-435.
- Johansson, M., E. Gorokhova & U. Larsson. 2004. Annual variability in ciliate community structure, potential prey and predators in the open northern Baltic Sea proper. *Journal of Plankton Research* 26(1):67-80.
- Kabata, Z. 2004. Some comments on the genus *Lernaeopodina* Wilson, 1915 (Copepoda: Siphonostomatoida: Lernaeopodidae). *Systematic Parasitology* 57(1):15-17.
- Karayutug, S., S. Sak & A. Alper. 2004. Comparison of female antennules in some genera of Cyclopidae (Copepoda: Cyclopoida): their significance for phylogeny. *Turkish Journal of Zoology* 28(2):129-134.
- Karayutug, S., S. Sak & A. Alper. 2004. Parasitic copepod *Lernaeopoda galei* Krøyer, 1837 (Copepoda: Siphonostomatoida): a first record from Turkish seas. *Turkish Journal of Zoology* 28(2):123-128.
- Kimmel, D.G. & M.R. Roman. 2004. Long-term trends in mesozooplankton abundance in Chesapeake Bay, USA: influence of freshwater input. *Marine Ecology Progress Series* 267:71-83.
- Knudsen, R., M.A. Curtis & R. Kristoffersen. 2004. Aggregation of helminths: the role of feeding behavior of fish hosts. *Journal of Parasitology* 90(1):1-7.
- Kobari, T., T. Nagaki & K. Takahashi. 2004. Seasonal changes in abundance and development of *Calanus*

- pacificus* (Crustacea: Copepoda) in the Oyashio-Kuroshio Mixed Region. *Marine Biology* 144(4):713-722.
- Kotta, J., M. Simm, I. Kotta, I. Kanošina, K. Kallaste & T. Raid. 2004. Factors controlling long-term changes of the eutrophicated ecosystem of Pärnu Bay, Gulf of Riga. *Hydrobiologia* 514(1-3):259-268.
- Kozak, A. & R. Goldyn. 2004. Zooplankton versus phyto- and bacterioplankton in the Maltański Reservoir (Poland) during an extensive biomanipulation experiment. *Journal of Plankton Research* 26(1):37-48.
- Kuijper, L.D.J., T.R. Anderson & S.A.L.M. Kooijman. 2004. C and N gross growth efficiencies of copepod egg production studied using a Dynamic Energy Budget model. *Journal of Plankton Research* 26(2):213-226.
- Kulikova, T.P. & M.T. Syarki. 2004. Effect of anthropogenic eutrophication on zooplankton distribution in Kondopoga Bay of Lake Onega. *Water Resources* 31(1):85-91.
- Lavrov, D.V., W.M. Brown & J.L. Boore. 2004. Phylogenetic position of the Pentastomida and (pan)crustacean relationships. *Proceedings of The Royal Society, London, Biological Sciences* 271(1538):537-544.
- Lawrence, D., M.J. Dagg, L. Hongbin, R.S. Cummings, P.B. Ortner & C. Kelble. 2004. Wind events and benthic-pelagic coupling in a shallow subtropical bay in Florida. *Marine Ecology Progress Series* 266:1-13.
- Levings, C.D., J.R. Cordell, S. Ong & G.E. Piercey. 2004. The origin and identity of invertebrate organisms being transported to Canada's Pacific coast by ballast water. *Canadian Journal of Fisheries and Aquatic Sciences/ Journal Canadien des Sciences Halieutiques et Aquatiques* 61(1):1-11. [In English; abstract in French.]
- Little, T.J. & A.R. Kraaijeveld. 2004. Ecological and evolutionary implications of immunological priming in invertebrates. *Trends in Ecology and Evolution* 19(2):58-60.
- Lo, W.-T., C.-T. Shih & J.-S. Hwang. 2004. Diel vertical migration of the planktonic copepods at an upwelling station north of Taiwan, western North Pacific. *Journal of Plankton Research* 26(1):89-97.
- López-Urrutia, Á., R.P. Harris & T. Smith. 2004. Predation by calanoid copepods on the appendicularian *Oikopleura dioica*. *Limnology and Oceanography* 49(1):303-307.
- Łotocka, M., E. Styczyńska-Jurewicz & L.A. Błędzki. 2004. Changes in carotenoid composition in different developmental stages of copepods: *Pseudocalanus acuspes* Giesbrecht and *Acartia* spp. *Journal of Plankton Research* 26(2):159-166.
- Madurell, T., J.E. Cartes & M. Labropoulou. 2004. Changes in the structure of fish assemblages in a bathyal site of the Ionian Sea (eastern Mediterranean). *Fisheries Research* 66(2-3):245-260.
- Mallatt, J.M., J.R. Garey & J.W. Shultz. 2004. Ecdysozoan phylogeny and Bayesian inference: first use of nearly complete 28S and 18S rRNA gene sequences to classify the arthropods and their kin. *Molecular Phylogenetics and Evolution* 31(1):178-191.
- Mangas-Ramírez, E. & M. Elías-Gutiérrez. 2004. Effect of mechanical removal of water hyacinth (*Eichhornia crassipes*) on the water quality and biological communities in a Mexican reservoir. *Aquatic Ecosystem Health & Management* 7(1):161-168.
- Markova, S.V., S. Golz, L.A. Frank, B. Kalthof & E.S. Vysotski. 2004. Cloning and expression of cDNA for a luciferase from the marine copepod *Metridia longa*: A novel secreted bioluminescent reporter enzyme. *Journal of Biological Chemistry* 279(5):3212-3217.
- McClatchie, S., G.J. Macaulay & R.F. Coombs. 2004. Acoustic backscatter and copepod secondary production across the Subtropical Front to the east of New Zealand. *Journal of Geophysical Research* 109, C03013, doi:10.1029/2000JC000751
www.agu.org/pubs/crossref/2004/2000JC000751.shtml
- McCormick, A.L. & B.B. Nickol. 2004. Postcyclic transmission and its effect on the distribution of *Paulisentis missouriensis* (Acanthocephala) in the definitive host *Semotilus atromaculatus*. *Journal of Parasitology* 90(1):103-107.
- Medina, M. & C. Barata. 2004. Static-renewal culture of *Acartia tonsa* (Copepoda: Calanoida) for ecotoxicological testing. *Aquaculture* 229(1):203-213.
- Meibom, K.L., X.B. Li, A.T. Nielsen, C.-Y. Wu, S. Roseman & G.K. Schoolnik. 2004. The *Vibrio cholerae* chitin utilization program. *Proceedings of the National Academy of Sciences* 101:2524-2529.
- Michaud, M., T. de Meeüs & F. Renaud. 2004. Environmental sex determination in a parasitic copepod: checking heterogeneity and unpredictability of the environment. *Marine Ecology Progress Series* 269:163-171.
- Mikheev, V.N., A.F. Pasternak & E.T. Valtonen. 2004. Tuning host specificity during the ontogeny of a fish ectoparasite: behavioural responses to host-induced cues. *Parasitology Research* 92(3):220-224.
- Mischke, C.C. & P.V. Zimba. 2004. Plankton community responses in earthen channel catfish nursery ponds under various fertilization regimes. *Aquaculture* 233(1-4):219-235.
- Mokievsky, V.O., A.A. Udalov & A.I. Azovsky. 2004. On the quantitative distribution of meiobenthos on the shelf of the World Ocean. *Oceanology* 44(1):99-109.
- Molnár, K. & Cs. Székely. 2004. Occurrence and pathology of *Sinergasilus lieni* (Copepoda: Ergasilidae), a parasite of the silver carp and bighead, in Hungarian ponds. *Acta Veterinaria Hungarica* 52(1):51-60.
- Morton, A., R. Routledge, C. Peet & A. Ladwig. 2004. Sea lice (*Lepeophtheirus salmonis*) infection rates on juvenile pink (*Oncorhynchus gorbuscha*) and chum (*Oncorhynchus keta*) salmon in the nearshore marine environment of British Columbia, Canada. *Canadian*

- Journal of Fisheries and Aquatic Sciences/ Journal Canadien des Sciences Halieutiques et Aquatiques 61(2):147-157.
- Murrell, M.C. & E.M. Lores. 2004. Phytoplankton and zooplankton seasonal dynamics in a subtropical estuary: importance of cyanobacteria. *Journal of Plankton Research* 26(3):371-382.
- Muzzall, P.M. & P.L. Hudson. 2004. Occurrence of *Ergasilus megaceros* Wilson, 1916, in the sea lamprey and other fishes from North America. *Journal of Parasitology* 90(1):184-185.
- Nash, R.D.M. & A.J. Geffen. 2004. Seasonal and interannual variation in abundance of *Calanus finmarchicus* (Gunnerus) and *Calanus helgolandicus* (Claus) in inshore waters (west coast of the Isle of Man) in the central Irish Sea. *Journal of Plankton Research* 26(3):265-273.
- Neff, B.D. 2004. Stabilizing selection on genomic divergence in a wild fish population. *Proceedings of the National Academy of Sciences* 101:2381-2385.
- Ohtsuka, S., J.-s. Ho & K. Nagasawa. 2004. Ergasilid copepods (Poecilostomatoida) in plankton samples from Hokkaido, Japan, with reconsideration of the taxonomic status of *Limnoncaea* Kokubo, 1914. *Journal of Natural History* 38(4):471-498
- Ohtsuka, S., J.-s. Ho, K. Nagasawa, J. Morozinska-Gogol & W. Piasecki. 2004. The identity of *Limnoncaea diuncata* Kokubo, 1914 (Copepoda: Poecilostomatoida) from Hokkaido, Japan, with the relegation of *Diergasilus* Do, 1981 to a junior synonym of *Thersitina* Norman, 1905. *Systematic Parasitology* 57(1):35-44.
- Olden, J.D., N.L. Poff, M.R. Douglas, M.E. Douglas & K.D. Fausch. 2004. Ecological and evolutionary consequences of biotic homogenization. *Trends in Ecology and Evolution* 19(1):18-24.
- Onoue, Y., T. Toda & S. Ban. 2004. Morphological features and hatching patterns of eggs in *Acartia steuerei* (Crustacea, Copepoda) from Sagami Bay, Japan. *Hydrobiologia* 511(1):17-25.
- Ooishi, S. 2004. Redescription of *Haplostoma banyulensis* (Copepoda: Cyclopoida; Ascidicolidae) living in the compound ascidian *Trididemnum tenerum* from Strangford Lough, Northern Ireland. *Journal of Crustacean Biology* 24(1):1-8.
- Ooishi, S. & M.G. O'Reilly. 2004. Redescription of *Haplostoma eruca* (Copepoda: Cyclopoida; Ascidicolidae) living in the intestine of *Ciona intestinalis* from the Clyde Estuary, Scotland. *Journal of Crustacean Biology* 24(1):9-16.
- Ozaki, K., S.-I. Uye, T. Kusumoto & T. Hagino. 2004. Interannual variability of the ecosystem of the Kii Channel, the Inland Sea of Japan, as influenced by bottom intrusion of cold and nutrient-rich water from the Pacific Ocean, and a recent trend of warming and oligotrophication. *Fisheries Oceanography* 13(1):65-79.
- Pantoja, S., J. Sepúlveda & H.E. González. 2004. Decomposition of sinking proteinaceous material during fall in the oxygen minimum zone off northern Chile. *Deep Sea Research Part I: Oceanographic Research Papers* 51(1):55-70.
- Pasternak, A., V. Mikheev & E.T. Valtonen. 2004. Growth and development of *Argulus coregoni* (Crustacea: Branchiura) on salmonid and cyprinid hosts. *Diseases of Aquatic Organisms* 58(2/3):203-207.
- Perschbacher, P.W. & G.M. Ludwig. 2004. Effects of diuron and other aerially applied cotton herbicides and defoliant on the plankton communities of aquaculture ponds. *Aquaculture* 23(1-4):197-203.
- Peters, J., K. Tuschling & A. Brandt. 2004. Zooplankton in the arctic Laptev Sea – feeding ecology as indicated by fatty acid composition. *Journal of Plankton Research* 26(2):227-234.
- Phillips, K. 2004. Fed up corals. *Journal of Experimental Biology* 207: 0. [Inside front cover.]
- Pilskaln, C.H., S.J. Manganini, T.W. Trull, L. Armand, W. Howard, V.L. Asper & R. Massom. 2004. Geochemical particle fluxes in the Southern Indian Ocean seasonal ice zone: Prydz Bay region, East Antarctica. *Deep Sea Research Part I: Oceanographic Research Papers* 51(2):307-332.
- Poulin, R. 2004. Parasite species richness in New Zealand fishes: a grossly underestimated component of biodiversity? *Diversity Distributions* 10(1):31-37.
- Rayner, N. 2004. Book review: Ueda, H. & J.W. Reid (eds.). *Copepoda: Cyclopoida – Genera Mesocyclops and Thermocyclops*. (Guides to the Identification of the Microinvertebrates of the Continental Waters of the World, Vol. 20). *SILnews* 41:10.
- Rayyan, A., G. Photis & C.C. Chintiroglou. 2004. Metazoan parasite species in the cultured mussel *Mytilus galloprovincialis* in Thermaikos Gulf (North Aegean Sea, Greece). *Diseases of Aquatic Organisms* 58(1):55-
- Remsen, A., T.L. Hopkins & S. Samson. 2004. What you see is not what you catch: a comparison of concurrently collected net, Optical Plankton Counter, and Shadowed Image Particle Profiling Evaluation Recorder data from the northeast Gulf of Mexico. *Deep Sea Research Part I: Oceanographic Research Papers* 51(1):129-151.
- Rey, J. & S. O'Connell. 2004. Rearing copepods for mosquito control. *Entomology and Nematology Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, Florida, U.S.A. Document ENY-697*. http://edis.ifas.ufl.edu/BODY_IN490
- Roberts, R.J., K.A. Johnson & M.T. Casten. 2004. Control of *Salmincola californiensis* (Copepoda: Lernaeapodidae [sic]) in rainbow trout, *Oncorhynchus mykiss* (Walbaum): a clinical and histopathological study. *Journal of Fish Diseases* 27(2):73-79.

- Rodríguez, J.G. 2004. Community structure of intertidal meiofauna along a gradient of morphodynamic states on an exposed North Sea beach. *Sarsia* 89(1):22-32.
- Rodríguez-Arias, M.Á. & X. Rodó. 2004. A primer on the study of transitory dynamics in ecological series using the scale-dependent correlation analysis. *Oecologia* 138(4):485-504.
- Sack, P.D.A., P.R.B. Sack, G.B. Nair & A.K. Siddique. 2004. Cholera. *The Lancet* 363(9404):223-233.
- Sommer, F. & U. Sommer. 2004. $\delta^{15}\text{N}$ signatures of marine mesozooplankton and seston size fractions in Kiel Fjord, Baltic Sea. *Journal of Plankton Research* 26(4):495-500.
- Sørnes, T.A. & D.L. Aksnes. 2004. Predation efficiency in visual and tactile zooplanktivores. *Limnology and Oceanography* 49(1):69-75.
- Sprangers, M., N. Dammers, H. Brinkhuis, T.C.E. van Weering & A.F. Lotter. 2004. Modern organic-walled dinoflagellate cyst distribution offshore NW Iberia; tracing the upwelling system Review of Palaeobotany and Palynology 128(1-2):97-106.
- Steinberg, D.K., N.B. Nelson, C.A. Carlson & A. Prusak. 2004. Production of chromophoric dissolved organic matter (CDOM) in the open ocean by zooplankton and the colonial cyanobacterium *Trichodesmium* spp. *Marine Ecology Progress Series* 267:45-56.
- Stelfox-Widdicombe, C.E., S.D. Archer, P.H. Burkill & J. Stefels. 2004. Microzooplankton grazing in *Phaeocystis* and diatom-dominated waters in the southern North Sea in spring. *Journal of Sea Research* 51(1):37-51.
- Stibor, H., O. Vadstein, S. Diehl, A. Gelzleichter, T. Hansen, F. Hantzsche, A. Katechakis, B. Lippert, K. Løseth, C. Peters, W. Roederer, M. Sandow, L. Sundt-Hansen & Y. Olsen. 2004. Copepods act as a switch between alternative trophic cascades in marine pelagic food webs. *Ecology Letters* 7(4):321-328.
- Sullivan, L.J. & D. J. Gifford. 2004. Diet of the larval ctenophore *Mnemiopsis leidyi* A. Agassiz (Ctenophora, Lobata). *Journal of Plankton Research* 26(4):417-431.
- Suthers, I.M., C.T. Taggart, D. Kelley, D. Rissik & J.H. Middleton. 2004. Entrainment and advection in an island's tidal wake, as revealed by light attenuation, zooplankton, and ichthyoplankton. *Limnology and Oceanography* 49(1):283-296.
- Sutherst, R.W. 2004. Global change and human vulnerability to vector-borne diseases. *Clinical Microbiology Reviews* 17:136-173.
- Tackx, M.L.M., N. de Pauw, R. van Mieghem, F. Azémar, A. Hannouti, S. van Damme, F. Fiers, N. Daro & P. Meire. 2004. Zooplankton in the Schelde estuary, Belgium and The Netherlands. Spatial and temporal patterns. *Journal of Plankton Research* 26(2):133-141.
- Tavares, L.E.R. & J.L. Luque. 2004. Community ecology of the metazoan parasites of white sea catfish, *Netuma barba* (Osteichthyes: Ariidae), from the coastal zone of the State of Rio de Janeiro, Brazil. *Brazilian Journal of Biology* 64(1):1-8.
- Tester, P.A., J.H. Cohen & G. Cervetto. 2004. Reverse vertical migration and hydrographic distribution of *Anomalocera ornata* (Copepoda: Pontellidae) in the US South Atlantic Bight. *Marine Ecology Progress Series* 268:195-204.
- **Thistle, D. & L. Sedlacek. 2004. Emergent and nonemergent species of harpacticoid copepods can be recognized morphologically. *Marine Ecology Progress Series* 266:195-200.
- Twining, B.S. & N.S. Fisher. 2004. Trophic transfer of trace metals from protozoa to mesozooplankton. *Limnology and Oceanography* 49(1):28-39.
- Van der Meer, T. & T. Harboe. 2004. Live feeds in marine aquaculture. *Aquaculture Research* 35(2):213-214.
- Vandysch, O.I. 2004. Zooplankton as an indicator of the state of lake ecosystems polluted with mining wastewater in the Kola Peninsula. *Russian Journal of Ecology* 35(2):110-116.
- Van Lieverloo, J.H., D.W. Bosboom, G.L. Bakker, A.K. Brouwer, R. Voogt & J.E. De Roos. 2004. Sampling and quantifying invertebrates from drinking water distribution mains. *Water Research* 38(5):1101-1112.
- Van Nieuwerburgh, L., I. Wänstrand & P. Snoeijs. 2004. Growth and C:N:P ratios in copepods grazing on N- or Si-limited phytoplankton blooms. *Hydrobiologia* 514(1-3):57-72.
- Vargas, C.A. & H.E. González. 2004. Plankton community structure and carbon cycling in a coastal upwelling system. I: Bacteria, ciliated microprotozoans and dinoflagellates in the diet of copepods and appendicularians. *Aquatic Microbial Ecology* 34:151-164.
- Vargas, C.A. & H.E. González. 2004. Plankton community structure and carbon cycling in a coastal upwelling system. II: Importance of the microheterotrophic pathway. *Aquatic Microbial Ecology* 34:165-180.
- Vega-Pérez, L.A. & K.P. Schinke. 2003. Comparação da fecundidade de duas populações de *Euterpina acutifrons* (Copepoda: Harpacticoida) provenientes de áreas impactada e não impactada. [Comparison of the fecundity of two populations of *Euterpina acutifrons* (Copepoda: Harpacticoida) from impacted and non-impacted areas.] *Anais do Congresso Brasileiro de Pesquisas Ambientais e Saúde, Santos, 3:86-90.* [In Portuguese.]
- Volz, D.C. & G.T. Chandler. 2004. An enzyme-linked immunosorbent assay for lipovitellin quantification in copepods: a screening tool for endocrine toxicity. *Environmental Toxicology and Chemistry* 23(2):298-305.
- Vossbrinck, C.R., T.G. Andreadis, J. Vavra & J.J. Becnel. 2004. Molecular phylogeny and evolution of mosquito parasitic Microsporidia (Microsporidia: Amblyosporidae). *The Journal of Eukaryotic Microbiology* 51(1):88-95.

- Webster, D.R., A. Brathwaite & J. Yen. 2004. A novel laboratory apparatus for simulating isotropic oceanic turbulence at low Reynolds number. *Limnology and Oceanography: Methods* 2:1-12.
- Willett, C.S. & R.S. Burton. 2004. Evolution of interacting proteins in the mitochondrial electron transport system in a marine copepod. *Molecular Biology and Evolution* 21(3):443-453.
- Williams, J.L. & P.M. Biesiot. 2004. Lipids and fatty acids of the benthic marine harpacticoid copepod *Heteropsyllus nunni* Coull during diapause: a contrast to pelagic copepods. *Marine Biology* 144(2):335-344.
- Willis, K.J. & N. Ling. 2004. Toxicity of the aquaculture pesticide cypermethrin to planktonic marine copepods. *Aquaculture Research* 35(3):263-270.
- Xu, Y. & W.-X. Wang. 2004. Silver uptake by a marine diatom and its transfer to the coastal copepod *Acartia spinicauda*. *Environmental Toxicology and Chemistry* 23(3):682-690.
- Yan, Y., B.K.K. Chan & G.A. Williams. 2004. An improved and simplified trap for quantifying the distribution and supply of planktonic larvae to rocky shores. *Journal of Plankton Research* 26(2):247-253.
- Yanagimoto, T. & K. Konishi. 2004. *Acanthochondria priacanthi* (Copepoda: Chondracanthidae) as a biological indicator for stock identification of sandfish *Arctoscopus japonicus* (Steindachner). *Fisheries Science* 70(2):336-338.
- George Mason University, Washington, D.C., U.S.A. 169 pp.
- Fabián, Daniel. 2002. Diversidad, composición funcional y estructura de tamaños del plancton en un sistema eutrófico y otro hipereutrófico: las Albuferas de Adra (Almería). [Diversity, functional composition and size structure of the plankton in a eutrophic and a hypertrophic system: the Albuferas de Adra (Almería).] Tesis de Doctorado, Facultad de Ciencias, Universidad de Granada, Granada, Spain. [In Spanish.]
- Hostens, Kristian Jean. 2003. The demersal fish and macroinvertebrate assemblages of the Westerschelde and Oosterschelde estuaries (Southern Bight of the North Sea) (The Netherlands). Ph.D. Thesis, Rijksuniversiteit te Gent, Ghent, Belgium. 205 pp.
- Jarvis, Toby. 2003. The vertical export of carbon and nitrogen caused by zooplankton diel vertical migration. Ph.D. Thesis, UHI Millennium Institute, Dunstaffnage Marine Laboratory, Oban, Scotland. 240 pp.
- Johnsson Tavares da Silva, Rodrigo. 2003. Filogenia das famílias de Siphonostomatoida (Copepoda) associadas em invertebrados marinhos, com ênfase em Asterocheridae. [Phylogeny of the families of Siphonostomatoida (Copepoda) associated with marine invertebrates, with emphasis on Asterocheridae.] Tese de Doutorado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 370 pp. + appendices. [In Portuguese.]
- Karnovsky, Nina Jane. 2003. The distribution, abundance and ecological role of seabirds in the Arctic. Ph.D. Dissertation, University of California, Irvine, California, U.S.A. 160 pp.
- Kihara, Terue Cristina. 2003. Diversidade dos copépodes harpacticóides da meiofauna marinha do litoral norte do estado de São Paulo. [Diversity of the marine meiofaunal harpacticoid copepods of the northern coast of the state of São Paulo.] Tese de Doutorado, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 214 pp. [In Portuguese.]
- Kuijper, L. D. J. 2004. The role of trophic flows in food web dynamics. PhD Thesis, Vrije Universiteit, Amsterdam, The Netherlands.
- Lafrancois, Brenda Moraska. 2002. Algal and invertebrate responses to atmospheric nitrogen deposition in Rocky Mountain lakes. Ph.D. Dissertation, Colorado State University, Fort Collins, Colorado, U.S.A. 184 pp.
- Lynk, Kenneth. 2003. Feeding patterns of salt marsh fishes. Ph.D. Thesis, City University of New York, New York, U.S.A. 102 pp.
- Llinás, Leopoldo. 2002. Regional and seasonal comparison of the calanoid copepod *Calanoides carinatus* in the north west Indian Ocean. Undergraduate Thesis, University of Miami, Coral Gables, Florida, U.S.A. 30 pp.

RECENT THESES and DISSERTATIONS

- Bernard, Kim Sarah. 2003. Mesozooplankton community structure and grazing impact in the polar frontal zone of the Southern Ocean. M.Sc. Thesis (Zoology and Entomology), Rhodes University, Grahamstown, South Africa.
- Boudreau, Timothy Michael. 2003. Toxicity of perfluorinated organic acids to selected freshwater organisms under laboratory and field conditions. M.Sc. Thesis, University of Guelph, Guelph, Ontario, Canada. 134 pp.
- Brucet, Sandra. 2003. Zooplankton structure and dynamics in Mediterranean marshes (Empordà Wetlands): a size-based approach. Ph.D. Thesis, University of Girona, Girona, Spain. 149 pp.
- Butcher, R. 2003. Biodiversity in temporary and freshwater wetlands in the Western Wimmera, Victoria. Ph.D. Thesis, Monash University, Victoria, Australia.
- Chandra, Sudeep. 2003. The impact of nonnative species and cultural eutrophication on the Lake Tahoe food web over time. Ph.D. Thesis, University of California, Davis, California, U.S.A. 92 pp.
- Doelling Brown, Paige. 2002. Trophic transfer of polychlorinated biphenyls (PCBs) in the food web of the Anacostia River (Washington, D.C.). Ph.D. Dissertation,

- Lynk, Kenneth. 2003. Feeding patterns of salt marsh fishes. Ph.D. Thesis, City University of New York, New York, U.S.A. 102 pp.
- Manning, Christopher A. 2003. Sibling rivalry: temporal and vertical variation of copepods in the western Gulf of Maine coastal current. M.S. in Zoology Thesis, Institute for the Study of Earth, Oceans and Space, University of New Hampshire, Durham, New Hampshire, U.S.A.
- Menza, Charles William. 2003. Effects of wind on horizontal zooplankton spatial patterns in Lake Opeongo, Ontario, Canada. M.Sc. Thesis, University of Toronto, Toronto, Ontario, Canada. 132 pp.
- Moellmann, Adriana Maria. 2003. Variação espacial e temporal da meiofauna de duas praias arenosas do Estado de São Paulo e efeito do turismo sobre a meiofauna e os Nematoda no verão. [Spatial and temporal variation of the meiofauna of two sandy beaches of the State of São Paulo and effect of tourism on the meiofauna and the Nematoda in summer.] Tese de Doutorado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. 155 pp. [In Portuguese.]
- Pereira, Ricardo Henrique Gentil. 2003. Análise da distribuição, densidade e diversidade de Copepoda Calanoida e Cyclopoida nos reservatórios e tributários do médio e baixo rio Tietê e sua relação com as características limnológicas do sistema. [Analysis of the distribution, density and diversity of Copepoda Calanoida and Cyclopoida in reservoirs and tributaries of the Middle and Lower Tietê River and their relationships with the limnological characteristics of the system.] Tese de Doutorado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 289 pp. [In Portuguese.]
- Rhodes, Adelaide. 2004. Marine harpacticoid copepod culture for the production of long chain highly unsaturated fatty acids and carotenoid pigments. Ph.D. Dissertation, North Carolina State University, Raleigh, North Carolina, U.S.A. 161 pp.
- Rocha, Carlos Eduardo Falavigna da. 2003. Estudos em sistemática e distribuição de copépodes ciclopoídeos de vida livre e de ergasilídeos das Américas. [Studies on the systematics and distribution of free-living cyclopoid copepods and ergasilids of the Americas.] Tese de Livre Docência, Instituto de Biociências, Universidade de São Paulo, São Paulo, Brazil. 45 pp. + appendix. [In Portuguese.]
- Rollwagen Bollens, Gretchen C. 2003. Protozoan-metazoan linkages in planktonic food webs: spatial and temporal variability and trophic role of micro- and nanoplankton in the San Francisco Estuary. University of California, Berkeley, California, U.S.A. 211 pp.
- Sommer, Frank. 2003. A comparison of the impact of major mesozooplankton taxa on marine, brackish and freshwater phytoplankton during summer. Ph.D. Thesis, University of Kiel, Kiel, Germany. 92 pp. [Published in: Berichte aus dem Institut für Meereskunde an der Christian Albrechts Universität 329: 1-91.]
- Sourisseau, Marc. 2002. Étude de la structure de taille de la communauté des copépodes par l'analyse de spectres mesurés avec un compteur optique et par la modélisation de la dynamique des populations. [Study of the size structure of the copepod community for analysis of spectra measured with an optical counter and for modeling their population dynamics.] Thèse Doctorat, Université de Paris 6, Paris, France. 338 pp. [In French.]
- Twining, Benjamin Saltonstall. 2003. The accumulation and trophic transfer of trace metals by protozoa. Ph.D. Thesis, State University of New York at Stony Brook, New York, U.S.A. 361 pp.
- Villanueva, Stacy. 2003. Temporal genetic variation in the meiobenthic copepod, *Microarthridion littorale*. M.S. Thesis, University of South Carolina, Columbia, South Carolina, U.S.A.
- von Dassow, Peter. 2003. Regulation of bioluminescence in the dinoflagellate *Lingulodinium polyedrum*. Ph.D. Thesis, University of California, San Diego, California, U.S.A. 262 pp.
- Walker-Smith, Genefor. 2002. Harpacticoida (Copepoda) of Port Phillip Bay and their utilisation by post-settlement King George whiting. Ph.D. Dissertation, University of Melbourne, Melbourne, Australia.
- Walks, Deborah Jane. 2003. The origin and dynamics of river plankton. Ph.D. Dissertation, University of Toronto, Toronto, Ontario, Canada. 159 pp.
- Winder, Monika. 2002. Zooplankton ecology in high-mountain lakes. Ph.D. Thesis, ETH Zürich (Swiss Federal Institute of Technology), Zurich, Switzerland. 157 pp.

*** Titles received by the Monoculus-Library are indicated by asterisks. ***