

MONOCULUS Copepod Newsletter

The Newsletter of the World Association of Copepodologists

Number 50 – Supplement

November 2005

CONTENTS

Editor's Notes	1
Plea for Reprints	1
Recent Publications	1

MONOCULUS Editor: Janet W. Reid

Research Associate, Division of Science & Learning
Virginia Museum of Natural History
Martinsville, Virginia 24112, U.S.A.

Tel. +1 276 656 6719; Fax. +1 276 656 6701

E-mail jwrassociates@sitestar.net

*Deadline for submissions to the next number of
MONOCULUS: 15 April 2006*

Material in *MONOCULUS* is reviewed only by the Editor.
This newsletter is not part of the scientific literature and is
not to be cited, abstracted, or reprinted as a published
document. Using the illustrations or text for other purposes
requires previous agreement by the Editor.

ISSN 1543-0731 (On-line version)

ISSN 0722-5741 (Printed version)

WAC Homepage

<http://www.copepoda.uconn.edu>

MONOCULUS Homepage

<http://www.copepoda.uconn.edu/newsletter>

MONOCULUS Homepage – University of Oldenburg

<http://www.uni-oldenburg.de/monoculus>

attachment in Word97 (DOS).

Leszek Bledski, Jim Carlton, Hans Dam, Susan Dippenaar, Michel Hendrickx, Peter Heuch, Wim Klein Breteler, Cecilia Locascio de Mitrovich, Federico Marrone, Motohiro Shimanaga, Danny Tang, Jeff Turner, and Rebecca Waggett all graciously provided literature references and, in some cases, reprints. Translations of titles in languages other than English (if not given by the source) are provided by the management.

— Jan Reid
Martinsville, U.S.A.

Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library!

Address of the Monoculus-Library:

C/o Prof. Kurt Schminke
Fachbereich 7
Universität Oldenburg
D-26111 Oldenburg, Germany

Mail to the C. B. Wilson Library should be sent to the address below. Mail sent to other (older) addresses may be irradiated, which will severely damage the paper.

C/o T. Chad Walter
Smithsonian Institution
PO Box 37012
NMNH, MRC-163
Washington DC 20013-7012, U.S.A.

Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages. If you note inaccuracies or omissions, please let me know and the correct version will appear in the next number of *MONOCULUS*. Grateful thanks to the donors of reprints to the Monoculus and Wilson libraries.

The year of publication as given refers to the year in which the printed version of the journal was distributed, and not the year when it first became available online, if these are different – and if I have the information.

This supplement will be posted in pdf format on the WAC website. For their convenience, WAC members may request a copy of the file from me. I will send it as an e-mail

Recent Publications on Copepoda

Compiled by Jan Reid and Chad Walter
(National Museum of Natural History, Washington,
D.C., U.S.A.)

Older publications that were recently listed in the “World of Copepoda” bibliographic database (C. B. Wilson Library) are included. Please advise us if you learn of publications (including theses and “gray literature”), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the “World of Copepoda” database.

1995 and before

- Afanas'ev, V.I. 1973. [Control of *Lernaea* infestation of fish.] Veterinariya 10:80-82. [In Russian.]
- Akil, A. & D. Sen. 1995. A taxonomical study on the Copepoda and Cladocera (Crustacea) species of Cip Dam Lake (Elazig-Türkiye). Ege Üniversitesi Su Ürünleri Fakültesi Dergisi / Ege University Journal of Fisheries & Aquatic Sciences 12(3-4):195-202. [In Turkish.]
- Alfonso, M.T. & M.R. Miracle. 1987. Estudio comparativo del zooplancton en tres ullals del parque nacional de la Albufera de Valencia. [Comparative study of the zooplankton in three spring pools of Albufera de Valencia National Park.] Limnetica 3(2):263-272. [In Spanish.]
- Alfonso, M.T. & M.R. Miracle. 1987. Variación temporal de las poblaciones zooplanctónicas de la laguna anóxida del Cisó (Gerona). [Temporal variation in the zooplankton populations of the anoxic lagoon of Cisó (Gerona).] Limnetica 3:63-72. [In Spanish.]
- Alfonso, M.T., M.R. Miracle & M. Serra. 1987. Análisis estadístico de las comunidades zooplanctónicas de una cubeta meromíctica y de una laguna anóxica del sistema cárstico de Banyoles. [Statistical analysis of the zooplankton communities of a meromictic basin and an anoxic lagoon of the Banyuls karstic system.] Actas del IV Congreso de la Asociación Española de Limnología: 161-122. [In Spanish.]
- Altunel, F. N. 1983. Parasitism in mullets (*Mugil spp*). I. National Congress of the Marine and Freshwater Researches. Journal of Ege University Science Faculty 1983 (Seri B):364-378.
- Andrews, T.F. & J. Breukelman. 1952. Studies in Kansas limnology. I. Survey of the Kansas State Lakes. Transactions of the Kansas Academy of Science 55(3):315-329.
- Ashley, M.P. 1990. Seasonal meiofaunal populations, with emphasis upon nematodes, in San Diego Bay. M.S. Thesis, University of San Diego, San Diego, California, U.S.A.
- Avenant-Oldewage, A. 1994. Integumental damage caused by *Dolops ranarum* (Stuhlman, 1871) (Crustacea: Branchiura) to *Clarias gariepinus* (Burchell), with reference to normal histology and wound inflicting structures. Journal of Fish Diseases 17:641-647.
- Bergmans, M. 1975. Inleidende studie van twee *Tisbe*-soorten (Copepoda, Harpacticoida) uit de Spuikom te Oostende [Preliminary research on two *Tisbe* species (Copepoda, Harpacticoida) from the Sluice Dock, Ostend]. M.Sc. Thesis, Vrije Universiteit Brussel, Brussels, Belgium. 115 pp.
- Berry, C.R., Jr., G.J. Babey & T. Shrader. 1991. Effect of *Lernaea cyprinacea* (Crustacea: Copepoda) on stocked rainbow trout (*Oncorhynchus mykiss*). Journal of Wildlife Diseases 27(2):206-213.
- Blateau, D., Y. Le Coguic, E. Mialhe & H. Grizel. 1992. Mussel (*Mytilus edulis*) treatment against the red copepod *Mytilicola intestinalis*. Aquaculture 107(2-3):165-169.
- Carr, W.E.S. & C.A. Adams. 1972. Food habits of juvenile marine fishes: evidence of the cleaning habit in the leatherjacket, *Oligoplites saurus*, and the spottail pinfish, *Diplodus holbrooki*. Fishery Bulletin 70:1111-1120.
- Carrillo, P., L. Cruz-Pizarro, R. Morales & P. Sánchez-Castillo. 1987. Cambios estacionales en los comunidades de fitoplancton y de zooplancton de la Albufera de Adra. [Seasonal patterns in the phytoplankton and zooplankton communities of the Albufera de Adra.] Limnetica 3(2):243-254. [In Spanish.]
- Cervetto, G. 1987. Fluctuaciones del zooplancton del Arroyo Solís Grande, Uruguay (16 al 30/11/82). [Fluctuations of the zooplankton of the Arroyo Solís Grande, Uruguay (16 to 30/11/82).] B.S. Thesis, Facultad de Humanidades y Ciencias, Universidad de la República, Montevideo, Uruguay. 154 pp. [In Spanish.]
- Copes, F.A. 1986. The Iowa Darter *Etheostoma exile*. American Currents 4:2-10.
- Cruz-Pizarro, L. 1983. Biomasa y producción de *Mixodiaptomus laciniatus* (Copepoda: Calanoida) en el lago de La Caldera (Sierra Nevada, Granada). [Biomass and production of *Mixodiaptomus laciniatus* (Copepoda: Calanoida) in La Caldera Lake (Sierra Nevada, Granada).] Actas del I Congreso Español de Limnología, Barcelona, 4-7 December 1981: 115-124. [In Spanish.]
- Cruz-Pizarro, L., R. Morales & A. González. 1983. Descripción del ciclo anual del zooplancton de un lago de alta montaña mediante un análisis factorial. [Description of the annual zooplankton cycle of a high-mountain lake by means of a factorial analysis.] Actas del I Congreso Español de Limnología, Barcelona, 4-7 December 1981: 69-74. [In Spanish.]
- Demirhindi, Ü. 1991. The planktonic organisms of Egirdir Lake. Göller Bölgesi Tatlısu Kaynaklarının ve Çevre Sorunları Sempozyumu, Isparta, 381-391. [In Turkish.]
- De Roth, G.C. 1949. A quantitative and qualitative study of the cladocera and copepoda of Pushaw Lake. M.S. Thesis, University of Maine, Orono, Maine, U.S.A.
- Drill, S. & R.E. Schmidt. 1988. The composition of the summer zooplankton community in Tivoli Bays, Hudson River, New York. Pp. II-1 to II-24 In: Waldman, J.R. & E.A. Blair (eds.). Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, New York.
- Etchegoin, J.A. 1988. Copépodos parásitos de *Merluccius hubbsi*. [Parasitic copepods of *Merluccius hubbsi*.] Tesis de Licenciatura, Universidad Nacional de Mar del Plata, Mar del Plata, Argentina. 66 pp. [In Spanish.]
- Fernandes, L. 1990. Abundance of males and females of five species of Copepoda (Calanoida) and their seasonal and bathymetric distribution from collections obtained by the

- United States Antarctic Research Program, Eltanin cruises. M.S. Thesis, University of San Diego, San Diego, California, U.S.A.
- Figueras, A.J., C.F. Jardon & J.R. Caldas. 1991. Diseases and parasites of rafted mussels (*Mytilus galloprovincialis* Lmk): preliminary results. *Aquaculture* 99(1-2):17-33.
- Fisher, N.S. & J.R. Reinfelder. 1995. The trophic transfer of metals in marine systems. Pp. 363-406 In: Tessier, A. & D.R. Turner (eds.). *Metal Speciation and Bioavailability in Aquatic Systems*. John Wiley & Sons, Chichester.
- Gómez-Cabrera, M.M. 1991. Biomasa y actividad metabólica del zooplancton en relación con un efecto de masa de isla en aguas de Gran Canaria. [Biomass and metabolic activity of the zooplankton in relation to an island mass effect in the waters of Grand Canary.] Tesis Doctoral, Universidad de Las Palmas de Gran Canaria, Las Palmas de Gran Canaria, Grand Canary. 236 pp. [In Spanish.]
- Gonçalves, J., C.S. Reis & A. Monteiro, A. 1988. Estrutura de comunidades zooplanctónicas na Ria Formosa (zona de Quatro-Águas-Tavira). [Structure of zooplankton communities in the Ria Formosa (zone of Quatro-Águas-Tavira).] *Proceedings, 5º Congresso do Algarve* 1: 413-418. [In Portuguese.]
- González-Navarro, E., I. Hurtado-De Mendoza & G.A. Bustamante. 1982. Estudio de zooplancton en la ensenada de La Paz. *Boletín Informativo, CIDI, Universidad Autónoma de Baja California Sur, La Paz, Mexico*, 1(2):3-9.
- Gresty, K.A. 1990. The feeding biology of *Mytilicola intestinalis* Steuer, in the mussel host *Mytilus edulis* L., and other host-parasite relationships. Ph.D Thesis, University of Exeter, Exeter, U.K. 196 pp.
- Grigorovich, I.A. & L.V. Shevtsova. 1995. Effect of *Dreissena* mussels on the distribution of zooplankton as exemplified by the main Kakhovka Canal. *Proceedings of The Fifth International Zebra Mussel and Other Aquatic Nuisance Organisms Conference, Toronto, Canada, February 1995*. Pp. 183-193.
- Güher, H. & T. Kirgiz. 1994. Species of freshwater Copepoda (Crustacea) in Edime Province and their distributions. XII. *Ulusal Biyoloji Kongresi*, 6-8 Temmuz 1994, Edime. Pp. 220-226. [In Turkish.]
- Guisande, C. & J. Toja. 1987. Relación entre las especies de zooplancton y los factores del medio en el estuario del río Guadalquivir. [Relationship between the zooplankton species and the environmental factors in the estuary of the Guadalquivir River.] *Actas del IV Congreso de la Asociación Española de Limnología*: 325-334. [In Spanish.]
- Gündüz, E. 1986. The species belonging to Copepoda (Crustacea) of Karamik and Hoyran Lakes. *Doga Turk Zooloji Dergisi (Turkish Journal of Zoology)* 10(3):374-384. [In Turkish.]
- Hart, T.J. 1962. Notes on the relation between transparency and plankton content of the surface waters of the Southern Ocean. *Deep-Sea Research* 9(2):109-114.
- He, D.H., H. Liu, W. Shen & G. Yang. 1990. A preliminary analysis of bait in Zhejiang coastal shallow water – I. Zooplankton and Fishery. In: Ren, M. et al. (eds.) *Proceedings of International Symposium on the Coastal Zone*. China Ocean Press, Beijing. Pp. 466-481.
- He, D.H., C. Wang & H. Liu. 1990. A study on zooplankton distribution patterns and indicator species in Kuroshio upstream area and adjacent East China Sea. In: *Proceeding of Japan China Joint Symposium of the cooperative study on the Kuroshio*. Science and Technology Agency, Japan; State Oceanic Administration, China. Pp. 302-316.
- Heip, C. & D. Van Damme. 1978. Meiobenthos in the southern North Sea. In: Nihoul, C.J. & P. Polk (eds.). *Trophic Chains and Cycling of Nutrients*. Project Sea, Vol. 8. National Program of Research and Development, Service of the Prime Minister, Brussels. Pp. 121-166.
- Hirche, H.-J., K. Knickmeier, S. Nehring & R.N. Bohrer. 1989. Vertical distribution of phytoplankton biomass, copepod grazing and secondary production. In: Krause, G., J. Meincke & J. Thiede. (eds.). *Wissenschaftliche Fahrtberichte der Arktis-Expeditionen ARK IV/1, 2 & 3*. *Berichte zur Polarforschung* 56:32-33.
- Huitfeldt-Kaas, H. 1924. Einwanderung und Verbreitung der Süßwasserfische in Norwegen mit einen Anhang über den Krebse. [Migration and distribution of the freshwater fishes in Norway with an appendix on the crustaceans.] *Archiv für Hydrobiologie* 14:203-214. [In German.]
- Jeong, H.J. 1995. The interactions between microzooplanktonic grazers and dinoflagellates causing red tides in the open coastal waters off southern California. Ph.D. Dissertation, Scripps Institution of Oceanography, University of California, San Diego, California, U.S.A.
- Latimer, D.L. 1975. Toxicity of 30-minute exposures of residual chlorine to copepods *Limnocalanus macrurus* and *Cyclops bicuspidatus thomasi*. M.S. Thesis, University of Wisconsin – Milwaukee, Milwaukee, Wisconsin, U.S.A.
- Lawler, G.H. & N.H.F. Watson. 1963. Measurements of immature stages of *Triaenophorus*. *Journal of the Fisheries Research Board of Canada* 20(4):1089-1093.
- Libourel-Houde, S. 1985. The effect of food quality on the functional ingestion response of the copepod, *Acartia tonsa*. M.S. Thesis, University of Maryland, Center for Environmental & Estuarine Studies, Cambridge, Maryland, U.S.A.
- Liu, H. & D.H. He. 1990. A preliminary research on zooplankton in the Changjiang Estuary and its adjacent waters: biomass, composition, distribution and the heavy metals contents. In: Yu, G. et al. (eds.). *Proceedings of the International Symposium on Biogeochemical Study of the Changjiang Estuary and its Adjacent Coastal*

- Waters of the East China Sea. China Ocean Press, Beijing. Pp. 188-202.
- Liu, H., D.H. He & C. Wang. 1991. Preliminary study on distributions and communities of zooplankton in the Kuroshio area of the middle-southern East China Sea. Selective Paper in Kuroshio Study III, Ocean Press, China. Pp. 305-313. [In Chinese with English abstract.]
- Lucas, H. 1842. Histoire naturelle des Crustacés, des Arachnides, et des Myriapodes. P. Dumènil, Paris. Pp. 47-307, 20 pls.
- Lucas, H. 1861. Dictionnaire universel d'Histoire naturelle. L. Houssiaux, Paris. Vol. 7: 316-319 (copepods), plus an atlas of 288 pls.
- Mäemets, A. & E.J. Haberman. 1971. Preliminary characterization of zooplankton in Lake Võrtsjärv. Estonian Contributions to the International Biological Program, III. Tartu, 1971:123-164.
- Markevich, G.I., N.M. Mineeva, L.P. Bykova, L.G. Korneva, E.A. Koreneva & O.D. Zavoronkova. 1982. Vertical distribution of plankton in Lake Siversko and their seasonal dynamics. In: Ecological Investigations in Volgo-Baltic and Severo-Dinski Water Systems. Trudy Freshwater Biological Institute, Academy of Sciences of the USSR, 43(46):127-149. [In Russian.]
- Mikailov, T. & S. Ibrahimov. 1991. The ecological-geographical characteristics of the parasitic crustacea of the Caspian Sea fishes. Wiadomosci Parazytologiczne 37(1):151-153.
- Miller, C. 1992. Effects of food quality and quantity on nitrogen excretion by the copepod, *Acartia tonsa*. Ph.D. Thesis, University of Maryland, Center for Environmental & Estuarine Studies, Cambridge, Maryland, U.S.A.
- Mills, C.E. 1982. *In situ* quantitative plankton observations using a submersible (*Pisces IV*). Eos 63(45):956.
- Mills, C.E. 1988. Species differences in diet and prey selection by hydromedusae. American Zoologist 28(4):192A.
- Mills, C.E. 1995. Medusae, siphonophores, and ctenophores as planktivorous predators in changing global ecosystems. ICES Journal of Marine Science 52:575-581.
- Mills, C.E. & F. Sommer. 1995. Invertebrate introductions in marine habitats: two species of hydromedusae (Cnidaria) native to the Black Sea, *Maeotias inexpectata* and *Blackfordia virginica*, invade San Francisco Bay. Marine Biology 122:279-288.
- Miyake, Y. 1957. A study on the organic productivity and the solubility product of CaCO_3 in the ocean by means of the radiocarbon C^{14} . International Journal of Applied Radiation and Isotopes 2(3-4):232-233.
- Monteiro-Ribas, W.M. 1988. Os copépodos da região de Cabo Frio: variação quali-quantitativa durante um ciclo de ressurgência. [The copepods of the Cabo Frio region: quali-quantitative variation during an upwelling cycle.] Dissertação de Mestrado, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Monteiro-Ribas, W., M. Mureb & J.L. Valentin. 1975. O plâncton na ressurgência de Cabo Frio (Brasil). IV-Zooplâncton. Primeiras considerações sobre a composição e abundância dos principais grupos. [The plankton in the Cabo Frio upwelling (Brazil). IV-Zooplankton. First considerations on the composition and abundance of the principal groups.] Publicação do Instituto de Pesquisas da Marinha, Brazil 85:1-10. [In Portuguese.]
- Moog, O. 1979. Das Crustaceenplankton des Attersees – Bemerkungen zur Populationsökologie und Stellung in der limnischen Nahrungskette. [The crustacean plankton of Atter Lake – remarks on the population ecology and place in the limnetic food web.] Arbeiten aus dem Labor Weyregg 3/1979:178-187. [In German.]
- Mureb, A., W. Monteiro, E. Pessotti & J.L. Valentin. 1976. O plâncton na ressurgência de Cabo Frio (Brasil). VII-Os copépodos. [The plankton in the Cabo Frio upwelling (Brazil). VII- The copepods.] Publicação do Instituto de Pesquisas da Marinha 96:1-14. [In Portuguese.]
- Nice, M.M. da Silva. 1984. O gênero *Dolops* Audouin, 1837 (Branchiura, Argulidae). [The genus *Dolops* Audouin, 1837 (Branchiura, Argulidae).] Dissertação de Mestrado em Biociências, Pontifícia Universidade Católica do Rio Grande do Sul, Porto Alegre, Rio Grande do Sul, Brazil. [In Portuguese.]
- Oltra, R. & M.R. Miracle. 1984. Comunidades zooplanctónicas de la Albufera de Valencia. [Zooplankton communities of the Albufera de Valencia.] Limnetica 1:51-61. [In Spanish.]
- O'Neil, J. 1995. Interaction of pelagic harpacticoid copepods and the colonial marine cyanobacterium *Trichodesmium* spp. Ph.D. Dissertation, University of Maryland, Center for Environmental and Estuarine Studies, Cambridge, Maryland, U.S.A.
- Özesmi, U. 1987. The qualitative analysis and taxonomical study of planktonic species in Sultan Saziğli. Doga Turk Biyoloji Dergisi (Turkish Journal of Biology) 11(3):147-156. [In Turkish.]
- Paasivirta, L. & J. Särkkä. 1978. Effects of pulp mill and municipal effluents and humus load on the macro- and meiozoobenthos of some Finnish lakes. Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie 20:1779-1788.
- Pace, M.C. 1995. Interspecific feeding differences among meiobenthic harpacticoid copepods. M.S. Thesis, Louisiana State University, Baton Rouge, Louisiana, U.S.A.
- Palavanchuk, D.J. 1977. Winter fauna of Cladocera and Copepoda in ponds and ditches, Lyon County, Kansas. The Emporia State Research Studies, Emporia 26(1):37-50.
- Pancucci-Papadopoulou, M.A. & I. Siokou-Frangou. 1988. Zooplankton composition and distribution up to 3000 m depth in the NW Levantine Sea. Rapport de la

- Commission Internationale pour la Mer Méditerranée 31(2):236.
- Pancucci-Papadopoulou, M.A., I. Siokou-Frangou & E. Christou. 1990. On the vertical distribution and composition of deep-water copepod populations in the eastern Mediterranean Sea. *Rapport de la Commission Internationale pour la Mer Méditerranée* 32,1.
- Pavlov, V.Ya. 1968. Plankton distribution in the Cap Blanc region. *Oceanology* 8(3):381-387.
- Pinto, J.J. 1993. Estudio cuantitativo de los copépodos en el Lago Titicaca (Lago Pequeño) en relación a su biología y ecología con especial atención en *Metacyclops leptopus* Kiefer (Copepoda Cyclopidae). [Quantitative study of the copepoda in Lake Titicaca (Lago Pequeño) in relation to their biology and ecology with special attention to *Metacyclops leptopus* Kiefer (Copepoda Cyclopidae).] Tesis de Licenciatura en Biología, Facultad de Ciencias Puras y Naturales, Universidad Mayor de San Andrés, La Paz, Bolivia. 105 pp. [In Spanish.]
- Podbolotova, T.I. & O.I. Potapova. 1972. The food of large-sized vendace (*Coregonus albula* L.) in the South-Karelian lakes. In: Potapova, O.I. & Y.A. Smirnov (eds.). *Salmonidae of Karelia, Issue 1, Ecology, Parasites, Biochemistry*. Karelian Branch of the USSR Academy of Sciences, Institute of Biology, Petrozavodsk. Pp. 110-121. [In Russian.]
- Prather, J.E. & C.W. Prophet. 1969. Zooplankton species diversity in John Redmond, Marion, and Council Grove reservoirs, Kansas, summer 1969. *The Emporia State Research Studies*, Emporia 18(1):5-16.
- Pretus, J.L. 1991. Estudio taxonómico, biogeográfico y ecológico de los Crustáceos epigeos e hipogeos de las Baleares (Branchiopoda, Copepoda, Mystacocarida y Malacostraca). Tesis Doctoral, Facultad de Biología, Universidad de Barcelona, Barcelona, Spain. [In Spanish.]
- Prygunkova, R.V. 1985. Some causes of year-to-year changes in distribution of zooplankton in Kandalaksha Bay, White Sea, USSR. *Biologiya Morya, Vladivostok*, (4):9-16.
- Ratajac, R. 1978. Sezonska dinamika i distribucija Copepoda u nekim vodama Vojvodine. [Seasonal dynamics and distribution of Copepoda in some waters of Vojvodina.] *Doktorska disertacija*, University of Novi Sad, Novi Sad, Vojvodina, Republic of Serbia. [In Serbo-Croatian.]
- Reinfelder, J.R., N.S. Fisher, S.W. Fowler & J.-L. Teysse. 1993. Release rates of trace elements and protein from decomposing planktonic debris. 2. Copepod carcasses and sediment trap particulate matter. *Journal of Marine Research* 51:423-442.
- Ribes, E. 1985. Aspectos ultraestructurales de la espermatogénesis de *Hemidiaptomus roubaui* (Copepoda, Calanoida). [Ultrastructural aspects of spermatogenesis of *Hemidiaptomus roubaui* (Copepoda, Calanoida).] *Biología del Desenvolupament, Societat Catalana de Biologia* 3:251-263. [In Spanish.]
- Ribes, E. 1993. Estudi ultraestructural de la condensació de la cromatina durant l'espermioogènesi d'*Hemidiaptomus roubaui* (Crustaci, Copèpoda). [Ultrastructural study of chromatin condensation during spermatogenesis in *Hemidiaptomus roubaui* (Crustacea, Copepoda).] *Biologia de la Reproducció, Societat Catalana de Biologia* 3:28-31. [In Catalan.]
- River, I.K., I.M. Lebedeva & N.K. Ovsjinikova. 1982. Long-term dynamics of zooplankton in Rybinsk Reservoir. In: *Ecology of Water Organisms in Upper Volga Reservoirs*. Trudy Freshwater Biological Institute, Academy of Sciences of the USSR, 45(48):69-87. [In Russian.]
- Sabater i Comas, F. 1984. Distribución espacio-temporal de las comunidades de crustáceos de las lagunas temporales de la localidad de Tordera (Barcelona). [Spatio-temporal distribution of the crustacean communities of the temporary lagoons in the locality of Tordera (Barcelona).] *Limnetica* 1:116-121. [In Spanish.]
- Sanchez-Osuna, L. 1980. Variaciones estacionales del zooplancton en el estero El Verde, Sinaloa, México, con especial referencia a los Copépoda Calanoidea y Cladocera. [Seasonal variations of the zooplankton in the El Verde Lagoon, Sinaloa, Mexico, with special reference to the Copepoda Calanoidea and Cladocera.] Tesis Profesional, Instituto de Ciencias del Mar y Limnología, Unidad Académica Mazatlán, Universidad Nacional Autónoma de México, Mazatlán, Mexico. [In Spanish.]
- Santos, A.M.T. dos & J. Coimbra. 1995. Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation. *Aquaculture* 132(3-4):195-211.
- Särkkä, J. 1987. Meiobenthos of a lake chain affected by pulp mill effluent. *Aqua Fennica* 17:35-41.
- Särkkä, J. 1987. Meiobenthos of the profundal depths of Lake Päijänne. *Biological Research Reports*, University of Jyväskylä 10:95-104.
- Särkkä, J. 1995. Profundal meiofauna in two large lakes: Influence of pollution and bathymetric differences. *Archiv für Hydrobiologie* 132:453-493.
- Särkkä, J. & E. Kurashov. 1992. Meiofauna in the profundal zone of the northern part of Lake Ladoga. *Joensuu yliopisto, Karjalan tutkimuslaitoksen monisteita / University of Joensuu, Karelian Institute, Working Papers* 8/1992:35-40.
- Scott, P.W. & B. Fogle. 1983. Treatment of ornamental koi carp (*Cyprinus carpio*) infected with anchor worms (*Lernaea cyprinacea*). *Veterinary Record* 113(18):421.
- Shevtsova, L.V. & A.B. Primak. 1990. Zooplankton. In: Kondratieva, N.V. (ed.). *Gidrobiologiya kanalov Ukrainskoy SSR (Hydrobiology of the canals in the Ukrainian SSR.) Naukova Dumka, Kiev*. Pp. 105-118. [In Russian.]

- Sirkova, Z.N. & F.D. Mordukhai-Boltovskoy. 1979. On the microbenthos of lake Belog, system of the Severo-Dinski Canal. Trudy Instituta Biologii Vnutrennikh Vod, Akademia Nauk SSSR 22(25):63-81. [In Russian.]
- Spanovskaya, V.D. & V.A. Grygorash. 1977. Development and food of age-0 Eurasian perch (*Perca fluviatilis*) in reservoirs near Moscow, USSR. Journal of the Fisheries Research Board of Canada 34:1551-1558.
- Stolbunova, V.N. 1985. Long-term dynamics of zooplankton in Ivanosko Reservoir. In: Water Communities and Biology of Water Organisms. Trudy Freshwater Biological Institute, Academy of Sciences of the USSR, (52)55:50-59. [In Russian.]
- Straškrabová, V., J. Komárková, M. Macek, J. Sed'a, K. Šimek, J. Vrba & V. Vyhnálek. 1994. Microbial-algal-crustacean interactions in a reservoir under different fishstock. Ergebnisse der Limnologie, Archiv für Hydrobiologie, Beiheft 40:209-221.
- Szlauer, L. & J. Widuto. 1966. The Crustacea plankton in the Sukiel Lake in the years 1955-1957. Zeszyty Naukowe Wyższej Szkoły Pedagogicznej, Olsztyn, 21:733-755. [In Polish; summary in English.]
- Ulomsky, S.N. 1959. K faune i ekologii nizshikh rakoobraznykh risovikh poley okrestnostey Stalinabada. [On the fauna and ecology of the lower crustaceans of ricefields in the vicinity of Stalinabad.] Trudy Akademii Nauk Tadzhikskoi SSR 112:27-65. [In Russian.]
- Ustaoglu, M.R. 1993. Zooplankton (Metazoa) of Lake Marmara (Turkey). Biologia Gallo-hellenica 20(1):259-266.
- Ustaoglu, M.R. & M. Akyurek. 1994. Zooplankton of Lake Akşehir. XII. Ulusal Biyoloji Kongresi, Cilt IV: 227-234. [In Turkish.]
- Ustaoglu, M.R. & S. Balik. 1990. Zooplankton of Lake Kuş (Bandirma). X. Ulusal Biyoloji Kongresi, 11-19. [In Turkish.]
- Ustaoglu, M.R. & S. Balik. 1990. Zooplankton of Lake Gebekirse (Izmir, Turkey). Rapports et Procès-Verbaux des Réunions de la Commission Internationale pour l'Exploration Scientifique de la Mer Méditerranée, Monaco 32:1.
- Valentin, J.L. 1976. A origem das massas d'água na ressurgência de Cabo Frio (Brasil) vista através do estudo das comunidades de copepodos. [The origin of the water masses of the Cabo Frio upwelling (Brazil) seen through study of the copepod communities.] Publicação do Instituto de Pesquisas da Marinha, Brazil 97:1-5. [In Portuguese.]
- Valentin, J.L., H.L. Gaeta, M.A. Spach & C. Montu. 1994. Oceanografia Biológica - Plancton. [Biological Oceanography - Plankton.] In: Diagnóstico Ambiental Oceânico e Costeiro das Regiões Sul e Sudeste do Brasil. PETROBRAS, Rio de Janeiro. 321 pp.
- Valentin, J.L., F. Macedo, W. Monteiro & A. Mureb. 1975. O plâncton na ressurgência de Cabo Frio (Brasil). V- Análise comparativa entre duas estações da Baía de Arraial do Cabo e uma estação fixa oceânica. [The plankton in the Cabo Frio upwelling (Brazil). V- Comparative analysis between two stations in Arraial do Cabo Bay and a fixed oceanic station.] Publicação do Instituto de Pesquisas da Marinha, Brazil 86:1-11. [In Portuguese.]
- Valentin, J.L. & M.A. Monteiro-Ribas. 1987. O zooplâncton das águas superficiais costeiras do litoral fluminense: análise multivariada. [The zooplankton of coastal surface waters of the Rio de Janeiro coast: multivariate analysis.] Ciência & Cultura 39(3):265-271. [In Portuguese.]
- Valentin, J.L., M.A. Monteiro-Ribas & E. Mureb. 1987. Sur quelques zooplanctontes abondants dans l'upwelling de Cabo Frio (Brésil). [On some abundant zooplankters in the Cabo Frio upwelling (Brazil).] Journal of Plankton Research 9(6):1195-1226. [In French.]
- Van Damme, D. & C. Heip. 1978. Meiobenthos in the southern North Sea. In: Nihoul, C.J. & L. De Coninck (eds.). Fauna and Flora of the Southern North Sea. Project Sea, Vol. 7. National Program of Research and Development, Service of the Prime Minister, Brussels. Pp. 1-113.
- Vanreusel, A., M. Vincx, D. Van Gansbeke & W. Gijssels. 1992. Structural analysis of the meiobenthos communities of the shelf break area in two stations of the Gulf of Biscay (N.E. Atlantic). Belgian Journal of Zoology 122(2):185-202.
- Vanreusel, A., M. Vincx, D. Schram & D. Van Gansbeke. 1995. On the vertical distribution of the metazoan meiofauna in shelf break and upper slope habitats of the NE Atlantic. International Review of Hydrobiology 80(2):313-326.
- Vavra, V. 1905. Rotatorien und Crustaceen. Annalen des K. K. Naturhistorischen Hofmuseums in Wien 20:106-113.
- Vidal, J. 1968. Copépodos calanoideos epipelágicos de la expedición Marchile II. Gayana, Zoología 15:1-98.
- Wappis, E. 1980. Zur Populationsökologie des Zooplanktons des Ossiacher Sees. [On the population ecology of the zooplankton of Ossiach Lake.] Ph.D. Thesis, Karl-Franzens-Universität Graz, Graz, Germany. 168 pp. [In German.]
- Watanuki, Y. 1985. Food of breeding Leach's Storm-Petrels (*Oceanodroma leucorhoa*). Auk 102:884-886.
- White, J. 1991. Seasonal study of zooplankton dynamics in the mesohaline Chesapeake Bay. Ph.D. Thesis, University of Maryland, Center for Environmental & Estuarine Studies, Cambridge, Maryland, U.S.A.
- Yang, G.M., C.S. Wang, D.H. He, H. Liu & X. Zhu. 1989. Ecological characteristics of zooplankton in the waters near Qinshan Nuclear Power Station. Donghai Marine Science 9(2):98-108.
- Brandl, Z. & Y. Yu-feng. 1996. Feeding of *Acanthocyclops robustus* on zooplankton. Chinese Journal of Oceanology

1996

- and Limnology 14(1):17-26.
- Lavens, P. & P. Sorgeloos (eds.). 1996. Manual on the Production and Use of Live Food for Aquaculture. FAO Fisheries Technical Paper No. 361. Rome, FAO. 295 pp.
- Navarrete, N.A., R. Sánchez & M.L. Rojas. 1996. Selección del zooplancton por el charal *Chirostoma jordani* (Atheriniformes: Atherinidae). [Zooplankton selectivity by the silverside *Chirostoma jordani* (Atheriniformes: Atherinidae).] Revista de Biología Tropical 44(2B):757-761. [In Spanish; abstract in English.]
- Planque, B. 1996. Fluctuations spatio-temporelles des populations de *Calanus* échantillonnées par le "Continuous Plankton Recorder". [Spatio-temporal variations of *Calanus* sampled by the Continuous Plankton Recorder.] Thèse de Doctorat, Université Pierre et Marie Curie-Paris VI, Paris, France. 130 pp. + Appendix 1-5. [In French.]
- Särkkä, J. 1996. Meiofauna of the profundal zone of the northern part of Lake Ladoga as an indicator of pollution. Developments in Hydrobiology 113:29-38. (The First International Lake Ladoga Symposium). Hydrobiologia 322:29-38.
- Sed'a, J. & I. Dostálová. 1996. Live sieving of freshwater zooplankton: a technique for monitoring community size structure. Journal of Plankton Research 18(4):513-520.
- Sed'a, J. & C.A. Duigan. 1996. Littoral and open water zooplankton of ten lakes in Mid-Wales (UK). Dyfed Invertebrate Group Newsletter 32:11-16.
- Siokou-Frangou, I., G. Verriopoulos, C. Yannopoulos & M. Moraitou-Apostolopoulou. 1996. Differentiation of zooplankton communities in two neighbouring shallow areas. In: Eleftheriou, A., A. Ansell & C. Smith (eds.). Proceedings of the 28th EMB Symposium: 87-97.
- Todd, C.D., M.S. Laverack & G.A. Boxshall. 1996. Coastal marine zooplankton: a practical manual for students. 2nd ed. Cambridge University Press: Cambridge, UK. ISBN 0-521-55533-7. 106 pp.
- 1997**
- Altindag, A. 1997. Seasonal variations of the zooplanktonic community of Lake Aksehir. Ege Üniversitesi Su Ürünleri Fakültesi Dergisi / Ege University Journal of Fisheries & Aquatic Sciences 14(1-2):57-69.
- Arashkevich, E., L. Svetlichny, E. Gubareva, S. Besiktepe, A.C. Gucu & A.E. Kideys. 1997. Physiological and ecological studies of *Calanus euxinus* (Hulsemann) in the Black Sea including its life cycle. In: NATO TU-Black Sea Project: Symposium on Scientific Results, 15-17 June 1997, Crimea, Ukraine. Pp. 123-125.
- Bekleyen, A. 1997. Taxonomical and some ecological investigations on the Cladocera and Copepoda fauna of Kabalki Reservoir (Diyarbakir). XIII. Ulusal Biyoloji Kongresi, Istanbul, Cilt V:80-87. [In Turkish.]
- Bozkurt, A. 1997. Zooplankton of Seyhan Dam Lake (Adana). M.Sc. Thesis, Çukurova Üniversitesi Fen Bilimleri Enstitüsü Su Ürünleri Anabilim Dalı, Adana, Turkey. 58 pp. [In Turkish.]
- Desbruyères, D. & M. Segonzac (eds.). 1997. Handbook of Deep-sea Hydrothermal Vent Fauna. IFREMER, Brest, France. ISBN 2-905434-78-3. 279 pp.
- Dilling, L. 1997. Consumption and fragmentation of marine snow by euphausiids and copepods. Ph.D. Dissertation, University of California, Santa Barbara, California, U.S.A. 161 pp.
- Fujiwara, M. 1997. Harpacticoid copepods: potential trophic link between inbound adult salmon and outbound juvenile salmon. M.S. Thesis, University of Alaska-Fairbanks, Fairbanks, Alaska, U.S.A.
- González-Navarro, E. & R. Saldina-Martínez. 1997. Zooplankton de la Bahía de la Paz, B.C.S. (1990-1991). In: Urban-Ramírez, J. & M. Ramírez-Rodríguez (eds.). La Bahía de La Paz, Investigación y Conservación. UABCS-CICIMAR-SCRIPPS. Universidad Autónoma de Baja California Sur - Centro Interdisciplinario de Ciencias Marinas - Scripps Institution of Oceanography, Mexico City. 345 pp. ISBN 968-896-083-7.
- Griffiths, M.H. 1997. Influence of prey availability on the distribution of dusky kob *Argyrosomus japonicus* (Sciaenidae) in the Great Fish River Estuary, with notes on the diet to early juveniles from three other estuarine systems. South African Journal of Marine Science 18:137-145.
- Kovalev, A.V., D. Altukhov, V. Melnikov, Z. Uysal, A.E. Kideys, L. Senichkina, M. Ünsal & U. Niermann. 1997. Long-term changes in the Black Sea zooplankton: The role of natural and anthropogenic factors. In: NATO TU-Black Sea Project: Symposium on Scientific Results, 15-17 June 1997, Crimea, Ukraine. Pp. 103-105. [Extended abstract.]
- Kovalev, A.V., A.D. Gubanov, A.E. Kideys, V.V. Melnikov, U. Niermann, N.A. Ostrovskaya, V.A. Skryabin, Z. Uysal & Yu.A. Zagorodnyaya. 1997. Long-term changes in the composition of fodder zooplankton of coastal regions of the Black Sea. In: NATO TU-Black Sea Project: Symposium on Scientific Results, 15-17 June 1997, Crimea, Ukraine. Pp. 106-112.
- Ostrovskaya, N.A., V.V. Melnikov, E.V. Ostrovsky, A.D. Gubanov, A.E. Kideys & U. Niermann. 1997. Long-term variability in the production of *Acartia clausi* of the Black Sea. In: NATO TU-Black Sea Project: Symposium on Scientific Results, 15-17 June 1997, Crimea, Ukraine. Pp. 113-115.
- Oyamada, Takashi, N. Kudo, H. Yoshikawa, Toshifumi Oyamada, T. Yoshikawa & N. Suzuki. 1997. Survey for *Gnathostoma nipponicum* larvae in gobiid freshwater fish and infectivity of the larvae to a gobiid fish (*Chaenogobius urotaenia*). Journal of Veterinary Medical Science 59(8):671-675.
- Shulman, G.E., T.V. Yuneva, O.A. Yunev, B.E. Anninsky, L.S. Svetlichny, E.G. Arashkevich, Z.A. Romanova, Z. Uysal, F. Bingel & A.E. Kideys. 1997. Biochemical

- estimation of food provision for the copepod *Calanus euxinus* and the ctenophore *Pleurobrachia pileus* in of the Black Sea. In: NATO TU-Black Sea Project: Symposium on Scientific Results, 15-17 June 1997, Crimea, Ukraine. Pp. 120-122.
- Suresh, V.R. & K.J. Mathew. 1997. Zooplankton ecology in Kavaratti atoll, Lakshadweep, India. *Indian Journal of Fisheries* 44(3):271-277.
- Ustaoglu, M.R., S. Balik, D. Özdemir & C. Aygen. 1997. The Cladocera and Copepoda (Crustacea) fauna of Gümlükdür Stream (Izmir). IX. Ulusal Su Ürünleri Sempozyumu, 17-19 Eylül 1997, Eğirdir, Isparta. Cilt I: 291-299. [In Turkish.]
- Valtonen, E.T., J.C. Holmes & M. Koskivaara. 1997. Eutrophication, pollution and fragmentation: effects on parasite communities in roach (*Rutilus rutilus*) and perch (*Perca fluviatilis*) in four lakes in Central Finland. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 54:572-585.
- Vanaverbeke, J., K. Soetaert, C. Heip & A. Vanreusel. 1997. The metazoan meiobenthos along the continental slope of the Goban Spur (NE Atlantic). *Journal of Sea Research* 38:93-107.

1998

- Baars, M.A. & S.S. Oosterhuis. 1998. Zooplankton biomass in the upper 200 m in and outside the seasonal upwelling areas of the western Arabian Sea. In: Pierrrot-Bults, A.C. & S. van der Spoel (eds.). *Pelagic Biogeography ICoPB II. Proceedings of the 2nd International Conference. Final report of SCOR/IOC working group 93 "Pelagic Biogeography", 2nd International Conference on Pelagic Biogeography ICoPB II, Noordwijkerhout, The Netherlands, 9 July-14 July 1995. IOC Workshop Report* 142:36-49.
- Chandra Mohan, P. & N. Sreenivas. 1998. Diel variations in zooplankton populations in mangrove ecosystem at Gaderu canal, southeast coast of India. *Indian Journal of Marine Science* 27(3-4):486-488.
- Dawson, L.H.J., A.W. Pike, D.F. Houlihan & A.H. McVicar. 1998. Detection of mitotic activity in the epidermis of sea trout, *Salmo trutta* L., infected with sea lice, *Lepeophtheirus salmonis* (Krøyer, 1837) using bromodeoxyuridine staining. In: Barnes, A.C., G.A. Davidson, M.P. Hiney & D. McIntosh (eds.). *Methodology in Fish Diseases Research. Fisheries Research Services, Aberdeen*. Pp. 265-270.
- Fuentes, J., J. Molares & A. Villalba. 1998. Growth, mortality and parasitization of mussels cultivated in the Ría de Arousa (NW Spain) from two sources of seed: intertidal rocky shore vs. collector ropes. *Aquaculture* 162(3-4):231-240.
- Mengoli, A. 1998. Parassiti e competitori dei mitili. [Parasites and competitors of mussels.] *Laguna*, September 1998:12-18. [In Italian.]
- Ozdemir, M.D. 1998. Investigation on the zooplankton fauna of Gölcük Lake (Ödemiş-İzmir). Ph.D. Thesis, Ege Üniversitesi Fen Bilimleri Enstitüsü, Ege, Turkey. 148 pp.
- Sed'a, J. & J. Macháček. 1998. The effect of flow-through regimes on zooplankton densities in a canyon-shaped dam reservoir. *International Review of Hydrobiology* 83(Special Issue):477-484.
- Straškrabová, V., Z. Brandl, J. Hrbáček, J. Komárková, J. Sed'a, M. Straškraba & K. Šimek. 1998. Long-term changes of bacteria, phytoplankton and zooplankton: temporal coherence between deep stratified reservoirs. *International Review of Hydrobiology* 83(Special Issue):21-30.
- Yeler, S. 1998. Investigation of the parasites of sea bass (*Dicentrarchus labrax* L.) under culture conditions in Bodrum. Master's Thesis, Ankara University Science Institution, Ankara, Turkey. 46 pp.

1999

- Akbulut, N.E. & A. Demirsoy. 1999. The investigation of the zooplankton of Lake Mogan. *Süleyman Demirel Üniversitesi, Eğirdir Su Ürünleri Fakültesi Dergisi* 6:48-67. [In Turkish.]
- Albers, C. 1999. Lipidstoffwechsel polarer Copepoden: Laborexperimente und Felduntersuchungen. [Lipid content of polar copepods: laboratory experiments and field investigations.] Doktorarbeit, Alfred-Wegener-Institut für Polar- und Meeresforschung, Bremerhaven, Germany. [In German.]
- Altindag, A. & S. Yigit. 1999. The zooplankton fauna and its seasonal variations in Yedigöller (Bolu). *Ege Üniversitesi Su Ürünleri Fakültesi Dergisi / Ege University Journal of Fisheries & Aquatic Sciences* 16(3-4):229-243. [In Turkish.]
- Cawsey-McGowan, S. 1999. Aspects of dormancy release in marine copepod resting eggs. M.S. Thesis, University of San Diego, San Diego, California, U.S.A.
- Kålås, S. & K. Birkeland. 1999. Registreringer av lakselus på sjøaure i Hardangerfjorden og på Sotra i Hordaland sommaren 1998. [Records of salmon lice on sea trout in Hardangerfjorden and on Sotra island in Hordaland county summer 1998.] *Rådgivende Biologer AS Report* 388:1-20. [In Norwegian.]
- Sabatini, A.P., G.L. Alvarez-Colombo & F. Ramirez. 1999. Biomasa del zooplancton en el area reproductiva de la polaca *Micromesistius australis*. [Zooplankton biomass in the reproductive area of the southern blue whiting *Micromesistius australis*.] *INIDEP Documento Científico, Mar del Plata* 5:23-35. [In Spanish; abstract in English.]
- Särkkä, J. 1999. Species-level and group-level meiofaunal data as environmental indicators in the lake profundal zone: a review. Ministry of Environment and Energy,

- Denmark, National Environmental Research Institute Technical Report 266:127-131.
- Siokou-Frangou, I., O. Gotsis-Skretas, E.D. Christou & K. Pagou. 1999. Plankton characteristics in the Aegean, Ionian and NW Levantine seas. In: Malanotte-Rizzoli, P. & V.N. Eremeev (eds.). The Eastern Mediterranean as a Laboratory Basin for the Assessment of Contrasting Ecosystems. NATO/Science Series: 2. Environmental Security, Vol. 51. Kluwer Academic Publishers, The Hague. Pp. 205-223.
- Tokşen, E. 1999. Metazoan Gill Parasites of Cultured Gilthead Sea Bream (*Sparus aurata* L.) and Sea Bass (*Dicentrarchus labrax* L.) in Aegean Sea Coast and Their Treatment. Doctoral Thesis, Ege University Science Institution, Ege, Turkey. 153 pp.
- Uitto, A., E. Gorokhova & P. Välipakka. 1999. Distribution of the non-indigenous *Cercopagis pengoi* in the coastal waters of the eastern Gulf of Finland. ICES Journal of Marine Science 56(1):49-57.
- Vareethiah, K. 1999. Zooplankton composition in a bar-built estuary, southwest coast of India. Indian Journal of Fisheries 46(2):179-183.
- Meeresforschung, Bremerhaven, Germany. 205 pp. [In German.]
- Fratia, E. 2000. Biologia ed ecologia di *Eudiaptomus intermedius* (Copepoda, Calanoida) in ambienti limnici dell'Appennino Settentrionale. Degree thesis, University of Parma, Parma, Italy.
- Hrbáček, J. 2000. Zooplankton v pelagiálu a zarostlém litorálu tůně s rybím potěrem. [Zooplankton in the pelagial and weed overgrown littoral of the backwater with fish fry.] In: Pithart, D. (ed.). Sborník příspěvků z konference Ekologie aluviálních tůní a říčních ramen. Lužnice u Třeboně, March 2-3, 2000, Botanický ústav AV ČR, Průhonice. Pp. 85-86. [In Czech.]
- Hrbáček, J. 2005. Sezónní interakce perlooček a klanonožců v tůních řeky Lužnice. [Seasonal interactions of cladocerans and copepods in Lužnice backwaters.] In: Pithart, D. (ed.). Sborník příspěvků z konference Ekologie aluviálních tůní a říčních ramen. Lužnice u Třeboně, March 2-3, 2000, Botanický ústav AV ČR, Průhonice. Pp. 87-88. [In Czech.]
- Hwang, J.-S., C.-H. Wang & T.-Y. Chan (eds.). 2000. Proceedings of the International Symposium on Marine Biology in Taiwan - Crustacean and Zooplankton Taxonomy, Ecology and Living Resources, 26-27 May, 1998, Taiwan. National Taiwan Museum Special Publication Series 10:1-199.
- Karuppasamy, P.K. & P. Perumal. 2000. Biodiversity of zooplankton at Pichavaram mangroves, South India. Advances in Bioscience 19(2):23-32.
- Maruthanayagam, C. & P. Subramanian, 2000. Diversity of copepods in Palk Bay and Gulf of Mannar along the southeast coast of India. Seshaiyana 8(2):13-14.
- Nayar, S., T.R.C. Gupta & G. Gowda. 2000. Secondary production and zooplankton biomass in a tropical coastal lagoon near Mangalore, Southwest coast of India. Indian Journal of Fisheries 46:215-220.
- Oltra, R. & M.R. Miracle. 2000. Estructura y dinámica de la comunidad zooplanctónica de la laguna meromítica Estany de Cullera (Valencia). [Structure and dynamics of the zooplankton community of the meromictic lagoon Estany de Cullera (Valencia).] Limnetica 19:67-82. [In Spanish.]
- Oronsaye, C.C. & C.E. Okaka. 2000. Seasonal distribution of some cyclops in a coastal river from southwestern Nigeria. Journal of Aquatic Sciences 15:31-34.
- Pichlová, R. 2000. Může dravá perloočka *Leptodora kindtii* významným způsobem ovlivnit společenstvo zooplanktonu? [Can the predatory cladoceran *Leptodora kindtii* significantly influence the zooplankton community?] In: Rulík, M. (ed.). XII. Limnologická konference Limnologie na přelomu tisíciletí. Kouty nad Desnou, September 18-22, 2000, Univerzita Palackého Olomouc. Pp. 107-110. [In Czech.]
- Dubischar, C.D. 2000. Mesozooplankton an der Polarfront des Südlichen Ozeans: Artenzusammensetzung, Verteilung und Rolle im Pelagial. [Mesozooplankton on the Polar Front of the Southern Ocean: species composition, distribution and role in the pelagial.] Ph.D. Dissertation, Alfred-Wegener-Institut für Polar- und

2000

- Akbulut, N.E. 2000. Community structure of zooplanktonic organisms in Lake Akşehir. Turkish Journal of Zoology 24:271-278.
- Barber, I., D. Hoare & J. Krause. 2000. Effects of parasites on fish behaviour: a review and evolutionary perspective. Reviews in Fish Biology and Fisheries 10:131-165.
- Bonecker, S.L.C., B.C.M. Tovar & L.D.A. Bonecker. 2000. Variação mensal do zooplâncton em três pontos do setor interno da baía de Guanabara (RJ-Brasil). [Monthly variation of the zooplankton at three points in the inner sector of Guanabara Bay (RJ-Brazil).] Anais do V Simpósio de Ecossistemas Brasileiros, Vitória 2:61-72. [In Portuguese.]
- Caramujo, M.J. & M.J. Boavida. 2000. The crustacean communities of the river Tagus reservoirs. Zooplankton structure as reservoir trophic state indicator. Limnetica 18:37-56.
- Devetter, M. & J. Sed'a. 2000. Stanovištní preference zooplanktonu na podélném transektu údolní nádrže. [Site-specific preferences of zooplankton on the longitudinal profile of the reservoir.] In: Rulík, M. (ed.). XII. Limnologická konference Limnologie na přelomu tisíciletí. Kouty nad Desnou, September 18-22, 2000, Univerzita Palackého Olomouc. Pp. 107-110. [In Czech.]
- Dubischar, C.D. 2000. Mesozooplankton an der Polarfront des Südlichen Ozeans: Artenzusammensetzung, Verteilung und Rolle im Pelagial. [Mesozooplankton on the Polar Front of the Southern Ocean: species composition, distribution and role in the pelagial.] Ph.D. Dissertation, Alfred-Wegener-Institut für Polar- und
- Meeresforschung, Bremerhaven, Germany. 205 pp. [In German.]
- Fratia, E. 2000. Biologia ed ecologia di *Eudiaptomus intermedius* (Copepoda, Calanoida) in ambienti limnici dell'Appennino Settentrionale. Degree thesis, University of Parma, Parma, Italy.
- Hrbáček, J. 2000. Zooplankton v pelagiálu a zarostlém litorálu tůně s rybím potěrem. [Zooplankton in the pelagial and weed overgrown littoral of the backwater with fish fry.] In: Pithart, D. (ed.). Sborník příspěvků z konference Ekologie aluviálních tůní a říčních ramen. Lužnice u Třeboně, March 2-3, 2000, Botanický ústav AV ČR, Průhonice. Pp. 85-86. [In Czech.]
- Hrbáček, J. 2005. Sezónní interakce perlooček a klanonožců v tůních řeky Lužnice. [Seasonal interactions of cladocerans and copepods in Lužnice backwaters.] In: Pithart, D. (ed.). Sborník příspěvků z konference Ekologie aluviálních tůní a říčních ramen. Lužnice u Třeboně, March 2-3, 2000, Botanický ústav AV ČR, Průhonice. Pp. 87-88. [In Czech.]
- Hwang, J.-S., C.-H. Wang & T.-Y. Chan (eds.). 2000. Proceedings of the International Symposium on Marine Biology in Taiwan - Crustacean and Zooplankton Taxonomy, Ecology and Living Resources, 26-27 May, 1998, Taiwan. National Taiwan Museum Special Publication Series 10:1-199.
- Karuppasamy, P.K. & P. Perumal. 2000. Biodiversity of zooplankton at Pichavaram mangroves, South India. Advances in Bioscience 19(2):23-32.
- Maruthanayagam, C. & P. Subramanian, 2000. Diversity of copepods in Palk Bay and Gulf of Mannar along the southeast coast of India. Seshaiyana 8(2):13-14.
- Nayar, S., T.R.C. Gupta & G. Gowda. 2000. Secondary production and zooplankton biomass in a tropical coastal lagoon near Mangalore, Southwest coast of India. Indian Journal of Fisheries 46:215-220.
- Oltra, R. & M.R. Miracle. 2000. Estructura y dinámica de la comunidad zooplanctónica de la laguna meromítica Estany de Cullera (Valencia). [Structure and dynamics of the zooplankton community of the meromictic lagoon Estany de Cullera (Valencia).] Limnetica 19:67-82. [In Spanish.]
- Oronsaye, C.C. & C.E. Okaka. 2000. Seasonal distribution of some cyclops in a coastal river from southwestern Nigeria. Journal of Aquatic Sciences 15:31-34.
- Pichlová, R. 2000. Může dravá perloočka *Leptodora kindtii* významným způsobem ovlivnit společenstvo zooplanktonu? [Can the predatory cladoceran *Leptodora kindtii* significantly influence the zooplankton community?] In: Rulík, M. (ed.). XII. Limnologická konference Limnologie na přelomu tisíciletí. Kouty nad Desnou, September 18-22, 2000, Univerzita Palackého Olomouc. Pp. 135-138. [In Czech.]
- Särkkä, J. 2000. Microcrustaceans on lake profundal bottoms. Crangon, Issues of the Marine Biology Centre in Gdynia 4:55-64.

- Straškrábová, V. 2000. Mikrobiální smyčka a zooplankton v pelagiálu jezer a nádrží různé trofie. [Microbial loop and zooplankton in lakes and reservoirs of different trophic.] In: Rulík, M. (ed.). XII. Limnologická konference Limnologie na přelomu tisíciletí. Kouty nad Desnou, September 18-22, 2000, Univerzita Palackého Olomouc. Pp. 39-42.
- Turner, J.T. 2000. Feeding ecology of marine copepods: An overview of recent studies and emerging issues. In: Proceedings of the International Symposium on Marine Biology in Taiwan – Crustacean and Zooplankton Taxonomy, Ecology, and Living Resources, 26-27 May 1998. National Taiwan Museum Special Publication Series 10:37-57.
- Vilchis, O.M. 2000. Modelos nulos en interacciones biológicas, una propuesta: depredación en *Chirostoma riojai*-zooplankton. [A proposal of null models in biological interactions: predation (*Chirostoma riojai*-zooplankton).] *Ciencia Ergo Sum* 7(2):153-156. [In Spanish; English abstract.]
- Yildiz, Ş. & G. Ekingen. 2000. The seasonal and monthly distribution of zooplankton in Erçek Lake, Van. XV. Ulusal Biyoloji Kongresi, 5-9 Eylül 2000, Ankara, Cilt I: 223-229. [sic]
- Zimmer, Carl. 2000. *Parasite Rex: Inside the Bizarre World of Nature's Most Dangerous Creatures*. The Free Press, Simon & Schuster, New York. 295 pp. ISBN 0-684-85638-7.
- 2001**
- Adrian, R., S.A. Wickham & N.M. Butler. 2001. Trophic interactions between the mesozooplankton and the microbial web in contrasting food webs. *Aquatic Microbial Ecology* 24(1):83-97.
- Boxshall, G.A. 2001. Branchiura. In: Costello, M.J. et al. (eds.). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels 50:243.
- Boxshall, G.A. 2001. Copepoda (excl. Harpacticoida). In: Costello, M.J. et al. (eds.). European register of marine species: a check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoines Naturels 50:252-268.
- Breitholtz, M. 2001. Subchronic and chronic copepod toxicity tests for environmental risk assessment of chemicals. Licenciate in Philosophy Thesis, University of Stockholm, Stockholm, Sweden. 86 pp.
- Cengizler, İ., A. Şahan, A.A. Özak & E. Genç. 2001. Caligiosis of cultured sea bass (*Dicentrarchus labrax*) in Yumurtalık coasts, Adana. XI. National Aquatic Products Symposium (4-6 September 2001, Hatay): 1-7.
- Dorovskikh, G.N. 2001. [*Lernaea cyprinacea* (Copepoda: Lernaeidae) in the basin of the medial part of the Vychedga river.] *Parazitologiya* 35(2):154-158. [In Russian.]
- Galéron, J., M. Sibuet, A. Vanreusel, K. MacKenzie, A.J. Gooday, A. Dinét & G.A. Wolff. 2001. Temporal patterns among meiofauna and macrofauna taxa related to changes in sediment geochemistry at an abyssal NE Atlantic site. *Progress in Oceanography* 50:303-324.
- Gubanov, M.V. 2001. The effect of environmental factors on the vertical distribution of Copepoda *Arctodiaptomus salinus* in laboratory conditions. Higher Education Degree, Biological Department, Krasnoyarsk State University, Krasnoyarsk, Russia. [In Russian.]
- Gülle, I. & Ö. O. Ertan. 2001. An investigation on planktonic Crustacea (Cladocera and Copepoda) of Kovada Lake (Egirdir, Isparta). XI. Ulusal Su Ürünleri Sempozyumu, 4-6 Eylül 2001, Hatay, Cilt I: 242-250. [In Turkish.]
- Hygum, B.H. 2001. Aspects of the growth and development of *Calanus* spp. (Copepoda; Calanoida) in mesocosms. Ph.D. Thesis, Roskilde University, Denmark.
- Koponen, K., M.S. Myers, O. Ritola, S.E. Huuskonen & P. Lindstrom-Seppä. 2001. Histopathology of feral fish from a PCB-contaminated freshwater lake. *Ambio* 30(3):122-126.
- Meyer-Rochow, V.B. 2001. The crustacean eye: dark/light adaptation, polarization sensitivity, flicker fusion frequency, and photoreceptor damage. *Zoological Science* 18(9):1175-1197.
- Minhas, I.K., A. Majeed, Z. Iqbal & M.N. Khan. 2001. Control of *Lernaea cyprinacea* using Diptrex (0,0-dimethyl-2-2-2 trichloro-1-hydroxyle phosphonate) in fish ponds in Punjab, Pakistan. *Science International* 13(4):385-387.
- Schneider-Olt, B. & R. Adrian. 2001. Trophic interactions between the crustacean- and the protozoan plankton. *Verhandlungen der Internationalen Vereinigung für Theoretische und Angewandten Limnologie* 27:3705-3707.
- Sutton, T., T. Hopkins, A. Remsen & S. Burghardt. 2001. Multisensor sampling of pelagic ecosystem variables in a coastal environment to estimate zooplankton grazing impact. *Continental Shelf Research* 21(1):69-87.
- Suzuki, S., S.-i. Kitamura & H.X. Chiura. 2001. Aquabirnavirus widely distributes in the ocean, providing a dissolved RNA pool. *Microbes and Environments* 16(3):191-196.
- Ustaoğlu, M.R., S. Balik, C. Aygen & M.D. Ozdemir. 2001. The cladoceran and copepod (Crustacea) fauna of Demirköprüü Dam Lake (Manisa). XI. Ulusal Su Ürünleri Sempozyumu, 4-6 Eylül 2001, Hatay, Cilt I: 189-197. [In Turkish.]
- Van Dover, C.L., S. Bacon, L. Carpenter & K. Last. 2001. Diversity within 9°50'N mussel beds on the East Pacific Rise: establishment of Train Station, East Wall, and Biovent mussel beds as long-term study sites. *International Ridge-Crest Research: Biological Studies* 10(1):26-27.

Wexels Riser, C., P. Wassmann, K. Olli & E. Arashkevich. 2001. Production, retention and export of zooplankton faecal pellets on and off the Iberian shelf, north-west Spain. *Progress In Oceanography* 51(2-4):423-441.

2002

- Anonymous. 2002. The trouble with sealice. Scientific community calls for more research, systematic approach needed. *Northern Aquaculture* 8(12):13.
- Anonymous. 2002. Slice and other therapeutics place emphasis on food safety and the environment. *Fish Farmer* 25(2):4.
- Arrese, M. 2002. Upward transport of chemicals by migrating zooplankton in a Virtual Plankton Ecosystem. M.Eng. Project Thesis, Department of Earth Science and Engineering, Imperial College, London, U.K. 74 pp.
- Baensch, F. 2002. The culture and larval development of three pygmy angelfish species. *Freshwater and Marine Aquarium Magazine* 25(12):4-12.
- Balkis, N., S. Albayrak & H. Balkis. 2002. Check-list of the Crustacean fauna of the Bosphorus. *Turkish Journal of Marine Sciences* 8:157-164.
- Banks, S.M. & D.C. Ashley. 2002. Invasion of the body snatchers. *Missouri Conservationist* 63(6). <http://www.conservation.state.mo.us/conmag/2002/06/30.htm>
- Bonecker, A.C.T., S.L.C. Bonecker & C. Bassani. 2002. Plâncton marinho. [Marine plankton.] Pp. 103-125 in: Pereira, R.C. & A.S. Gomes (eds.). *Biologia Marinha*. 1st ed. Vol. 6. Rio de Janeiro. [In Portuguese.]
- Borneman, E. 2002. The food of reefs, part 4: zooplankton. *Reefkeeping* 2002(12). <http://www.reefkeeping.com/issues/2002-12/eb/index.php>
- Cody, S., J. Burka & L. Hale. 2002. Studies to determine the gene sequence of avermectin receptors in sea lice (*Lepeophtheirus salmonis*). P. 73 In: Riehl, M. & M. Struthers (eds.). *AquaNet II: Proceedings of the 2002 Annual Research Conference of AquaNet*. Ocean Sciences Centre, Memorial University of Newfoundland.
- Denholm, I., G.J. Devine, T.E. Horsberg, S. Sevatdal, A. Fallang, D.V. Nolan & R. Powell. 2002. Analysis and management of resistance to chemotherapeutants in salmon lice, *Lepeophtheirus salmonis* (Copepoda: Caligidae). *Pest Management Science* 58:528-536.
- Fisher, N.S. 2002. Summary of bioaccumulation of metal and radionuclide bioaccumulation in marine organisms. Pp. 7-21 In: Fisher, N.S. (ed.). *Bioaccumulation of Metals and Radionuclides in Marine Organisms*. CIESM Workshop Monograph No. 19, Monaco.
- Gomes, C.L. 2002. Migração vertical dos principais mesozooplânctontes na baía de Guanabara, RJ, Brasil. [Vertical migration of the principal mesozooplankters in Guanabara Bay, RJ, Brazil.] *Dissertação de Mestrado em Biologia Marinha*, Universidade Federal Fluminense, Niterói, Rio de Janeiro, Brazil. [In Portuguese.]
- Krylov, A.V. 2002. Activity of beavers as an ecological factor affecting the zooplankton of small rivers. *Russian Journal of Ecology* 33(5):349-356.
- Li, C.L., T. Zuo & R. Wang. 2002. A study on grazing of planktonic copepods in the Yellow Sea and East China Sea I. Population abundance and gut pigment contents. *Oceanologia et Limnologia Sinica, Zooplankton Special Issue*: 100-110. [In Chinese with English abstract.]
- Machado, C.F. 2002. Distribuição espaço-temporal da Classe Copepoda na baía de Guanabara. [Spatio-temporal distribution of the Class Copepoda in Guanabara Bay.] *Dissertação do Mestrado em Ciências Biológicas (Zoologia)*, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Matsumura-Tundisi, T., J.G. Tundisi & O. Rocha. 2002. Zooplankton diversity in eutrophic systems and its relation to the occurrence of cyanophycean blooms. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 28:671-674.
- Mordue-Luntz, A.J. & A.W. Pike. 2002. Integrated pest management in salmon farming. *Pest Management Science* 58(6):513-635.
- Økland, F., E. Thorstad, B. Finstad & R.S. McKinley. 2002. Risk of infestation from salmon lice. P. 70 In: Riehl, M. & M. Struthers. (eds.). *AquaNet II: Proceedings of the 2002 Annual Research Conference of AquaNet*. Ocean Sciences Centre, Memorial University of Newfoundland.
- Paixão, L.C. & E.N. Santos-Silva. 2002. Efeito do desmatamento da várzea sobre a abundância e diversidade de Copepoda. [Effect of várzea deforestation on the abundance and diversity of Copepoda.] *XI Jornada de Iniciação Científica*, Manaus 11:60-61. [Extended abstract.]
- Paixão, L.C. 2002. Efeito do desmatamento da várzea sobre a abundância e diversidade de Copepoda. [Effect of várzea deforestation on the abundance and diversity of Copepoda.] *Iniciação Científica Thesis*, Universidade Federal do Amazonas, Manaus, Amazonas, Brazil. [In Portuguese.]
- Pierson, J.J. 2002. The *in situ* reproductive response of the copepod *Calanus pacificus* to diatom blooms in Dabob Bay, WA. M.Sc. Thesis, University of Washington, Seattle, Washington, U.S.A.
- Pietrak, M. 2002. Evaluation of three potential methods for preventing the spread of the salmon louse *Lepeophtheirus salmonis* (Kroyer, 1837). M.Sc. Thesis, University of Maine, Orono, Maine, U.S.A. 62 pp.
- Planque, B. & P.C. Reid. 2002. What we have learned about plankton variability and its physical controls from 70 years of CPR records. *ICES Marine Science Symposium* 215:237-246.
- Priya, R.S., P.S. Anitha, S. Jasmine & R.M. George. 2002. Influence of food organisms on Microinvertebrate for use in aquaculture. *Indian Hydrobiology* 5(2):77-83.

- Rennella, A.M. & R. Quirós. 2002. Relations between planktivorous fish and zooplankton in two very shallow lakes of the Pampa Plain. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 28:887-891.
- Schering-Plough Animal Health. 2002. Sea Lice Technical Monograph. Schering-Plough Animal Health Corporation, Union, New Jersey 07083-1982 U.S.A. 24 pp. <http://www.spaquaculture.com/assets/3-28sealcfinal.pdf>
- Shimek, R.L. 2002. Bitty bugs: copepods in the reef aquarium. *Reefkeeping* 2002(10). <http://www.reefkeeping.com/issues/2002-10/rs/index.php>
- Stará, L., J. Sed'a & J. Kubečka. 2002. The analysis of zooplankton status in Řimov reservoir and its comparison with old data. In: Hydrobiological Institute AS CR (eds.): *ResLim 2002. Extended Abstracts*, 4th International Conference on Reservoir Limnology and Water Quality, České Budějovice, August 12-16, 2002, Institute of Hydrobiology Academy of Sciences of the Czech Republic, Faculty of Biological Sciences University of South Bohemia. Pp. 320-321.
- Strauss, T. & H.T. Ratte. 2002. Modelling the vertical variation of temperature and dissolved oxygen in a shallow, eutrophic pond as a tool for analysis of the internal phosphorus fluxes. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 28:1508-1511.
- The Scottish Association for Marine Science, and Napier University. 2002. Review and synthesis of the environmental impacts of aquaculture. No. 0755934032 09502254. Scottish Executive Central Research Unit, Edinburgh. 77 pp. <http://www.scotland.gov.uk/cru/kd01/green/reia-00.asp>
- Timms, B.V. 2002. Limnology of the claypans of the Paroo, arid-zone Australia. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 28:130-133.
- Vadstein, O. & Y. Olsen (eds.). 2002. Sustainable Increase of Marine Harvesting: Fundamental Mechanisms and New Concepts. Proceedings of the 1st MARICULT Conference, Trondheim, Norway, 2000. Springer, Berlin. 202 pp. ISBN 1402011180.
- Vašek, M., J. Kubečka & J. Sed'a. 2002. Cyprinid predation on zooplankton along the longitudinal profile of a canyon-shaped reservoir. In: Hydrobiological Institute AS CR (eds.): *ResLim 2002. Extended Abstracts*, 4th International Conference on Reservoir Limnology and Water Quality, České Budějovice, August 12-16, 2002, Institute of Hydrobiology Academy of Sciences of the Czech Republic, Faculty of Biological Sciences University of South Bohemia. Pp. 360-361.
- Wagner, G.N., R.S. McKinley, P.A. Bjørn & B. Finstad. 2002. Does short-term freshwater exposure benefit lice-infested Atlantic salmon. P. 69 In: Riehl, M. & M. Struthers (eds). *AquaNet II: Proceedings of the 2002 Annual Research Conference of AquaNet*. Ocean Sciences Centre, Memorial University of Newfoundland.
- Walker, P.D. 2002. An investigation into the population structure, distribution, host selection and effects of abiotic factors on the off-host longevity of the crustacean ectoparasite of fish, *Argulus foliaceus* L. (Crustacea: Branchiura). Master of Research Thesis, Radboud University Nijmegen, Nijmegen, The Netherlands.
- Wang, K., R. Wang & T. Zuo. 2002. Diurnal vertical migration of zooplankton in the spawning ground of anchovy (*Engraulis japonicus*) in the southern Yellow Sea. *Oceanologia et Limnologia Sinica, Zooplankton Special Issue*: 129-136. [In Chinese with English abstract.]
- Zadereev, E.S. 2002. Chemical interactions between planktonic crustaceans. *Zhurnal Obshchei Biologii* 63(2):159-167. [In Russian.]
- Zuo, T., R. Wang, K. Wang & S.W. Gao. 2002. Zooplankton community structure in the spawning ground of anchovy (*Engraulis japonicus*) in the southern Yellow Sea. *Oceanologia et Limnologia Sinica, Zooplankton Special Issue*:120-128. [In Chinese with English abstract.]

2003

- Alvarez-Silva, C., M.G. Miranda-Arce & G. De Lara-Isassi. 2003. Familia Pontellidae (Crustacea: Copepoda) en la Bahía La Ventosa, Oaxaca, Mexico: sistemática y ecología básica. *Revista de Biología Tropical* 51(3-4):737-741. [In Spanish.]
- Balık, İ., B. Kardeş, R. Özkök, H. Çubuk & R. Uysal. 2003. Diet of Silver Crucian Carp *Carassius gibelio* in Lake Eğirdir. *Turkish Journal of Fisheries and Aquatic Sciences* 3:87-91.
- Bassleer, G. 2003. The new illustrated guide to fish diseases in ornamental tropical and pond fish. 1st Edition. Bassleer Biofish, Stationstraat 130, 2235 Westmeerbeek, Belgium. 232 pp.
- Bravo, S. 2003. Sea lice in Chilean salmon farms. *Bulletin of the European Association of Fish Pathologists* 23(4):197-200.
- Calliari, D., O. Defeo, G. Cervetto, M. Gómez, L. Giménez, F. Scarabino, A. Brazeiro & W. Norbis. 2003. Marine life of Uruguay: critical update and priorities for future research. *Gayana, Concepción* 67(2):341-370.
- Chang, S.L., G.H. Kou & I.C. Liao. 2003. Salinity adaptation and subsidence attributes in the early stages of Japanese eel (*Anguilla japonica*). *Acta Zoologica Taiwanica* 14(1):33-44.
- Devetter, M. & J. Sed'a. 2003. Společenstvo vířníků přehradní nádrže pod vlivem predace *C. vicinus*. [Rotifer community of a dam reservoir under predation impact of *C. vicinus*.] *Acta Facultatis Ecologiae* 10(Suppl. 1):87-89. [In Czech.]

- Escribano, R., M. Fernández & A. Aranís. 2003. Physical-chemical processes and patterns of diversity of the Chilean eastern boundary pelagic and benthic marine ecosystems: An overview. *Gayana, Concepción* 67(2):190-205. [In English; abstract in Spanish.]
- Grabbert, S. & H.-U. Dahms. 2003. Phylogeny of calanoid copepods from the Antarctic. Abstracts of the 5th Annual Meeting of the Gesellschaft für Biologische Systematik, Munich, September 2002. *Organisms, Diversity & Evolution* 3(1):72ff. Electronic Supplement <http://www.senckenberg.de/odes/03-02.htm>
- Gusmão, L.F.M., D.F. Motheo, D.F. Pereira & E.L.G. Espíndola. 2003. Caracterização preliminar da comunidade zooplancônica do sistema de lagoas do Campus da Universidade de São Paulo (USP) de Pirassununga - SP. [Preliminary characterization of the zooplankton community of the system of ponds on the Campus of the University of São Paulo of Pirassununga - SP.] In: Espíndola, E. & E. Wendland (eds.). *Bacia Hidrográfica – Diversas Abordagens em Pesquisa. Série Ciências da Engenharia Ambiental, Rima*, vol. 3:141-154. [In Portuguese.]
- Jaramillo-L., J.C. & S. Gaviria. 2003. Caracterización física, química y estructura de la comunidad zooplancónica de un pequeño lago tropical, Lago Santander (Rionegro, Antioquia, Colombia). Physical and chemical characterization and zooplanktonic community structure of a small tropical lake, Lago Santander (Rionegro, Antioquia, Colombia). *Caldasia* 25(2):355-380. [In Spanish; abstract in English.]
- Kvenseth, P.G. & J. Andreassen. 2003. Wrasse, sea lice and economy. *Norsk Fiskeoppdrett (Cleanerfish)*:27-32.
- Macedonia Ministry of Environment and Physical Planning. 2003. Country study for biodiversity of the Republic of Macedonia: (first national report). [English translation Olga Mitevska J. Skopje. 217 pp. ISBN 9989-110-15-8.
- Mayer, M. & D. Waloszek. 2003. Die Larvalstadien von *Eudiaptomus gracilis* (G. O. SARS, 1863) (Copepoda, Crustacea). Abstracts of the 5th Annual Meeting of the Gesellschaft für Biologische Systematik, Munich, September 2002. *Organisms, Diversity & Evolution* 3(1):72ff. Electronic Supplement <http://www.senckenberg.de/odes/03-02.htm>
- Montaigne, F. 2003. Everybody loves Atlantic salmon. Here's the catch... *National Geographic* 204(1):100-123.
- Murugesan, V.K., R. Palaniswamy & S. Manoharan. 2003. Productivity of reservoirs in Tamil Nadu with reference to their plankton population. *Journal of the Inland Fisheries Society of India* 35(2):50-56.
- Pulat, I. & I. Ozel. 2003. The plankton of the northern lagoony system of Izmir Bay. *Su Urunleri Dergisi* 20(3-4):399-403.
- Roberts, H.E. 2003. Diagnosis and treatment of ectoparasites in pet fish. *Exotic DVM Veterinary Magazine* 5(6):6-10.
- Seifried, S. 2003. *Tisbe* (Crustacea, Harpacticoida) as a monophyletic taxon. Abstracts of the 5th Annual Meeting of the Gesellschaft für Biologische Systematik, Munich, September 2002. *Organisms, Diversity & Evolution* 3(1):72ff. Electronic Supplement <http://www.senckenberg.de/odes/03-02.htm>
- Seuront, L. & P.G. Strutton (eds.). 2003. *Handbook of Scaling Methods in Aquatic Ecology*. CRC Press, Boca Raton. 600 pp. ISBN 0849313449.
- Shimek, R.L. 2003. Feeding the reef aquarium: a new paradigm. *Reefkeeping* 2003(2). <http://www.reefkeeping.com/issues/2003-02/rs/feature/index.php>
- Tolomeev, A.P. & Ye.S. Zadereev. 2003. The effect of solar radiation on vertical migration of *Arctodiaptomus salinus* and *Brachionus plicatilis* in Lake Shira. *Biology of Inland Waters, Institute for Biology of Inland Waters RAS / Biologiya Vnutrennikh Vod* 2003(2):74-79. [In Russian.]
- Toro, R.M., A.A. Gessner, N.A. Furtado, P.S. Ceccarelli, S. de Albuquerque & J.K. Bastos. 2003. Activity of the *Pinus elliottii* resin compounds against *Lernaea cyprinacea* in vitro. *Veterinary Parasitology* 118(1-2):143-149.
- Uye, S.I. 2003. Feeding of Zooplankton. Chapter 4. Ecological problems of Red Tide. In: Okaichi, T. (ed.), *Red Tides*. Terrapub, Kluwer. Pp. 217-232, References pp. 251-253.
- Uye, S.I., N. Fujii & H. Takeoka. 2003. Unusual aggregations of the scyphomedusa *Aurelia aurita* in coastal waters along western Shikoku, Japan. *Plankton Biology and Ecology* 50(1):17-21.
- Varela, C., M. Ortiz & R. Lalana. 2003. Nuevos registros de copépodos asociados a invertebrados marinos (Poecilostomatoida: Lichomolgoidea), en aguas cubanas. [New records of copepods associated with marine invertebrates (Poecilostomatoida: Lichomolgoidea), in Cuban waters.] *Revista de Biología Marina, Havana* 24(3):255-256. [In Spanish.]
- Wang, R., S.W. Gao, K. Wang & T. Zuo. 2003. Zooplankton indication of the Yellow Sea Warm Current in winter. *Journal of Fisheries of China* 27(Suppl.):39-48. [In Chinese with English abstract.]
- Wang, R., Y.Q. Chen, K. Wang & T. Zuo. 2003. Estimation of annual production of *Calanus sinicus* Brodsky (Copepoda: Calanoida) in the East China Sea. *Acta Ecologica Sinica* 23:1212-1215. [In Chinese with English abstract.]
- Wang, R. & T. Zuo. 2003. Zooplankton distribution in relation to the hydrographical features in the southern Yellow Sea. In: *The Present and the Future of Yellow Sea Environments, Proceedings of Yellow Sea International Symposium, November 2003, Ansan, Korea*. Pp. 77-102.
- Zadereev, E.S. 2003. Chemical interactions in aquatic ecosystems. In: Volova T.G. (ed.). *Studies in ecological biophysics*. Publishing house of SB RAS, Novosibirsk. Pp. 392-409. [In Russian.]

- Zuo, T., K. Wang & C.L. Li. 2003. Length-dry weight relationship of *Calanus sinicus* in the southern part of the Yellow Sea. *Journal of Fisheries of China* 27(Suppl.):103-107. [In Chinese with English abstract.]
- Zuo, T., R. Wang, K. Wang & S.W. Gao. 2003. Multivariate analysis of zooplankton communities during spring in the southern part of the Yellow Sea. *Journal of Fisheries of China* 27(Suppl.):118-114. [In Chinese with English abstract.]

2004

- Afonso-Dias, I. & K. MacKenzie. 2004. A checklist of the protozoan and metazoan parasites reported from the anglerfishes *Lophius piscatorius* L. and *L. budegassa* Spinola. *Bulletin of the European Association of Fish Pathologists* 24(5):246-252.
- Bacchiocchi, S., L. Masini, V. Marangoni, T. Tavoloni, A. Piersanti, D. Ottaviani, R. Orletti, C. Canonico, S. Santarelli & F. Leoni. 2004. Microbiologic and chemical monitoring of *Mytilus galloprovincialis* population that colonize the breakwaters walls long the coast of Marche region - Italy. *Monitoraggio microbiologico e chimico delle popolazione di Mytilus galloprovincialis che colonizzano le barriere frangiflutto disposte lungo la costa marchigiana. Istituto Zooprofilattico Sperimentale dell'Umbria e delle Marche, Webzine Sanità Pubblica Veterinaria - Dicembre 2004. Numero 28.* [<http://www.pg.izs.it/webzine.html>] [In Italian; abstract in English.]
- Balik, S., M.R. Ustaoglu, M. Ozbek, A. Tasdemir & S. Yildiz. 2004. Buldan Baraj Golu'nun (Denizli, Turkiye) bentik faunasi. Benthic fauna of Buldan Reservoir (Denizli, Turkey). *Su Urunleri Dergisi* 21(1-2): 139-141. [In Turkish.]
- Balik, S., M.R. Ustaoglu, A. Tasdemir, D.Ö. Mis, C. Aygen, M. Ozbek & E.T. Topkara. 2004. Birgi Göletleri (Urla, İzmir) ve Sazlıgöl (Karaburun, İzmir)'ün Sucul Faunası Hakkında Bir Ön Araştırma. A preliminary study on the aquatic fauna of Birgi Ponds (Urla, Izmir) and Sazligol (Karaburun, Izmir). *Journal of Fisheries & Aquatic Sciences, Ege University / Ege Universitesi Sü Urunleri Dergisi* 21(1-2):29-30. [In Turkish; abstract in English.]
- Barbiero, R.P. & M.L. Tuchman. 2004. Changes in the crustacean communities of Lakes Michigan, Huron, and Erie following the invasion of the predatory cladoceran *Bythotrephes longimanus*. *Canadian Journal of Fisheries and Aquatic Sciences* 61(11):2111-2125. [**Corrected authorship.**]
- Bednarski, M. & A. Morales-Ramírez. 2004. Composition, abundance and distribution of macrozooplankton in Culebra Bay, Gulf of Papagayo, Pacific coast of Costa Rica and its value as bioindicator of pollution. *Revista de Biología Tropical* 52(Supl.2):105-119.
- Borneman, E. 2004. It's a small world, after all. *Reefkeeping* 2004(10). <http://www.reefkeeping.com/issues/2004-06/eb/index.php>
- Böttger-Schnack, R. 2004. *Triconia parasimilis* Böttger-Schnack, 1999 (Copepoda, Oncaeidae), first record from the NW Pacific (Oyashio), with the description of the male. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 101:213-223.
- Boxshall, G.A. 2004. The evolution of arthropod limbs. *Biological Reviews* 79(2):253-300.
- **Brancelj, T. & T. Pipan. 2004. Diversity of Copepoda (Crustacea) in the unsaturated zone of karstic caves of Slovenia. Pp. 323-332 In: Griffiths, H.I. & B. Krystufek (eds.). *Balkan Biodiversity*. Kluwer Academic Publishers, Dordrecht.
- Brooks, R.A., S.S. Bell, C.N. Purdy & K.J. Sulak. 2004. The benthic community of offshore sand banks: a literature synopsis of the benthic fauna resources in potential MMS OCS sand mining areas. USGS Outer Continental Shelf Studies Ecosystem Program Report USGS-SIR-2004-5198 (CEC NEGOM Program Investigation Report No. 2004-01, February 2004); Minerals Management Service, OCS Study MMS-2004. Available at: <http://cars.er.usgs.gov/coastaleco/>
- Buskey, E.J., C.J. Hyatt & C.L. Speakman. 2004. Trophic interactions within the planktonic food web in mangrove channels of Twin Cays, Belize, Central America. *Atoll Research Bulletin* 509-530:1-22.
- Carvalho, L.N., R. Arruda & K. Del-Claro. 2004. Host-parasite interactions between the piranha *Pygocentrus nattereri* (Characiformes: Characidae) and isopods and branchiurans (Crustacea) in the rio Araguaia basin, Brazil. *Neotropical Ichthyology* 2(2):93-98.
- Chae, J. & S. Nishida. 2004. Swimming behaviour and photoresponses of the iridescent copepods, *Sapphirina gastrica* and *Sapphirina opalina* (Copepoda: Poecilostomatoida). *Journal of the Marine Biological Association of the United Kingdom* 84(4):727-731.
- Colin, S.P. & H.G. Dam. 2004. Testing for resistance of marine pelagic copepods to a toxic dinoflagellate. *Evolutionary Ecology* 18: 355-377. [**Correct year.**]
- De Sarkar, P., S. Naaz & S.K. Mukhopadhyay. 2004. Diel activity patterns within zooplanktonic community in relation to physico-chemical factors. *Journal of Environment and Sociobiology* 1(1-2):1-12.
- Escalera-Vazquez, L.H., O. Dominguez-Dominguez, S.S.S. Sarma & S. Nandini. 2004. Selective feeding on zooplankton by larval *Skiffia multipunctata* (Goodeidae). *Journal of Freshwater Ecology* 19(3):433-440.
- Fisher, N.S., S.W. Fowler, P.J. Kershaw, J. Carroll & T. Cabianca. 2004. Sediment Distribution Coefficients and Concentration Factors for Biota in the Marine Environment. Technical Report Series No. 422, International Atomic Energy Agency, Vienna. 103 pp.
- Gallo-Sánchez, L.J., S. Gaviria-Melo & J.J. Ramírez-Restrepo. 2004. Dinámica de la comunidad zooplanctónica (excepto Protozoa) en la laguna del Parque Norte, Medellín (Antioquia, Colombia).

- [Dynamics of the zooplankton community (except Protozoa) in the Parque Norte Lake, Medellín (Antioquia, Colombia).] *Actualidades Biológicas* 26(81):231-241. [In Spanish; abstract in English.]
- González, H.E., D. Hebbeln, J.L. Iriarte & M. Marchant. 2004. Downward fluxes of faecal material and microplankton at 2300 m depth in the oceanic area off Coquimbo (30° S), Chile, during 1993-1995. *Deep Sea Research Part II Topical Studies in Oceanography* 51(20-21):2457-2474.
- Greve, W., F. Reiners, J. Nast & S. Hoffmann. 2004. Helgoland Roads meso- and macrozooplankton time-series 1974 to 2004: lessons from 30 years of single spot, high frequency sampling at the only off-shore island of the North Sea. *Helgoland Marine Research* 58(4):274-288.
- Guseva, E.V. 2004. Influence of oil pollution on meiobenthic community (experimental data). *Ekologiya Morya / Ecology of the Sea* 66:33-36. [In Russian with English abstract.]
- Guseva, E.V. 2004. Meiobenthos of silt bottom sediments in Sevastopol bays (Black Sea) during 1994-2003. *Ekologiya Morya / Ecology of the Sea* 66:37-41. [In Russian with English abstract.]
- Hanel, L. & E. Christian. 2004. *Moraria brevipes* (Crustacea: Copepoda) in South Bohemian forest soils. *Acta Societatis Zoologicae Bohemicae* 30; 68(3):169-171.
- Irigoien, X., J. Huisman & R.P. Harris. 2004. Global biodiversity patterns of marine phytoplankton and zooplankton. *Nature* 6994:863-866.
- Jalilov, A.G. 2004. Quantitative distribution of Copepoda at depths [depths] in a western part of southern Caspian Sea. *Azerbaycan Milli Elmler Akademiyasinin Xeberleri Biologiya Elmleri Seriyasi* 1-2:74-80. [In Azerbaijani.]
- Jantraroit, P., P. Tempakdee & S. Pripanapong. 2004. Evaluation of different larval feeds for survival and development of early stage mud crab (*Scylla olivacea*). *Kasetsart Journal Natural Sciences* 38(4):484-492.
- Jaume, D., M. Conradi-Barrena & P.J. López-González. 2004. Copépodos. *Curso Práctico de Entomología. Asociación Española de Entomología. Bellaterra, Alicante, Spain.* Pp. 303-331. ISBN: 84-490-2383-1
- Jeng, M.-S., N.K. Ng & P.K.L. Ng. 2004. Feeding behaviour: Hydrothermal vent crabs feast on sea 'snow'. *Nature* 432:969. **[corrected year]**
- Johnson, T.B., M.H. Hoff, A.S. Trebitz, C.R. Bronte, T.D. Corry, J.F. Kitchell, S.J. Lozano, D.M. Mason, J.V. Scharold & S.T. Schram. 2004. Spatial patterns in assemblage structures of pelagic forage fish and zooplankton in western Lake Superior. *Journal of Great Lakes Research* 30(Supplement 1):395-406.
- Kearn, G.C. 2004. Leeches, Lice and Lampreys: A Natural History of Skin and Gill Parasites of Fishes. Springer Verlag, Berlin. 432 pp. ISBN: 1-4020-2925-X
- Keivany, Y. & N. Soofiani. 2004. Contribution to the biology of Zagros tooth-carp, *Aphanius vladkovi* (Cyprinodontidae) in central Iran. *Environmental Biology of Fishes* 71(2):165-169.
- Knight, T.M., J.M. Chase, C.W. Goss & J.J. Knight. 2004. Effects of interspecific competition, predation, and their interaction on survival and development time of immature *Anopheles quadrimaculatus*. *Journal of Vector Ecology* 29(2):277-284.
- Koteswari, Y.N. & R. Ramanibai. 2004. Evaluation of toxicity of tannery effluent on plankton community structure: a multispecies microcosm study II. *Turkish Journal of Biology* 28(2-4):55-63.
- Link, J., J.H. Selgeby & R.E. Keen. 2004. Changes in the Lake Superior crustacean zooplankton community. *Journal of Great Lakes Research* 30(Supplement 1):327-339.
- **Locascio de Mitrovich, C. & M. Ceraolo. 2004. Nuevos registros de copépodos de alta montaña para la provincia de Catamarca (Argentina). (New records of copepods from high mountain wetlands of Catamarca province (Argentina). *Physis, Buenos Aires, Sección B* 60(138-139):25-29. [For 2002. In Spanish, abstract in English.]
- Lowry, L.F., G. Sheffield & J.C. George. 2004. Bowhead whale feeding in the Alaskan Beaufort Sea, based on stomach contents analyses. *Journal of Cetacean Research and Management* 6(3):215-223.
- Luque, J.L. 2004. Parasitología de peixes marinhos na América do Sul: estado atual e perspectivas. [Parasitology of marine fishes in South America: present status and outlook.] Pp. 199-215 In: Tavares Ranzani de Paiva, M.J., R.M. Takemoto & M.L.A. Perez Lizama (eds.). *Sanidade de Organismos Aquáticos. Vol. 1. Varela, São Paulo.* [In Portuguese.]
- MacKenzie, K., N. Campbell, S. Mattiucci, P. Ramos, A. Pereira & P. Abaunza. 2004. A checklist of the protozoan and metazoan parasites reported from the Atlantic horse mackerel, *Trachurus trachurus* (L.). *Bulletin of the European Association of Fish Pathologists* 24(4):180-184.
- Maslun, N.V., N.N. Tsyhotskaya & G.V. Klushina. 2004. Stratigraphy of Oligocene deposits of the Black Sea northwestern shelf. *Heolohichniy Zhurnal* 4:16-27. [In Ukrainian.]
- McLusky, D.S. & M. Elliot. 2004. *The Estuarine Ecosystem: Ecology, Threats and Management. Third Edition.* Oxford University Press, Oxford. 214 pp. ISBN 0-19-853091-9
- Melidone, R., J.A. Chow & M. Principato. 2004. *Lernaea cyprinacea* infestation in an axolotl. *Exotic DVM Veterinary Magazine* 6(5):24-26.
- Monchenko, V.I. 2004. Results of Copepoda Cyclopoida investigations in the Azov-Black Sea basin (fauna, zoogeography, ecology). *Ekologiya Morya / Ecology of the Sea* 65:51-56. [In Russian with English abstract.]

- Monroy-G., J.D., N.J. Aranguren-R. & S. Gaviria-Melo. 2004. Los crustáceos planctónicos del Lago de Tota (Boyacá, Colombia). Planktonic crustaceans of the Lago de Tota (Boyacá, Colombia). *Ciencia en Desarrollo* 1(2):64-81. [In Spanish; abstract in English.]
- Motta, R.L. da & V.S. Uieda. 2004. Dieta de duas espécies de peixes do Ribeirão do Atalho, Itatinga, SP. (Diet of two fish species from Ribeirão do Atalho, Itatinga, SP.) *Revista Brasileira de Zoociências*, Juiz de Fora 6(2):191-205. [In Portuguese; abstract in English.]
- Mukherji, M. & N.C. Nandi. 2004. Studies on macrozoobenthos of Rabindra Sarovar and Subhas Sarovar in Kolkata in relation to water and sediment characteristics. *Records of the Zoological Survey of India Occasional Paper* 25:1-119.
- Ökter, A. & J.P. Trilles. 2004. Two lernaepodids and one pennellid copepod determined on three marine fishes collected in Turkey. *Journal of the Black Sea/Mediterranean Environment* 10(2):143-153.
- Oliveira, F. 2004. Ecologia alimentar de *Syngnathus typhle*, Linnaeus 1758 (Pisces, Syngnathidae) na Ria Formosa. [Feeding ecology of *Syngnathus typhle*, Linnaeus 1758 (Pisces, Syngnathidae) in the Ria Formosa.] Tese de Licenciatura, Faculdade de Ciências do Mar e do Ambiente da Universidade do Algarve, Algarve, Portugal. 53 pp. + Appendices. [In Portuguese.]
- Özel, Y., A. Ökter & V. Aker. 2004. A morphological study (SEM) on a parasitic copepod: *Lernanthropus kroyeri* van Beneden, 1851. *Journal of Fisheries & Aquatic Sciences*, Ege University / Ege Üniversitesi Su Ürünleri Fakültesi Dergisi / 21(3-4):335-337.
- Pandourski, I. & A. Apostolov. 2004. Review on the free-living copepods (Crustacea) from the region of the Bulgarian Antarctic base, Livingston Island. *Bulgarian Antarctic Research Life Sciences* 4:95-99.
- Panogadia-Reyes, C. M., E.I. Cruz & S.L. Bautista. 2004. Philippine species of *Mesocyclops* (Crustacea: Copepoda) as a biological control agent of *Aedes aegypti* (Linnaeus). *Dengue Bulletin* 28:174-178. http://w3.whosea.org/en/Section10/Section332_1097.ht
- Pinder, A.M., S.A. Halse, J.M. McRae, & R.J. Shiel. 2004. Aquatic invertebrate assemblages of wetlands and rivers in the wheatbelt region of Western Australia. *Records of the Western Australian Museum Supplement* 67:7-37.
- **Pipan, T. 2004. Ecological and microgeographical study of an epikarstic fauna in West Virginia (USA). *Ekološka in mikrogeografska raziskava epikraške favne v Zahodni Virginiji (ZDA)*. *Acta Carsologica* 33/2 (16): 269-275. [In English; abstract in Slovenian.]
- Prasad, N.V. 2004. Distribution of biological important species of zooplankton in Coringa estuarine mangrove habitat, South India. *Journal of the National Taiwan Museum* 57(2):7-22.
- Robichaud, L. & M.J. Costello. 2004. Bibliography of publications on the biology and control of sealice. <http://www.huntsmanmarine.ca/sealicebib.html>. January 2004 edition.
- Rokneddine, A. & M. Chentoufi. 2004. Study of salinity and temperature tolerance limits regarding four crustacean species in a temporary salt water swamp (Lake Zima, Morocco). *Animal Biology* 54:237-253.
- Rolbiecki, L. 2004. Larvae of *Anguillicola crassus* (Nematoda, Dracunculoidea) in stickleback (*Gasterosteus aculeatus*) and smelt (*Osmerus eperlanus*) from the Gulf of Gdansk and the Vistula Lagoon. *Zoologica Poloniae* 49(1-4):29-35.
- Sagehashi, M., A. Sakoda & M. Suzuki. 2004. Lake eutrophication model based on the impact of the zooplankton community on phytoplankton succession. *Journal of Water and Environment Technology* 2(2):75-82.
- Sandulli, R., D. Carriglio, S. Deastis, A. Marzano, M. Gallo D'addabbo, D. Gerardi & S. De Zio Grimaldi. 2004. Meiobenthic biodiversity in areas of the Gulf of Taranto (Italy) exposed to high environmental impact. *Chemistry and Ecology* 20 (Suppl. 1):379-386.
- Sharma, B.K. & R.M. Lyngdoh. 2004. Zooplankton communities of Umiam reservoir, Meghalaya (NE India): composition, abundance and ecology. *Indian Journal of Animal Sciences* 74:681-685.
- Shimek, R.L. 2004. You can't tell your "pods" without a program... Reefkeeping 2004(8). <http://www.reefkeeping.com/issues/2004-08/rs/index.php>
- Skovgaard, A. & E. Saiz. 2004. Pequeños parásitos del Mar. [Small parasites of the sea.] *Investigación y Ciencia* 329:36-37. [In Spanish.]
- Skovgaard, A. & E. Saiz. 2004. Parasitic dinoflagellates in Mediterranean zooplankton. *Rapports de la Commission Internationale pour la Mer Méditerranée* 37:441.
- Strickler, J.R., J.-S. Hwang, E. Malkiel, J. Katz & A. Arnodin. 2004. Observing zooplankters in situ using optical signal processors. *Journal of Sea Technology*, Taiwan 13 (4):31-44. [In Chinese.]
- Sun, L., N. Takamura, B.-H. Kim, M. Fukushima, M. Nakagawa & A. Otsuki. 2004. The effects of filter-feeding planktivorous fish on production of protozoa and carbon flow from protozoa to zooplankton in a eutrophic lake. *Journal of Freshwater Ecology* 19(3):363-373.
- Tadonleke, R.D., B. Pinel-Alloul, N. Bourbonnais & F.R. Pick. 2004. Factors affecting the bacteria-heterotrophic nanoflagellate relationship in oligo-mesotrophic lakes. *Journal of Plankton Research* 26:681-695.
- Turner, J.T. & D.G. Borkman. 2004. Zooplankton grazing during *Alexandrium* blooms in the Gulf of Maine. Pp. 95-97. In: Steidinger, K.A., J.H. Landsberg, C.R. Tomas & G.A. Vargo (eds.). *Harmful Algae 2002*. Proceedings of the Xth International Conference on Harmful Algal Blooms, St. Petersburg, Florida, U.S.A., October 21-25, 2002. Florida Fish and Wildlife Conservation Commission, Florida Institute of Oceanography, and

- Intergovernmental Oceanographic Commission of UNESCO, St. Petersburg, Florida, U.S.A.
- Ustaoğlu, R. 2004. A checklist for zooplankton of Turkish inland waters. *Journal of Fisheries & Aquatic Sciences*, Ege University / Ege Üniversitesi Su Ürünleri Fakültesi Dergisi 21(3-4):191-199.
- Vašek, M. & J. Kubečka. 2005. *In situ* diel patterns of zooplankton consumption by subadult/adult roach, *Rutilus rutilus*, bream, *Abramis brama*, and bleak *Alburnus alburnus*. *Folia Zoologica* 53(2):203-214.
- Vu, N. S., B. Kay, T.Y. Nguyen, P. Ryan & A. Bektas. 2004. Community mobilization, behaviour change and biological control in the prevention and control of dengue fever in Viet Nam. *Dengue Bulletin* 28 (Supplement):57-61.
http://w3.whosea.org/en/Section10/Section332_1097.htm
- Walker, G. 2004. Swimming speeds of the larval stages of the parasitic barnacle, *Heterosaccus lunatus* (Crustacea: Cirripedia: Rhizocephala). *Journal of the Marine Biological Association of the United Kingdom* 84(4):737-742.
- Walker, P.D., G. Flik & S.E. Wendelaar Bonga. 2004. The biology of parasites from the genus *Argulus* and a review of the interactions with its host. Pp. 107-129 In Weigertjes, G. & G. Flik (eds.). *Host-Parasite Interactions*. Garland/BIOS Scientific Publishers, Abingdon, U.K. [Complete reference.]
- Wang, K., R. Wang, T. Zuo & S.W. Gao. 2004. Analysis of zooplankton biomass in the Changjiang River estuary and its adjacent water. *Oceanologia et Limnologia Sinica* 35(6):568-576.
- Waya, R.K. 2004. Diel vertical migration of zooplankton in the Tanzanian waters of lake Victoria. *Tanzania Journal of Science* 30(1):123-134.
- Waya, R.K. & A.I. Chande. 2004. Species composition and biomass estimates of zooplankton in some water bodies within Lake Victoria basin. *Tanzania Journal of Science* 30(1):43-52.
- Waya, R.K. & J.A. Mwambungu. 2004. Zooplankton communities of selected stations of Lake Victoria. *Tanzania Journal of Science* 30(1):11-20.
- Zuo, T., R. Wang, K. Wang & S.W. Gao. 2004. Vertical distribution and diurnal migration of zooplankton in the southern Yellow Sea in summer. *Acta Ecologica Sinica* 24(3):524-530. [In Chinese with English abstract.]
- 2005**
- Abdel-Rahman, N.S. & H.A. El-Serehy. 2005. A review on the planktonic Copepoda of the Red Sea. 2: Poecilostomatoida (Thorell, 1859). *Journal of the Egyptian German Society of Zoology* 48(D):97-118.
- Abdel-Rahman, N.S. & H.A. El-Serehy. 2005. A review on the planktonic Copepoda of the Red Sea 3: Cyclopoida, Harpacticoida, Monstrilloida, Mormonilloida and Siphonostomatoida. *Journal of the Egyptian German Society of Zoology* 48(D):35-48.
- Abramova, E. & K. Tuschling. 2005. A 12-year study of the seasonal and interannual dynamics of mesozooplankton in the Laptev Sea: Significance of salinity regime and life cycle patterns. *Global and Planetary Change* 48(1-3):141-164.
- Aday, D.D., D.E. Shoup, J.A. Neviackas, J.L. Kline & D.H. Wahl. 2005. Prey community responses to bluegill and gizzard shad foraging: implications for growth of juvenile largemouth bass. *Transactions of the American Fisheries Society* 134(5):1091-1102.
- Adite, A., K.O. Winemiller & E.D. Fiogbe. 2005. Ontogenetic, seasonal, and spatial variation in the diet of *Heterotis niloticus* (Osteoglossiformes: Osteoglossidae) in the Sô River and Lake Hlan, Benin, West Africa. *Environmental Biology of Fishes* 73(4):367-378.
- Aguilar, A., M.F. Álvarez, J.M. Leiro & M.L. Sanmartín. 2005. Parasite populations of the European eel (*Anguilla anguilla* L.) in the Rivers Ulla and Tea (Galicia, northwest Spain). *Aquaculture* 249(1-4):85-94.
- Ahlgren, G., L. Van Nieuwerburgh, I. Wänstrand, M. Pedersén, M. Boberg & P. Snoeijjs. 2005. Imbalance of fatty acids in the base of the Baltic Sea food web — a mesocosm study. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(10):2240-2253.
- Akbulut, N.E. 2005. The determination of relationship between zooplankton and abiotic factors using canonical correspondence analysis (CCA) in the Ova Stream (Ankara/Turkey). *Acta Hydrochimica et Hydrobiologica* 32:434-441.
- Akifyev, A.P. & A.K. Grishanin. 2005. [Some conclusions on the role of redundant DNA and the mechanisms of eukaryotic genome evolution inferred from studies of chromatin diminution in Cyclopoida.] *Genetika* 41(4):466-479. [In Russian; English translation in *Russian Journal of Genetics* 41(4):366-377.]
- Alekseev, V.R. & E.Y. Naumova. 2005. A new express-method for study of integumental organs in copepods. *Zoologicheskii Zhurnal* 84(2): 257-268. [In Russian.]
- Alheit, J., C. Möllmann, J. Dutz, G. Kornilovs, P. Loewe, V. Mohrholz & N. Wasmund. 2005. Synchronous ecological regime shifts in the central Baltic and the North Sea in the late 1980s. *ICES Journal of Marine Science* 62(7):1205-1215.
- Allen, M.G., D.L. Morgan & H.S. Gill. 2005. Distribution, zoogeography and biology of the Murchison River hardyhead (*Craterocephalus cuneiceps* Whitley, 1944), an atherinid endemic to the Indian Ocean (Pilbara) Drainage Division of Western Australia. *Ecology of Freshwater Fish* 14(3):209-224.
- Altuff, K., J. Sugumaran & Md.S. Naveed. 2005. Impact of tsunami on meiofauna of Marina beach, Chennai, India. *Current Science*, Bangalore 89(1):34-37.

- Alves, D.R., A.R. Paraguassú & J.L. Luque. 2005. Community ecology of the metazoan parasites of the grey triggerfish, *Balistes capricus* Gmelin, 1789 and queen triggerfish *B. vetula* Linnaeus, 1758 (Osteichthyes: Balistidae) from the State of Rio de Janeiro, Brazil. *Revista Brasileira de Parasitologia Veterinária, Seropédica* 14(2):71-77.
- Amaral, A.C.Z. & S. Jablonski. 2005. Conservation of marine and coastal biodiversity in Brazil. *Conservation Biology* 19(3):625-631.
- Andrade, A. & C. López. 2005. Predatory interactions between *Thermocyclops decipiens* Kiefer (Cyclopoida: Copepoda) and two small cladocerans: behavior and prey post-encounter vulnerability. *Annales de Limnologie* 41(3):153-160.
- Andreadis, T.G. 2005. Evolutionary strategies and adaptations for survival between mosquito-parasitic microsporidia and their intermediate copepod hosts: a comparative examination of *Amblyospora connecticus* and *Hyalinocysta chapmani* (Microsporidia: Amblyosporidae). *Folia Parasitologica* 52(1/2):23-35.
- Anker, A., G.V. Murina, C. Lira, J.A.V. Caripe, A.R. Palmer & M.S. Jeng. 2005. Macrofauna associated with Echiuran burrows: A review with new observations of the innkeeper worm, *Ochetostoma erythrogrammon* Leuckart and Ruppel, in Venezuela. *Zoological Studies* 44(2):157-190. [In Russian.]
- Anonymous. 2005. More is ... less? *Science* 309:985.
- Arhonditsis, G.B. & M.T. Brett. 2005. Eutrophication model for Lake Washington (USA): Part I. Model description and sensitivity analysis. *Ecological Modelling* 187(2-3):140-178.
- Araújo-Castro, C.M.V. & L.P. Souza-Santos. 2005. Are the diatoms *Navicula* sp. and *Thalassiosira fluviatilis* suitable to be fed to the benthic harpacticoid copepod *Tisbe biminiensis*? *Journal of Experimental Marine Biology and Ecology* 327(1):58-69.
- Arhonditsis, G.B. & M.T. Brett. 2005. Eutrophication model for Lake Washington (USA): Part II. Model calibration and system dynamics analysis. *Ecological Modelling* 187(2-3):179-200.
- Arnkværn, G., M. Daase & K. Eiane. 2005. Dynamics of coexisting *Calanus finmarchicus*, *Calanus glacialis* and *Calanus hyperboreus* populations in a high-Arctic fjord. *Polar Biology* 28(7):528-538.
- Ashjian, C.J., C.S. Davis, S.M. Gallager & P. Alatalo. 2005. Characterization of the zooplankton community, size composition, and distribution in relation to hydrography in the Japan/East Sea. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(11-13):1363-1392.
- Aubé, C.I., A. Locke & G.J. Klassen. 2005. Zooplankton communities of a dammed estuary in the Bay of Fundy, Canada. *Hydrobiologia* 548(1):127-139.
- Auel, H. & W. Hagen. 2005. Body mass and lipid dynamics of Arctic and Antarctic deep-sea copepods (Calanoida, *Paraeuchaeta*): ontogenetic and seasonal trends. *Deep Sea Research Part I: Oceanographic Research Papers* 52(7):1272-1283.
- Avasthi, A. 2005. Attack of the killer sea lice. *ScienceNOW* 330:4.
- Azeiteiro, U.M., S.C. Marques, L.M.R. Vieira, M.R.D. Pastorinho, P.A.B. Ré, M.J. Pereira & F.M.R. Morgado. 2005. Dynamics of the *Acartia* genus (Calanoida: Copepoda) in a temperate shallow estuary (the Mondego estuary) on the western coast of Portugal. *Acta Adriatica* 46(1):7-20.
- Baehre, K., P. Lenz, C. Spannings & D.W. Towle. 2005. Splice variants in hsp70 cDNAs from the marine copepod *Calanus finmarchicus*. *Bulletin of the Mount Desert Island Biological Laboratory* 44:34-35.
- Bagoien, E. & T. Kiørboe. 2005. Blind dating - mate finding in planktonic copepods. I. Tracking the pheromone trail of *Centropages typicus*. *Marine Ecology Progress Series* 300:105-115.
- Bagoien, E. & T. Kiørboe. 2005. Blind dating - mate finding in planktonic copepods. III. Hydromechanical communication in *Acartia tonsa*. *Marine Ecology Progress Series* 300:129-133.
- Bailey, S.A., K. Nandakumar, I.C. Duggan, C.D.A. van Overdijk, T.H. Johengen, D.F. Reid & H.J. MacIsaac. 2005. *In situ* hatching of invertebrate diapausing eggs from ships' ballast sediment. *Diversity & Distributions* 11(5):453-460.
- Baillie, B.R., K.J. Collier & J. Nagels. 2005. Effects of forest harvesting and woody debris removal on two Northland streams, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 39(1):1-15.
- Baker, T.G., E. Pante & I. de Buron. 2005. Co-occurrence of *Naobranchia lizae* (Copepoda) and *Metamicrocotyla macracantha* (Monogenea), gill parasites of the striped mullet *Mugil cephalus*. *Parasitology Research* 97(6):515-520.
- Bandera, M.E., M. Conradi & P.J. López-González. 2005. *Asterocheres hirsutus*, a new species of parasitic copepod (Siphonostomatoida: Asterocheridae) associated with an Antarctic hexactinellid sponge. *Helgoland Marine Research* 59(4):315-322.
- Barange, M., S.C. Pillar, I. Huse & L. Hutchings. 2005. Vertical migration, catchability and acoustic assessment of semi-pelagic Cape horse mackerel *Trachurus trachurus capensis* in the southern Benguela. *African Journal of Marine Science* 27(2):459-469.
- Barkoh, A., S. Hamby, G. Kurten & J.W. Schlechte. 2005. Effects of rice bran, cottonseed meal, and alfalfa meal on pH and zooplankton. *North American Journal of Aquaculture* 67(3):237-243.
- Bartsch, J. 2005. The influence of spatio-temporal egg production variability on the modelled survival of the early life history stages of mackerel (*Scomber scombrus*) in the eastern North Atlantic. *ICES Journal of Marine Science* 62(6):1049-1060.

- Barz, K. & H.-J. Hirche. 2005. Seasonal development of scyphozoan medusae and the predatory impact of *Aurelia aurita* on the zooplankton community in the Bornholm Basin (central Baltic Sea). *Marine Biology* 147(2):465-476.
- Bathmann, U. 2005. Ecological and biogeochemical response of Antarctic ecosystems to iron fertilization and implications on global carbon cycle. *Ocean and Polar Research* 27(2): 231-235.
- Bathmann, U., L. Harbou, L., S. Jansen, S. Krägersky & T. Stadlander. 2005. Mesozooplankton. *Berichte zur Polar- und Meeresforschung* 500:121-125.
- Batistić, M., P. Tutman, D. Bojanić, B. Skaramuca, V. Kožul, N. Glavić & V. Bartulović. 2005. Diet and diel feeding activity of juvenile pompano (*Trachinotus ovatus*) (Teleostei: Carangidae) from the southern Adriatic, Croatia. *Journal of the Marine Biological Association of the United Kingdom* 85(6):1533-1534.
- Batten, S.D. & W.R. Crawford. 2005. The influence of coastal origin eddies on oceanic plankton distributions in the eastern Gulf of Alaska. *Deep Sea Research Part II: Topical Studies in Oceanography* 52:991-1009.
- Beamish, R.J., C.M. Neville, R.M. Sweeting & N. Ambers. 2005. Sea lice on adult Pacific salmon in the coastal waters of Central British Columbia, Canada. *Fisheries Research* 76(2):198-208.
- Becnel, J.J., S.E. White & A.M. Shapiro. 2005. Review of microsporidia-mosquito relationships: from the simple to the complex. *Folia Parasitologica* 52(1):41-50.
- Bejarano, A.C., G.T. Chandler & A.W. Decho. 2005. Influence of natural dissolved organic matter (DOM) on acute and chronic toxicity of the pesticides chlorothalonil, chlorpyrifos and fipronil on the meiobenthic estuarine copepod *Amphiascus tenuiremis*. *Journal of Experimental Marine Biology and Ecology* 321(1):43-57.
- Bejarano, A.C., P.L. Pennington, M.E. DeLorenzo & G.T. Chandler. 2005. Atrazine effects on meiobenthic assemblages of a modular estuarine mesocosm. *Marine Pollution Bulletin* 50(11):1398-1404.
- Benz, G.W. 2005. Review of Ho, J.-s. & C.-L. Lin. Sea Lice of Taiwan. *Journal of Parasitology* 91(4):925.
- Berasategui, A.D., F.C. Ramírez & A. Schiariti. 2005. Patterns in diversity and community structure of epipelagic copepods from the Brazil-Malvinas Confluence area, south-western Atlantic. *Journal of Marine Systems* 56(3-4):309-316.
- Bernard, K.S. & P.W. Froneman. 2005. Trophodynamics of selected mesozooplankton in the west-Indian sector of the Polar Frontal Zone, Southern Ocean. *Polar Biology* 28(8):594-606.
- Bertolo, A., R. Carignan, P. Magnan, B. Pinel-Alloul, D. Planas & E. Garcia. 2005. Decoupling of pelagic and littoral food webs in oligotrophic Canadian Shield lakes. *Oikos* 111(3):534-546.
- Bick, A. & G. Arlt. 2005. Intertidal and subtidal soft-bottom macro- and meiofauna of the Kongsfjord (Spitsbergen). *Polar Biology* 28(7):550-557.
- Bicudo, A.J.A., L.E.R. Tavares & J.L. Luque. 2005. Metazoários parasitos da cabrinha *Prionotus punctatus* (Bloch, 1793) (Osteichthyes: Triglidae) do litoral do estado do Rio de Janeiro, Brasil. Metazoan parasites of the bluewing searobin *Prionotus punctatus* (Bloch, 1793) (Osteichthyes: Triglidae) from the coastal zone of the State of Rio de Janeiro, Brazil. *Revista Brasileira de Parasitologia Veterinária, Seropedica*, 14(1):27-33. (In Portuguese; abstract in English.)
- Blaylock, R.B., R.M. Overstreet & A. Morton. 2005. The pathogenic copepod *Phrixocephalus cincinnatus* (Copepoda: Pennellidae) in the eye of arrowtooth flounder, *Atherestes stomias*, and rex sole, *Glyptocephalus zachirus*, from British Columbia. *Bulletin of the European Association of Fish Pathologists* 25(3):116-123.
- Bojanić, N., M. Šolić, N. Krstulović, S. Šestanović, I. Marasović & Ž. Ninčević. 2005. Temporal variability in abundance and biomass of ciliates and copepods in the eutrophicated part of Kaštela Bay (Middle Adriatic Sea). *Helgoland Marine Research* 59(2):107-120.
- Bontes, B.M., R. Pel, B.W. Ibelings, H.T.S. Boschker, J.J. Middelburg & E. van Donk. 2005. The effects of biomanipulation on the biogeochemistry, carbon isotopic composition and pelagic food web relations of a shallow turf lake. *Biosciences Discussions* 2:997-1031.
- Borga, K. & T.F. Bidleman. 2005. Enantiomer fractions of organic chlorinated pesticides in arctic marine ice fauna, zooplankton, and benthos. *Environmental Science and Technology* 39(10):3464-3473.
- Borga, K., A.T. Fisk, B. Hargrave, P.F. Hoekstra, D. Swackhamer & D.C. Muir. 2005. Bioaccumulation factors for PCBs revisited. *Environmental Science and Technology* 39(12):4523-4532.
- Böttger-Schnack, R. 2005. Taxonomy of Oncaeidae (Copepoda, Cyclopoida) from the Red Sea. VII. *Oncaea cristata*, a new species related to the *ovalis*-complex, and a revision of *O. ovalis* Shmeleva and *O. bathyalis* Shmeleva from the Mediterranean. *Cahiers de Biologie Marine* 46(2):161-210.
- Böttger-Schnack, R. & D. Schnack. 2005. Population structure and fecundity of the microcopepod *Oncaea bispinosa* in the Red Sea - a challenge to general concepts for the scaling of fecundity. *Marine Ecology Progress Series* 302:159-175.
- Bowman, J.P. & D.S. Nichols. 2005. Novel members of the family Flavobacteriaceae from Antarctic maritime habitats including *Subsaximicrobium wynnwilliamsii* gen. nov., sp. nov., *Subsaximicrobium saxinquilinus* sp. nov., *Subsaxibacter broadyi* gen. nov., sp. nov., *Lacinutrix copepodicola* gen. nov., sp. nov., and novel species of the genera *Bizionia*, *Gelidibacter* and *Gillisia*.

- International Journal of Systematics Evolution and Microbiology 55(Pt 4):1471-1486.
- Boxshall, G.A. & J.-L. Justine. 2005. A new genus of parasitic copepod (Siphonostomatoida: Caligidae) from the razorback scabbardfish, *Assurger anzac* (Trichiuridae) off New Caledonia. *Folia Parasitologica* 52(4):349-358.
- Boxshall, G.A. & A. Marchenkov. 2005. A new genus of notodelphyid copepod (Crustacea, Copepoda, Cyclopoida) from a compound ascidian host collected in the Suez Canal. *Zoosystema* 27(3):483-498.
- Bradford-Grieve, J.M. 2005. New species of benthopelagic copepod *Xantharus* (Calanoida: Scolecitrichidae) from the upper slope, eastern central New Zealand. *New Zealand Journal of Marine and Freshwater Research* 39(4):941-949.
- Brandl, Z. 2005. Freshwater copepods and rotifers: predators and their prey. *Hydrobiologia* 546(1):475-489.
- Brenner, W.W. 2005. Holocene environmental history of the Gotland Basin (Baltic Sea) — a micropalaeontological model. *Palaeogeography, Palaeoclimatology, Palaeoecology* 220(4):227-241.
- Brickle, P., K. MacKenzie & A. Pike. 2005. Parasites of the Patagonian toothfish, *Dissostichus eleginoides* Smitt 1898, in different parts of the Subantarctic. *Polar Biology* 28(9):663-671.
- Brooks, K. 2005. The effects of water temperature, salinity, and currents on the survival and distribution of the infective copepodid stage of sea lice (*Lepeophtheirus salmonis*) originating on Atlantic salmon farms in the Broughton Archipelago of British Columbia, Canada. *Reviews in Fisheries Science* 13(3):177-204.
- Brown, R.J., S.D. Rundle, T.H. Hutchinson, T.D. Williams & M.B. Jones. 2005. A microplate freshwater copepod bioassay for evaluating acute and chronic effects of chemicals. *Environmental Toxicology and Chemistry* 24(6):1528-1531.
- Brucet, S., D. Boix, R. López-Flores, A. Badosa & X.D. Quintana. 2005. Ontogenic changes of amino acid composition in planktonic crustacean species. *Marine Biology* 148(1):131-139.
- Bruno, M.C. & S.A. Perry. 2005. Temporal and spatial variations in copepod (Crustacea) communities in groundwater in the Rocky Glades of Everglades National Park (Florida, USA). *Journal of Freshwater Ecology* 20(1):27-36.
- Bruno, M.C., J.W. Reid & S.A. Perry. 2005. A list and identification key for the freshwater, free-living copepods of Florida (U.S.A.). *Journal of Crustacean Biology* 25(3):384-400.
- Budy, P., T. Haddix & R. Schneidervin. 2005. Zooplankton size selection relative to gill raker spacing in rainbow trout. *Transactions of the American Fisheries Society* 134(5):1228-1235.
- Buhl-Mortensen, L. & P.B. Mortensen. 2005. Distribution and diversity of species associated with deep-sea gorgonian corals off Atlantic Canada. Pp. 849-879 In: Freiwald, A. & J.M. Roberts (eds.). *Cold-water Corals and Ecosystems*. Springer-Verlag, Berlin, Heidelberg. 1243 pp.
- Bulgakov, N.G. & V.N. Maximov. 2005. Determination analysis as a tool to investigate the contingencies of various components of biocenosis. *Biology Bulletin* 32(3):268-275. [Translated from *Izvestiya Akademii Nauk, Seriya Biologicheskaya* 32(3):327-335.]
- Bundy, M.H., H.A. Vanderploeg, P.J. Lavrentyev & P.A. Kovalcik. 2005. The importance of microzooplankton versus phytoplankton to copepod populations during late winter and early spring in Lake Michigan. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(10):2371-2385.
- Burdick, A. 2005. *Out of Eden: An Odyssey of Ecological Invasion*. Farrar, Straus and Giroux, New York. ISBN-13: 978-0-374-21973-4
- Burgess, R., J. Sharma, R.S. Carr & P. Montagna. 2005. Assessment of storm water outfalls in Corpus Christi Bay, Texas, USA using meiofauna. *Meiofauna Marina* 14:157-169.
- Bushula, T., E. A. Pakhomov, S. Kaehler, S. Davis & R.M. Kalin. 2005. Diet and daily ration of two nototheniid fish on the shelf of the sub-Antarctic Prince Edward Islands. *Polar Biology* 28(8):585-593.
- Buskey, E.J. 2005. Behavioral characteristics of copepods that affect their suitability as food for larval fishes. Pp. 91-106 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Butler, H., A. Atkinson & M. Gordon. 2005. Omnivory and predation impact of the calanoid copepod *Boeckella poppei* in a maritime Antarctic lake. *Polar Biology* 28(11):815-821.
- Butterworth, K.G., J.D. Ronquillo & R.S. McKinley. 2005. Simplified illustrated sea lice identification guide for *Lepeophtheirus salmonis* and *Caligus clemensi* in British Columbia, Canada. *Aquaculture Association of Canada Special Publication* 9:101-103.
- Byström, P. & J. Andersson. 2005. Size-dependent foraging capacities and intercohort competition in an ontogenetic omnivore (Arctic char). *Oikos* 110(3):523-536.
- Cáceres-Martínez, C., J. Chávez-Villalba & L. Garduño-Méndez. 2005. First record of *Pseudomyicola spinosus* in *Argopecten ventricosus* in Baja California, Mexico. *Journal of Invertebrate Pathology* 89(2):95-100.
- Calles, A., M. Vincx, P. Cornejo & J. Calderón. 2005. Patterns of meiofauna (especially nematodes) in physical disturbed Ecuadorian sandy beaches. *Meiofauna Marina* 14:121-129.
- Calliari, D. & P. Tiselius. 2005. Feeding and reproduction in a small calanoid copepod: *Acartia clausi* can compensate quality with quantity. *Marine Ecology Progress Series* 298:241-250.

- Capitanio, F.L., M. Pájaro & G.B. Esnal. 2005. Appendicularians: an important food supply for the Argentine anchovy *Engraulis anchoita* in coastal waters. *Journal of Applied Ichthyology* 21(5):414-419.
- Caquet, T., L. Deydier-Stephan, G. Lacroix, B. Le Rouzic & F. Lescher-Moutoué. 2005. Effects of fomesafen, alone and in combination with an adjuvant, on plankton communities in freshwater outdoor pond mesocosms. *Environmental Toxicology and Chemistry* 24(5):1116-1124.
- Carl, T. & S. Blumenshine. 2005. Relationships among vernal pool invertebrate assemblages with habitat morphology and distribution. *BIOS* 76(3):145-152.
- Carotenuto, Y., T. Wichard, G. Pohnert & W. Lampert. 2005. Life-history responses of *Daphnia pulicaria* to diets containing freshwater diatoms: effects of nutritional quality versus polyunsaturated aldehydes. *Limnology and Oceanography* 50(2):449-454.
- Carseldine, L. & I.R. Tibbetts. 2005. Dietary analysis of the herbivorous hemiramphid *Hyporhamphus regularis ardelio*: an isotopic approach. *Journal of Fish Biology* 66(6):1589-1600.
- Carvalho, F.M.V., F.A.S. Fernandez & J.L. Nessimian. 2005. Food habits of sympatric opossums coexisting in small Atlantic Forest fragments in Brazil. *Mammalian Biology / Zeitschrift für Säugetierkunde* 70(6):366-375.
- Castilla, J.C., M. Uribe, N. Bahamonde, M. Clarke, R. Desqueyroux-Faúndez, I. Kong, H. Moyano, N. Rozbaczylo, B. Santelices, C. Valdovinos & P. Zavala. 2005. Down under the southeastern Pacific: marine non-indigenous species in Chile. *Biological Invasions* 7:213-232.
- Casu, D., G. Ceccherelli, A. Castelli & M. Curini Galletti. 2005. Impact of experimental trampling on meiofauna inhabiting rocky upper infralittoral bottoms at the Asinara Island Marine Protected Area (NW Mediterranean). *Meiofauna Marina* 14:183-187.
- Cellini, L., E. Di Campli, R. Grande, S. Di Bartolomeo, M. Prenna, M.S. Pasquantonio & L. Pane. 2005. Detection of *Helicobacter pylori* associated with zooplankton. *Aquatic Microbial Ecology* 40:115-120.
- Cervantes-Martínez, A., M. Elías-Gutiérrez, M. Gutiérrez-Aguirre & A. Kotov. 2005. Ecological remarks on *Mastigodiptomus nesus* Bowman, 1986 (Copepoda: Calanoida) in a Mexican karstic sinkhole. *Hydrobiologia* 542(1):95-102.
- Champalbert, G., M. Pagano, B. Kouamé & V. Riandey. 2005. Zooplankton spatial and temporal distribution in a tropical oceanic area off West Africa. *Hydrobiologia* 548(1):251-265.
- Chang, K.-H. & T. Hanazato. 2005. Impact of selective predation by *Mesocyclops pehpeiensis* on a zooplankton community: experimental analysis using mesocosms. *Ecological Research* 20(6):726-732.
- Chang, K.-H., T. Hanazato, G. Ueshima & H. Tahara. 2005. Feeding habit of pond smelt (*Hypomesus transpacificus nipponensis*) and its impact on the zooplankton community in Lake Suwa, Japan. *Journal of Freshwater Ecology* 20(1):128-138.
- Chang, M.X., P. Nie, G.Y. Liu, Y. Song & Q. Gao. 2005. Identification of immune genes in grass carp *Ctenopharyngodon idella* in response to infection of the parasitic copepod *Sinergasilus major*. *Parasitology Research* 96(4):224-229.
- Chen, C.Y. & C.L. Folt. 2005. High plankton densities reduce mercury biomagnification. *Environmental Science and Technology* 39(1):115-121.
- Chesney, E.J. 2005. Copepods as live prey: a review of factors that influence the feeding success of marine fish larvae. Pp. 133-150 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Chiba, S. 2005. The Odate Project: phenological change in the Oyashio copepod communities for 1960-2002. *GLOBEC International Newsletter* 11(1):11-12.
- Choi, K.-H., W. Kimmerer, G. Smith, G.M. Ruiz & K. Lion. 2005. Post-exchange zooplankton in ballast water of ships entering the San Francisco Estuary. *Journal of Plankton Research* 27(7):707-714.
- Chertoprud, E.S., A.I. Azovsky & F.V. Sapozhnikov. 2005. Colonization of azoic sediments of different grain-size composition by littoral Harpacticoida: Copepoda. *Oceanology/Okeanologiya* 45(5):698-706.
- Christen, M. & M. Milinski. 2005. The optimal foraging strategy of its stickleback host constrains a parasite's complex life cycle. *Behaviour* 142(7):979-996.
- Chu, D. & P.H. Wiebe. 2005. Measurements of sound-speed and density contrasts of zooplankton in Antarctic waters. *ICES Journal of Marine Science* 62(4):818-831.
- Clarke, L.R., D.T. Vidergar & D.H. Bennett. 2005. Stable isotopes and gut content show diet overlap among native and introduced piscivores in a large oligotrophic lake. *Ecology of Freshwater Fish* 14(3):267-277.
- Cohen, J.H. & R.B. Forward, Jr. 2005. Diel vertical migration in the marine copepod *Calanopia americana*. I. Twilight DVM and its relationship to the diel light cycle. *Marine Biology* 147(2):387-398.
- Cohen, J.H. & R.B. Forward, Jr. 2005. Diel vertical migration in the marine copepod *Calanopia americana*. II. Proximate role of exogenous light cues and endogenous rhythms. *Marine Biology* 147(2):399-410.
- Cohen, J.H. & R.B. Forward, Jr. 2005. Photobehavior as an inducible defense in the marine copepod *Calanopia americana*. *Limnology and Oceanography* 50(4):1269-1277.
- Conway, D.V.P. 2005. Island-coastal and oceanic epipelagic zooplankton biodiversity in the southwestern Indian Ocean. *Indian Journal of Marine Sciences* 34(1):50-56.
- Cordeiro, A.S. & J.L. Luque. 2005. Aspectos quantitativos dos metazoários parasitos do sargo-de-dente, *Archosargus rhomboidalis* (Linnaeus, 1758) (Osteichthyes: Sparidae), do litoral do Estado do Rio de

- Janeiro, Brasil. (Quantitative aspects of the metazoan parasites of sea bream, *Archosargus rhomboidalis* (Linnaeus, 1758) (Osteichthyes: Sparidae), from the coastal zone of the Rio de Janeiro, Brazil.) *Revista Brasileira de Zoociências*, Juiz de Fora 7(1):7-14. [In Portuguese; abstract in English.]
- Cornils, A., S.B. Schnack-Schiel, W. Hagen, M. Dowidar, N. Stambler, O. Plähn & C. Richter. 2005. Spatial and temporal distribution of mesozooplankton in the Gulf of Aqaba and the northern Red Sea in February/March 1999. *Journal of Plankton Research* 27(6):505-518.
- Corrêa, C.E., P.T. Chaves & P.R.B. Guimarães. 2005. Biology of *Chirocentrodon bleekermanus* (Poeey, 1867) (Clupeiformes: Pristigasteridae) in a continental shelf region of southern Brazil. *Brazilian Archives of Biology and Technology* 48(3):419-427.
- Costa, R.M. da, J. Franco, E. Cacho & F. Fernández. 2005. Toxin content and toxic effects of the dinoflagellate *Gyrodinium corsicum* (Paulmier) on the ingestion and survival rates of the copepods *Acartia grani* and *Euterpina acutifrons*. *Journal of Experimental Marine Biology and Ecology* 322(2):177-183.
- Coyle, K.O. 2005. Zooplankton distribution, abundance and biomass relative to water masses in eastern and central Aleutian Island passes. *Fisheries Oceanography* 14(Supplement 1):77-92.
- Dahms, H.-U. 2005. Book review: *Aquatic Ecology of Ricefields*. *Limnology* 6(2):137-138.
- Dahms, H.-U. & P.Y. Qian. 2005. Exposure of biofilms to meiofaunal copepods affects the larval settlement of *Hydroides elegans* (Polychaeta). *Marine Ecology Progress Series* 297:203-214.
- Dahms, H.-U., N.V. Schizas & T.C. Shirley. 2005. Naupliar evolutionary novelties of *Stenhelia peniculata* (Copepoda, Harpacticoida) from Alaska affirming taxa belonging to different categorical rank. *Invertebrate Zoology* 2 (1):1-14.
- Damkaer, D.M. & O.J. Merrington. 2005. William Harold Leigh-Sharpe (1881-1950), teacher and copepodologist. *Journal of Crustacean Biology* 25(3):521-528.
- Das, B.K. & N. Das. 2005. Impacts of quicklime (CaO) on the toxicity of copper (CuSO₄, 5H₂O) to fish and fish food organisms. *Chemosphere* 61(2):186-191.
- Datry, T., F. Malard & J. Gibert. 2005. Response of invertebrate assemblages to increased groundwater recharge rates in a phreatic aquifer. *Journal of the North American Benthological Society* 24(3):461-477.
- Dauvin, J.-C. & N. Desroy. 2005. The food web in the lower part of the Seine estuary: a synthesis of existing knowledge. *Hydrobiologia* 540(1-3):13-27.
- David, V., B. Sautour, P. Chardy & M. Leconte. 2005. Long-term changes of the zooplankton variability in a turbid environment: the Gironde estuary (France). *Estuarine, Coastal and Shelf Science* 64(2-3):171-184.
- Davis, C.S., F.T. Thwaites, S.M. Gallager & Q. Hu. 2005. A three-axis fast-tow digital video plankton recorder for rapid surveys of plankton taxa and hydrography. *Limnology and Oceanography Methods* 3:59-74.
- DeBiase, A. & B. Taylor. 2005. Microcrustaceans (Branchiopoda and Copepoda) of Wetland Ponds and Impoundments on the Savannah River Site, Aiken, South Carolina. Savannah River Site National Environmental Research Park Program Publication SRO-NERP-28. Pp. 1-32.
- Declerck, S., J. Vandekerckhove, L. Johansson, K. Muylaert, J.M. Conde-Porcuna, K. Van der Gucht, C. Pérez-Martínez, T. Lauridsen, K. Schwenk, G. Zwart, W. Rommens, J. López-Ramos, E. Jeppesen, W. Vyverman, L. Brendonck & L. De Meester. 2005. Multi-group biodiversity in shallow lakes along gradients of phosphorus and water plant cover. *Ecology* 86:1905-1915.
- De los Ríos, P. 2005. Survival of pigmented freshwater zooplankton, exposed to artificial ultraviolet radiation and two levels of dissolved organic carbon. *Polish Journal of Ecology* 53(1):113-116.
- De los Ríos, P. & P. Contreras. 2005. Salinity level and occurrence of centropagid copepods (Crustacea, Copepoda, Calanoida) in shallow lakes in Andes Mountains and Patagonian Plains, Chile. *Polish Journal of Ecology* 53(3):445-450.
- De los Ríos, P. & D. Soto. 2005. Survival of two species of crustacean zooplankton under two chlorophyll concentrations and protection from or exposure to natural ultraviolet radiation. *Crustaceana* 78(2):163-169.
- Derengovskaya, R.A. & A.P. Ostapenya. 2005. Zooplankton accumulation in sediment traps and the evaluation of the settling matter flux. *Doklady of the National Academy of Sciences of Belarus / Doklady Natsionalnoi Akademii Nauk Belarusi* 49(2):62-68.
- De Robertis, A., C.A. Morgan, R.A. Schabetsberger, R.W. Zabel, R.D. Brodeur, R.L. Emmett, C.M. Knight, G.K. Krutzikowsky & E. Casillas. 2005. Columbia River plume fronts. II. Distribution, abundance, and feeding ecology of juvenile salmon. *Marine Ecology Progress Series* 299:33-44.
- De Troch, M., M.B. Steinarssdóttir, V. Chepurnov & E. Ólafsson. 2005. Grazing on diatoms by harpacticoid copepods: species-specific density-dependent uptake and microbial gardening. *Aquatic Microbial Ecology* 39:135-144.
- De Troch, M., L. Vandepitte, M. Raes, E. Suárez-Morales & M. Vincx. 2005. A field colonization experiment with meiofauna and seagrass mimics: effect of time, distance and leaf surface area. *Marine Biology* 148(1):73-86.
- Dias, C.O. 2005. Taxonomy and geographic distribution of the Monstrilloida (Copepoda Crustacea) from the South Occidental Atlantic. *Biota Neotropica* 5(2). <http://www.biotaneotropica.org.br/v5n2/en/abstract?thesi+s+BN02005022005>. [Thesis abstract.]
- Di Lorenzo, T., D. Cipriani, P. Bono, L. Rossini, P. De Laurentiis, B. Fiasca, C. Pantani & D.M.P. Galassi.

2005. Dynamics of ground water copepod assemblages from Mazzocolo karstic spring (central Italy). *Meiofauna Marina* 14:97-103.
- Domínguez, A., M. Ferreira, P. Coutinho, J. Fábregas & A. Otero. 2005. Delivery of astaxanthin from *Haematococcus pluvialis* to the aquaculture food chain. *Aquaculture* 250(1-2):424-430.
- Donali, E., P. Brettum, Ø. Kaste, J.E. Løvik, A. Lyche-Solheim, & T. Andersen. 2005. Pelagic response of a humic lake to three years of phosphorus addition. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(2):322-332.
- Drake, J.M., D.M. Lodge & M. Lewis. 2005. Theory and preliminary analysis of species invasions from ballast water: controlling discharge volume and location. *The American Midland Naturalist* 154(2):459-470.
- Dubovskaya, O.P., E.P. Klimova, V.I. Kolmakov, N.A. Gaevsky & E.A. Ivanova. 2005. Seasonal dynamic of phototrophic epibionts on crustacean zooplankton in a eutrophic reservoir with cyanobacterial bloom. *Aquatic Ecology* 39(2):167-180.
- Duggan, I.C., C.D.A. van Overdijk, S.A. Bailey, P.T. Jenkins, H. Limén & H.J. MacIsaac. 2005. Invertebrates associated with residual ballast water and sediments of cargo-carrying ships entering the Great Lakes. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(11):2463-2474.
- Dumont, H. & J. Green. 2005. *Eodiaptomus indawgyi* n. sp., a pelagic calanoid copepod presumed endemic to ancient Lake Indawgyi, Myanmar. *Hydrobiologia* 533(1-3):41-44.
- Dürbaum, J. 2005. Copepoden züchten - warum? Breeding of copepods - why? *Koralle* 6(4):36-39. [In German.]
- Dutta, T.K. 2005. Origin, occurrence, and biodegradation of long-side-chain alkyl compounds in the environment: a review. *Environmental Geochemistry and Health* 27(3):271-284.
- Dutz, J., W.C.M. Klein Breteler & G. Kramer. 2005. Inhibition of copepod feeding by exudates and transparent exopolymer particles (TEP) derived from a *Phaeocystis globosa* dominated phytoplankton community. *Harmful Algae* 4(5):929-940.
- Engström-Öst, J., M. Lehtiniemi, S.H. Jónasdóttir & M. Viitasalo. 2005. Growth of pike larvae (*Esox lucius*) under different conditions of food quality and salinity. *Ecology of Freshwater Fish* 14(4):385-393.
- Escobar-Briones, E. & S. Tamez-Cruz. 2005. El papel de la exportación de carbono biogénico sobre los patrones de distribución de crustáceos meiofaunales batiales: cuenca de Santa Cruz y depresión de San Diego. [The role of export of biogenic carbon in the distribution patterns of bathyal meiofaunal crustaceans: Santa Cruz Basin and San Diego Trench.] Pp. 99-116 In: Hendrickx R., M.E. (ed.). *Contributions to the Study of East Pacific Crustaceans. Contribuciones al Estudio de los Crustáceos del Pacífico Este*. Vol. 3. Instituto de Ciencias del Mar y Limnología, Unidad Académica Mazatlán, Mazatlán. 245 pp. [In Spanish.]
- Fabian, H., R. Koppelman & H. Weikert. 2005. Full-depths zooplankton composition at two deep sites in the western and central Arabian Sea. *Indian Journal of Marine Sciences* 34(2):174-187.
- Fallang, A., I. Denholm, T.E. Horsberg & M.S. Williamson. 2005. Novel point mutation in the sodium channel gene of pyrethroid-resistant sea lice *Lepeophtheirus salmonis* (Crustacea: Copepoda). *Diseases of Aquatic Organisms* 65:129-136.
- Faraponova, O., D. De Pascale, F. Onorati & M.G. Finoia. 2005. *Tigriopus fulvus* (Copepoda, Harpacticoida) as a target species in biological assays. *Meiofauna Marina* 14:91-95.
- Fejes, E., D. Roelke, G. Gable, J. Heilman, K. McInnes & D. Zuberer. 2005. Microalgal productivity, community composition, and pelagic food web dynamics in a subtropical, turbid salt marsh isolated from freshwater inflow. *Estuaries* 28(1):96-107.
- Fellis, K.J. & G.W. Esch. 2005. Autogenic-allogenic status affects interpond community similarity and species area relationship of macroparasites in the bluegill sunfish, *Lepomis macrochirus*, from a series of freshwater ponds in the piedmont area of North Carolina. *Journal of Parasitology* 91(4):764-767.
- Ferrari, F.D. & V.N. Ivanenko. 2005. Copepodid stages of *Euryte longicauda* (Cyclopoida, Cyclopidae, Euryteinae) from the White Sea associated with the bryozoan *Flustra foliacea*. *Journal of Crustacean Biology* 25(3):353-374.
- Ferrari, F.D. & E.L. Markhaseva. 2005. Three new species of *Tharybis* (Crustacea: Copepoda: Calanoida: Tharybidae) from benthopelagic waters of the Pacific Ocean. *Plankton Biology and Ecology* 52(1):33-47.
- Ferrari, F.D. & H. Ueda. 2005. Development of leg 5 of copepods belonging to the calanoid superfamily Centropagoidea (Crustacea). *Journal of Crustacean Biology* 25(3):333-352.
- Fiege, D. & H.-U. Dahms. 2005. *Marine Plankton*. IWF Wissen und Medien gGmbH, Göttingen, Germany. DVD-ROM.
- Fileman, E.S. & R.J.G. Leakey. 2005. Microzooplankton dynamics during the development of the spring bloom in the north-east Atlantic. *Journal of the Marine Biological Association of the United Kingdom* 85(4):741-753.
- Fischer, L. 2005. Der Einfluss der Großen Meteorbank auf die Ernährungsbiologie und Verteilung dominanter Calanoida (Crustacea, Copepoda). [The impact of the Great Meteor Seamount on the feeding biology and the distribution of dominant Calanoida (Crustacea, Copepoda).] Alfred-Wegener-Institut für Polar- und Meeresforschung, Bremerhaven VI, 180 pp. (Berichte zur Polar- und Meeresforschung, ISSN 1618-3193 ; 499).

- Fleeger, J.W. 2005. The potential to mass-culture harpacticoid copepods for use as food for larval fish. Pp. 11-24 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). Copepods in Aquaculture. Blackwell Publishing, Oxford, U.K. 352 pp.
- Fossheim, M., M. Zhou, K. S. Tande, O.-P. Pedersen, Y. Zhu & A. Edvardsen. 2005. Interactions between biological and environmental structures along the coast of northern Norway. Marine Ecology Progress Series 300:147-158.
- Frangoulis, C., E.D. Christou & J.H. Hecq. 2005. Comparison of marine copepod outfluxes: nature, rate, fate and role in the carbon and nitrogen cycles. Advances in Marine Biology 47:254-309.
- Frank, K.T., B. Petrie, J.S. Choi & W.C. Leggett. 2005. Trophic cascades in a formerly cod-dominated ecosystem. Science 308:1621-1623.
- Frimpong, E.A. & S.E. Lochmann. 2005. Mortality of fish larvae exposed to varying concentrations of cyclopoid copepods. North American Journal of Aquaculture 67(1):66-71.
- Frost, B.W. 2005. Editorial: Diatom blooms and copepod responses: Paradigm or paradox? Progress in Oceanography 67(3-4):283-285.
- Fulmer, J.H. & S.M. Bollens. 2005. Responses of the chaetognath, *Sagitta elegans*, and larval Pacific hake, *Merluccius productus*, to spring diatom and copepod blooms in a temperate fjord (Dabob Bay, Washington, USA). Progress in Oceanography 67(3-4):442-461.
- Galbraith, M. 2005. Identification of larval stages of *Caligus clemensi* and *Lepeophtheirus salmonis* from the Broughton Archipelago. Canadian Technical Report of Fisheries and Aquatic Sciences 548:1-21.
- Gannefors, C., M. Böer, G. Kattner, M. Graeve, K. Eiane, B. Gulliksen, H. Hop & S. Falk-Petersen. 2005. The Arctic sea butterfly *Limacina helicina*: lipids and life strategy. Marine Biology 147(1):169-177.
- Geffard, O., A. Geffard, H. Budzinski, C. Crouzet, R. Menasria, J. Amiard & C. Amiard-Triquet. 2005. Mobility and potential toxicity of sediment-bound metals in a tidal estuary. Environmental Toxicology 20(4):407-417.
- Geinrikh, A.K. 2005. Features of the distribution and development of the common copepods *Neocalanus flemingeri* and *Neocalanus plumchrus* in the northwestern part of the Bering Sea. Oceanology/Okeanologiya 45(3):391-398.
- Geng, H., P. Xie, D. Beng & Q. Zhou. 2005. The rotifer assemblage in a shallow, eutrophic Chinese lake and its relationships with cyanobacterial blooms and crustacean zooplankton. Journal of Freshwater Ecology 20(1):93-100.
- Genna, R.L., W. Mordue, A.W. Pike & A.J. Mordue (Luntz). 2005. Light intensity, salinity, and host velocity influence presettlement intensity and distribution on hosts by copepodids of sea lice, *Lepeophtheirus salmonis*. Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques 62(12):2675-2682.
- George, K.H. & P. Martínez-Arbizu. Discovery of Superornatiremidae Huys (Copepoda, Harpacticoida) outside anchialine caves, with the description of *Gideonia noncavernicola* gen. et sp. nov. from the Patagonian continental slope (Chile). Meiofauna Marina 14:75-89.
- George, K.H. & H.K. Schminke. 2005. Harpacticoida (Crustacea, Copepoda) of the Great Meteor Seamount, with first conclusions as to the origin of the plateau fauna. Marine Biology 147(2):571. [Erratum.]
- Gerecke, R., F. Stoch, C. Meisch & I. Schrankel. 2005. Die Fauna der Quellen und des hyporheischen Interstitials in Luxemburg: Unter besonderer Berücksichtigung der Milben (Acari), Muschelkrebse (Ostracoda) und Ruderfusskrebse (Copepoda). Ferrantia, Travaux scientifiques du Musée national d'histoire naturelle 41:1-134.
- Gheskiere, T., M. Vincx, J.M. Weslawski, F. Scapini & S. Degraer. 2005. Meiofauna as descriptor of tourism-induced changes at sandy beaches. Marine Environmental Research 60(2):245-265.
- Gillooly, J.F., A.P. Allen, J.H. Brown, J.J. Elser, C. Martínez del Río, V.M. Savage, G.B. West, W.H. Woodruff & H.A. Woods. 2005. The metabolic basis of whole-organism RNA and phosphorus content. Proceedings of the National Academy of Sciences 102(33):11923-11927.
- Gilmanov, A. & F. Sotiropoulos. 2005. A hybrid Cartesian/immersed boundary method for simulating flows with 3D, geometrically complex, moving bodies. Journal of Computational Physics 207(2):457-492.
- Gómez, S. 2005. New species of *Cletocamptus* and a new and fully illustrated record of *C. sinaloensis* (Copepoda: Harpacticoida) from Brazil. Journal of Natural History 39(34):3101-3135.
- González, M.T. & C.A. Moreno. 2005. The distribution of the ectoparasite fauna of *Sebastes capensis* from the southern hemisphere does not correspond with zoogeographical provinces of free-living marine animals. Journal of Biogeography 32(9):1539-1547.
- González, M.T. & R. Poulin. 2005. Nested patterns in parasite component communities of a marine fish along its latitudinal range on the Pacific coast of South America. Parasitology 131(4):569-577.
- González, M.T. & R. Poulin. 2005. Spatial and temporal predictability of the parasite community structure of a benthic marine fish along its distributional range. International Journal for Parasitology 35(13):1369-1377.
- Gophen, M. 2005. Seasonal rotifer dynamics in the long-term (1969-2002) record from Lake Kinneret (Israel). Hydrobiologia 546(1):433-450.
- Gordina, A.D., Ju.A. Zagorodnyaya, A.E. Kideys, L. Bat & H.H. Satilmis. 2005. Summer ichthyoplankton, food

- supply of fish larvae and impact of invasive ctenophores on the nutrition of fish larvae in the Black Sea during 2000 and 2001. *Journal of the Marine Biological Association of the United Kingdom* 85:537-548.
- Gorokhova, E., S. Hansson, H. Hoglander & C.M. Andersen. 2005. Stable isotopes show food web changes after invasion by the predatory cladoceran *Cercopagis pengoi* in a Baltic Sea bay. *Oecologia* 143(2):251-259.
- Grabowska, J. & M. Grabowski. 2005. Diel-feeding activity in early summer of racer goby *Neogobius gymnotrachelus* (Gobiidae): a new invader in the Baltic basin. *Journal of Applied Ichthyology* 21(4):282-286.
- Gradinger, R.R., K. Meiners, G. Plumley, Q. Zhang & B.A. Bluhm. 2005. Abundance and composition of the sea-ice meiofauna in off-shore pack ice of the Beaufort Gyre in summer 2002 and 2003. *Polar Biology* 28(3):171-181.
- Gregson, M.A., & D.J. Booth. 2005. Zooplankton patchiness and the associated shoaling response of the temperate reef fish *Trachinops taeniatus*. *Marine Ecology Progress Series* 299:269-275.
- Grishanin, A.K. & A.P. Akif'ev. 2005. [The peculiarities of the radiation mutagenesis of *Cyclops kolensis* and *Cyclops insignis* (Crustacea, Copepoda).] *Radiatsionnaya Biologiya Radioecologiya* 45(3):294-298. [In Russian.]
- Grishanin, A.K., E.M. Rasch, S.I. Dodson & G.A. Wyngaard. 2005. Variability in genetic architecture of the cryptic species complex of *Acanthocyclops vernalis* (Copepoda) I. Evidence from karyotypes, genome size, and ribosomal DNA sequences. *Journal of Crustacean Biology* 25(3):375-383.
- Gueda, D.L., R.W. Koch, J.D. Jack & P.A. Bukaveckas. 2005. Experimental evidence for density-dependent effects and the importance of algal production in determining population growth rates of riverine zooplankton. *River Research and Applications* 21(6):595-608.
- Gumiri, S.A., L. Wulandari, T. Buchar & T. Iwakuma. 2005. Seasonal dynamics of zooplankton communities in interconnected tropical swamp lake ecosystems. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 29(1):179-184.
- Gustafson, L.L., S.K. Ellis & C.A. Bartlett. 2005. Using expert opinion to identify risk factors important to infectious salmon-anemia (ISA) outbreaks on salmon farms in Maine, USA and New Brunswick, Canada. *Preventive Veterinary Medicine* 70(1-2):17-28.
- Gutiérrez-Galindo, J.F. & M.I. Lacasa-Millán. 2005. Population dynamics of *Lernaea cyprinacea* L (Crustacea: Copepoda) on four cyprinid species. *Diseases of Aquatic Organisms* 67:111-114.
- Gwyther, J. 2005. The effect of grazing gastropods on meiofaunal colonisation of pneumatophores in a temperate mangrove. *Meiofauna Marina* 14:171-181.
- Gyllström, M., L.-A. Hansson, E. Jeppesen, F. García-Criado, E. Gross, K. Irvine, T. Kairesalo, R. Kornijow, M.R. Miracle, M. Nykänen, T. Nöges, S. Romo, D. Stephen, E. Van Donk & B. Moss. 2005. The role of climate in shaping zooplankton communities of shallow lakes. *Limnology and Oceanography* 50(6):2008-2021.
- Hahn, H.J. 2005. Unbaited phreatic traps: A new method of sampling stygofauna. *Limnologica - Ecology and Management of Inland Waters* 35(4):248-261.
- Hahn, H.J. & D. Matzke. 2005. A comparison of stygofauna communities inside and outside groundwater bores. *Limnologica - Ecology and Management of Inland Waters* 35(1-2):31-44.
- Hairston, N.G., S.P. Ellner, M.A. Geber, T. Yoshida & J.A. Fox. 2005. Rapid evolution and the convergence of ecological and evolutionary time. *Ecology Letters* 8(10):1114-1127.
- Hakalahti, T., M. Bandilla & E.T. Valtonen. 2005. Delayed transmission of a parasite is compensated by accelerated growth. *Parasitology* 131(5):647-656.
- Halsband-Lenk, C. 2005. *Metridia pacifica* in Dabob Bay, Washington: The diatom effect and the discrepancy between high abundance and low egg production rates. *Progress in Oceanography* 67(3-4):422-441.
- Halsband-Lenk, C., J.J. Pierson & A.W. Leising. 2005. Reproduction of *Pseudocalanus newmani* (Copepoda: Calanoida) is deleteriously affected by diatoms – A field study. *Progress in Oceanography* 67(3-4):332-348.
- Hamilton, A.J., W. Robinson, I.R. Taylor & B.P. Wilson. 2005. The ecology of sewage treatment gradients in relation to their use by waterbirds. *Hydrobiologia* 534(1-3):91-108.
- Hamilton, S.J. 2005. Commentary: selenium study on endangered razorback sucker is flawed. *Ecotoxicology and Environmental Safety* 61(3):313-326.
- Hamilton, S.J., K.M. Holley, K.J. Buhl & F.A. Bullard. 2005. Selenium impacts on razorback sucker, Colorado: Colorado River. III. Larvae. *Ecotoxicology and Environmental Safety* 61(2):168-189.
- Hammerschmidt, K. & J. Kurtz. 2005. Evolutionary implications of the adaptation to different immune systems in a parasite with a complex life cycle. *Proceedings in Biological Science* 272(1580):2511-2518.
- Hamre, K., M. Moren, J. Solbakken, I. Opstad & K. Pittman. 2005. The impact of nutrition on metamorphosis in Atlantic halibut (*Hippoglossus hippoglossus* L.). *Aquaculture* 250(3-4):555-565.
- Hansen, B., S.K. Eliassen, E. Gaard & K.M.H. Larsen. 2005. Climatic effects on plankton and productivity on the Faroe Shelf. *ICES Journal of Marine Science* 62(7):1224-1232.
- Hansen, F.C., R.C. Cloete & H.M. Verheye. 2005. Seasonal and spatial variability of dominant copepods along a transect off Walvis Bay (23°S), Namibia. *African Journal of Marine Science* 27(1):55-63.
- Hassett, R.P. & E.L. Crockett. 2005. Does *Acartia hudsonica* exhibit an enzymatic stress response to toxic

- Alexandrium* spp? Bulletin of the Mount Desert Island Biological Laboratory 44:71-73.
- Havel, J.E., C.E. Lee & M.J. Vander Zanden. 2005. Do reservoirs facilitate invasions into landscapes? *BioScience* 55(6):518-525.
- Hays, G.C., A.J. Richardson & C. Robinson. 2005. Climate change and marine plankton. *Trends in Ecology & Evolution* 20(6):337-344.
- Head, E.J.H., D. Brickman & L.R. Harris. 2005. An exceptional haddock year-class and unusual environmental conditions on the Scotian Shelf in 1999. *Journal of Plankton Research* 27(6):597-602.
- Heath, M.R. 2005. Changes in the structure and function of the North Sea fish foodweb, 1973–2000, and the impacts of fishing and climate. *ICES Journal of Marine Science* 62(5):847-868.
- Henderson, S., M. Thompson & T.W. Therriault. 2005. Central Coast juvenile herring survey, August 2003. Canadian Manuscript Report of Fisheries and Aquatic Sciences 2710:1-36.
- Hense, B.A., G. Welzl, G.F. Severin & K.W. Schramm. 2005. Nonylphenol induced changes in trophic web structure of plankton analysed by multivariate statistical approaches. *Aquatic Toxicology* 73(2):190-209.
- Hess, S., J.-P. Frahm & I. Theisen. 2005. Evidence of zoophagy in a second liverwort species, *Pleurozia purpurea*. *The Bryologist* 108(2):212-218.
- Heuch, P.A. 2005. Effects of salmon lice on Atlantic salmon. Pp. 374-378 In: Rohde, K. (ed.). *Marine Parasites*. CSIRO Publishing, Collingwood, Victoria, Australia.
- Hidalgo, P., R. Escribano & C.E. Morales. 2005. Ontogenetic vertical distribution and diel migration of the copepod *Eucalanus inermis* in the oxygen minimum zone off northern Chile (20-21°S). *Journal of Plankton Research* 27(6):519-529.
- Hinrichsen, H.-H., J.O. Schmidt, C. Petereit & C. Möllmann. 2005. Survival probability of Baltic larval cod in relation to spatial overlap patterns with their prey obtained from drift model studies. *ICES Journal of Marine Science* 62(5):878-885.
- Hirst, A.G., W.T. Peterson & P. Rothery. 2005. Errors in juvenile copepod growth rate estimates are widespread: problems with the Moulting Rate method. *Marine Ecology Progress Series* 296:263-279.
- Ho, J.-s. 2005. Symbiotic copepods as live feed in marine finfish rearing. Pp. 25-30 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Ho, J.-s. & C. Lin. 2005. Three species of *Naricolax* Ho, Do & Kasahara, 1983 (Copepoda, Bomolochidae) parasitic in the nasal cavities of marine fishes of Taiwan. *Crustaceana* 78(5):599-619.
- Hodgson, J.Y.S. 2005. A trophic cascade synthesis: review of top-down mechanisms regulating lake ecosystems. *BIOS* 76(3):137-144.
- Hoffmann, M.D. & S.I. Dodson. 2005. Land use, primary productivity, and lake area as descriptors of zooplankton diversity. *Ecology* 86(1):255-261.
- Holland, N.D., D.A. Clague, D.P. Gordon, A. Gebruk, D.L. Pawson & M. Vecchione. 2005. 'Lophenteropneust' hypothesis refuted by collection and photos of new deep-sea hemichordates. *Nature* 434:374-376.
- Holzappel, A.M. & R.D. Vinebrooke. 2005. Environmental warming increases invasion potential of alpine lake communities by imported species. *Global Change Biology* 11(11):2009-2015.
- Holzman, R. & A. Genin. 2005. Mechanisms of selectivity in a nocturnal fish: a lack of active prey choice. *Oecologia* 146(2):329-336.
- Holzman, R., M.A. Reidenbach, S.G. Monismith, J.R. Koseff & A. Genin. 2005. Near-bottom depletion of zooplankton over a coral reef II: relationships with zooplankton swimming ability. *Coral Reefs* 24(1):87-94.
- Hopkins, D.R., E. Ruiz-Tiben, P. Downs, P.C. Withers, Jr. & J.H. Maguire. 2005. Dracunculiasis eradication: the final inch. *American Journal of Tropical Medicine and Hygiene* 73:669-675.
- Hopp, U. & G. Maier. 2005. Survival and development of five species of cyclopoid copepods in relation to food supply: experiments with algal food in a flow-through system. *Freshwater Biology* 50(9):1454-1463.
- Horner, R.A., J.R. Postel, C. Halsband-Lenk, J.J. Pierson, G. Pohnert & T. Wichard. 2005. Winter-spring phytoplankton blooms in Dabob Bay, Washington. *Progress in Oceanography* 67(3-4):286-313.
- Hunt, B.P.V. & G.W. Hosie. 2005. Zonal structure of zooplankton communities in the Southern Ocean South of Australia: results from a 2150 km continuous plankton recorder transect. *Deep Sea Research Part I: Oceanographic Research Papers* 52(7):1241-1271.
- Hunt, G.L., Jr. & B.A. Megrey. 2005. Comparison of the biophysical and trophic characteristics of the Bering and Barents Seas. *ICES Journal of Marine Science* 62(7):1245-1255.
- Hunt, G.L., Jr. & P.J. Stabenro. 2005. Oceanography and ecology of the Aleutian Archipelago: spatial and temporal variation. *Fisheries Oceanography* 14 (Supplement 1):292-306.
- Hunt, R.J. & V.F. Matveev. 2005. The effects of nutrients and zooplankton community structure on phytoplankton growth in a subtropical Australian reservoir: An enclosure study. *Limnologia – Ecology and Management of Inland Waters* 35(1-2):90-101.
- Huq, A., R.B. Sack, A. Nizam, I.M. Longini, G. Balakrish Nair, A. Ali, J.G. Morris, Jr., M.N.H. Khan, A.K. Siddique, M. Yunus, M.J. Albert, D.A. Sack & R.R. Colwell. 2005. Critical factors influencing the occurrence of *Vibrio cholerae* in the environment of Bangladesh. *Applied and Environmental Microbiology* 71:4645-4654.

- Huyer, A., J.H. Fleischbein, J. Keister, P.M. Kosro, N. Perlin, R.L. Smith & P.A. Wheeler. 2005. Two coastal upwelling domains in the northern California Current system. *Journal of Marine Research* 63(5):901-929.
- Huys, R., S. Karaytug & V. Cottarelli. 2005. On the synonymy of *Delamarella* Chappuis and *Latiremus* Božić (Copepoda, Harpacticoida, Latiremidae), including the description of *D. obscura* sp. nov. from the Black Sea. *Zoological Journal of the Linnean Society* 145(3):263-281.
- Hyndes, G.A. & P.S. Lavery. 2005. Does transported seagrass provide an important trophic link in unvegetated, nearshore areas? *Estuarine, Coastal and Shelf Science* 63(4):633-643.
- Ianora, A. 2005. Birth-control effects of diatoms on copepod reproduction: implications for aquaculture studies. Pp. 31-48 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- ICES. 2005. Report of the Workshop on the Impact of Zooplankton on Cod Abundance and Production (WKIZC), 7-9 June 2005, ICES Headquarters. ICES CM 2005/C:08. 88 pp.
- Irigoin, X., K.J. Flynn & R.P. Harris. 2005. Phytoplankton blooms: A 'loophole' in microzooplankton grazing impact? *Journal of Plankton Research* 27(4):313-321.
- Irigoin, X., H.M. Verheye, R.P. Harris & D. Harbour. 2005. Effect of food composition on egg production and hatching success rate of two copepod species (*Calanoides carinatus* and *Rhincalanus nasutus*) in the Benguela upwelling system. *Journal of Plankton Research* 27(8):735-742.
- Ishida, T. 2005. *Diacyclops biwensis*, a new cyclopoid copepod (Crustacea) from Lake Biwa, Japan. *Biogeography* 7:51-54.
- Ivanenko, V.N., D. Defaye & R. Huys. 2005. A new species of *Ambilimbus* nom. nov., a replacement name for *Amphicrossus* Huys, 1991 (Copepoda, Cyclopoida, Erebonasteridae), from the Mid-Atlantic Ridge at 36°N (hydrothermal vent site Rainbow). *Marine Biology Research (Formerly Sarsia and Ophelia)* 1(3):233-241.
- Jacobson, L.D. 2005. Essential Fish Habitat Source Document: Longfin inshore squid, *Loligo pealeii*, life history and habitat characteristics. Second Edition. NOAA Technical Memorandum NMFS-NE-193. 52 pp.
- Jahncke, J., K.O. Coyle & G.L. Hunt. 2005. Seabird distribution, abundance and diets in the eastern and central Aleutian Islands. *Fisheries Oceanography* 14(Supplement 1):160-177.
- Jakobsen, H.H., E. Halvorsen, B.W. Hansen & A.W. Visser. 2005. Effects of prey motility and concentration on feeding in *Acartia tonsa* and *Temora longicornis*: the importance of feeding modes. *Journal of Plankton Research* 27(8):775-785.
- Jamieson, C. 2005. Coexistence of two similar copepod species, *Eudiaptomus gracilis* and *E. graciloides*: the role of differential predator avoidance. *Hydrobiologia* 542(1):191-202.
- Jankowski, T., T. Strauss & H.T. Ratte. 2005. Trophic interactions of the freshwater jellyfish *Craspedacusta sowerbii*. [sic] *Journal of Plankton Research* 27(8):811-823.
- Jeppesen, E., J.P. Jensen, M. Søndergaard & T.L. Lauridsen. 2005. Response of fish and plankton to nutrient loading reduction in eight shallow Danish lakes with special emphasis on seasonal dynamics. *Freshwater Biology* 50(10):1616-1627.
- Jerling, H.L. 2005. Zooplankton community changes in Nhlabane estuary, South Africa, induced by man-made structures and drought. *African Journal of Aquatic Science* 30(1):29-36.
- Johnson, B.R. & J.B. Wallace. 2005. Bottom-up limitation of a stream salamander in a detritus-based food web. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(2):301-311.
- Johnsson, R. & E.G. Neves. 2005. A revision of *Metapontius* (Siphonostomatoida: Artotrogidae) with the description of a new species associated with an octocoral from Eniwetok Atoll, Marshall Islands (USA). *Zootaxa* 1035:51-59.
- Kane, J. 2005. The demography of *Calanus finmarchicus* (Copepoda: Calanoida) in the Middle Atlantic Bight, USA 1977 - 2001. *Journal of Plankton Research* 27(5):401-414.
- Kang, H.-K. & Y.J. Kang. 2005. Production of *Acartia steueri* (Copepoda: Calanoida) in Ilkwang Bay, Southeastern Coast of Korea. *Journal of Oceanography* 61(2):327-334.
- Kanou, K., M. Sano & H. Kohno. 2005. Ontogenetic diet shift, feeding rhythm, and daily ration of juvenile yellowfin goby *Acanthogobius flavimanus* on a tidal mudflat in the Tama River estuary, central Japan. *Ichthyological Research* 52(4):319-324.
- Karanovic, T. & Y. Ranga Reddy. 2005. First *Haplocyclops* Kiefer (Crustacea, Copepoda) from Indian subterranean waters: the most reduced free-living cyclopoid. *Annales de Limnologie* 41(2):83-92.
- Karjalainen, M., M. Reinikainen, L. Spoof, J. Meriluoto, K. Sivonen & M. Viitasalo. 2005. Trophic transfer of cyanobacterial toxins from zooplankton to planktivores: consequences for pike larvae and mysid shrimps. *Environmental Toxicology* 20:354-362.
- Kasamatsu, N., T. Odate & M. Fukuchi. 2005. Dimethylsulfide and dimethylsulfoniopropionate production in the Antarctic pelagic food web. *Ocean and Polar Research* 27(2):197-203.
- Kasprzak, P., C. Reese, R. Koschel, M. Schulz, L. Hambaryan & J. Mathes. 2005. Habitat characteristics of *Eurytemora lacustris* (Poppe, 1887) (Copepoda,

- Calanoida): The role of lake depth, temperature, oxygen concentration and light intensity. *International Review of Hydrobiology* 90(3):292-309.
- Kawakami, T. & K. Tachihara. 2005. Diet shift of larval and juvenile landlocked Ryukyu-ayu *Plecoglossus altivelis ryukyuensis* in the Fukuji Reservoir, Okinawa Island, Japan. *Fisheries Science* 71(5):1003-1009.
- Kehayias, G., E. Michaloudi & E. Koutrakis. 2005. Feeding and predation impact of chaetognaths in the north Aegean Sea (Strymonikos and Ierissos Gulfs). *Journal of the Marine Biological Association of the United Kingdom* 85(6):1525-1532.
- Keister, J.E., T.B. Johnson, C.A. Morgan & W.T. Peterson. 2005. Biological indicators of the timing and direction of warm-water advection during the 1997/1998 El Niño off the central Oregon coast, USA. *Marine Ecology Progress Series* 295:43-48.
- Kemp, W.M., W.R. Boynton, J.E. Adolf, D.F. Boesch, W.C. Boicourt, G. Brush, J.C. Cornwell, T.R. Fisher, P.M. Glibert, J.D. Hagy, L.W. Harding, E.D. Houde, D.G. Kimmel, W.D. Miller, R.I.E. Newell, M.R. Roman, E.M. Smith & J.C. Stevenson. 2005. Eutrophication of Chesapeake Bay: historical trends and ecological interactions. *Marine Ecology Progress Series* 303:1-29.
- Kharchenko, T.A. 2005. Biodiversity of the Ponto-Caspian relict fauna in the Danube Basin (Review). *Hydrobiological Journal* 117(2):57-79.
- Kihara, T.C., C.E.F. Rocha & C. Santos. 2005. A new species of *Catinia* Bocquet & Stock, 1957 (Copepoda, Catinidae) associated with mud shrimps, *Axianassa australis* Rodrigues & Shimizu, 1992 (Decapoda, Thalassinidea, Laomediidae), from Brazil. *Zootaxa* 1039:39-55.
- Kimmerer, W.J., N. Ferm, M.H. Nicolini & C. Peñalva. 2005. Chronic food limitation of egg production in populations of copepods of the genus *Acartia* in the San Francisco Estuary. *Estuaries* 28(4):541-550.
- Kjørboe, T. & E. Bagøien. 2005. Motility patterns and mate encounter rates in planktonic copepods. *Limnology and Oceanography* 50(6):1999-2007.
- Kjørboe, T., E. Bagøien & U.H. Thygesen. 2005. Blind dating - mate finding in planktonic copepods. II. The pheromone cloud of *Pseudocalanus elongatus*. *Marine Ecology Progress Series* 300:117-128.
- Kleppel, G.S., S.E. Hazzard & C.A. Burkart. 2005. Maximizing the nutritional values of copepods in aquaculture: managed versus balanced nutrition. Pp. 49-60 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Knopf, K. & F. Holker. 2005. First report of *Philometra obturans* (Nematoda) and *Neoergasilus japonicus* (Copepoda) in Germany. *Acta Parasitologica* 50(3):261-262.
- Knuckey, R.M., G.L. Semmens, R.J. Mayer & M.A. Rimmer. 2005. Development of an optimal microalgal diet for the culture of the calanoid copepod *Acartia sinjiensis*: Effect of algal species and feed concentration on copepod development. *Aquaculture* 249(1-4):339-351.
- Köhler, J., S. Hilt, R. Adrian, A. Nicklisch, H.P. Kozerski & N. Walz. 2005. Long-term response of a shallow, moderately flushed lake to reduced external phosphorus and nitrogen loading. *Freshwater Biology* 50(10):1639-1650.
- Kolstad, K., P.A. Heuch, B. Gjerde, T. Gjedrem & R. Salte. 2005. Genetic variation in resistance of Atlantic salmon (*Salmo salar*) to the salmon louse *Lepeophtheirus salmonis*. *Aquaculture* 247(1-4):145-151.
- Koppelman, R. & H. Weikert. 2005. Temporal and vertical distribution of two ecologically different calanoid copepods (*Calanoides carinatus* Krøyer 1849 and *Lucicutia grandis* Giesbrecht 1895) in the deep waters of the central Arabian Sea. *Marine Biology* 147(5):1173-1178.
- Koppelman, R., H. Zimmermann-Timm & H. Weikert. 2005. Bacterial and zooplankton distribution in deep waters of the Arabian Sea. *Deep Sea Research Part I: Oceanographic Research Papers* 52(11):2184-2192.
- Koschmieder, N. 2005. Informationen zum Zooplankton des Strelasundes. Information about the zooplankton of the Strelasund. *Meer und Museum* 18:106-110, 214. [In German.]
- Koski, M., J. Dutz & W.C.M. Klein Breteler. 2005. Selective grazing of *Temora longicornis* in different stages of a *Phaeocystis globosa* bloom—a mesocosm study. *Harmful Algae* 4(5):915-927.
- Koski, M., T. Kjørboe & K. Takahashi. 2005. Benthic life in the pelagic: Aggregate encounter and degradation rates by pelagic harpacticoid copepods. *Limnology and Oceanography* 50(4):1254-1263.
- Köster, F.W., C. Möllmann, H.-H. Hinrichsen, K. Wieland, J. Tomkiewicz, G. Kraus, R. Voss, A. Makarchouk, B.R. MacKenzie, M.A. St. John et al. 2005. Baltic cod recruitment – the impact of climate variability on key processes. *ICES Journal of Marine Science* 62(7):1408-1425.
- Krell, A., S.B. Schnack-Schiel, D.N. Thomas, G. Kattner, Z. Wang & G.S. Dieckmann. 2005. Phytoplankton dynamics in relation to hydrography, nutrients and zooplankton at the onset of sea ice formation in the eastern Weddell Sea (Antarctica). *Polar Biology* 28(9):700-713.
- Kremer, P. 2005. Ingestion and elemental budgets for *Linuche unguiculata*, a scyphomedusa with zooxanthellae. *Journal of the Marine Biological Association of the United Kingdom* 85(3):613-625.
- Krkošek, M., M.A. Lewis & J.P. Volpe. 2005. Transmission dynamics of parasitic sea lice from farm to wild salmon. *Proceedings of the Royal Society, Series B, Biological Sciences* 272(1564):689-696. [Corrected reference]

- Kršinić, F. 2005. *Speleohevarella gamulini* gen. et sp. nov., a new copepod (Calanoida, Stephidae) from an anchialine cave in the Adriatic Sea. *Journal of Plankton Research* 27(6):607-615.
- Kršinić, F. 2005. *Badijella jalzici* – a new genus and species of calanoid copepod (Calanoida, Ridgewayiidae) from an anchialine cave on the Croatian Adriatic coast. *Marine Biology Research (Formerly Sarsia and Ophelia)* 1(4):281-289.
- Kübar, K., H. Agasild, T. Virro & I. Ott. 2005. Vertical distribution of zooplankton in a strongly stratified hypertrophic lake. *Hydrobiologia* 547(1):151-162.
- Kurbatova, S. 2005. Response of microcosm zooplankton to acidification. *Biology Bulletin of the Russian Academy of Sciences* 32(1):85-92.
- Kurbatova, S.A. 2005. [Response of microcosm zooplankton to acidification.] *Izvestiya Rossiiskoi Akademii Nauk, Seriya Biologicheskaya* 2005(1):100-108. [In Russian; English translation in *Biology Bulletin* 32(1):85-92.]
- Kurovskaya, L.Ya. 2005. Effect of Violet C antiseptic on the numbers of ectoparasites and some physiological and biochemical indices of carps. *Hydrobiological Journal* 41(2):95-102.
- Kuwata, A. & A. Tsuda. 2005. Selection and viability after ingestion of vegetative cells, resting spores and resting cells of the marine diatom, *Chaetoceros pseudocurvisetus*, by two copepods. *Journal of Experimental Marine Biology and Ecology* 322(2):143-151.
- Kvamme, B.O., H. Kongshaug & F. Nilsen. 2005. Organisation of trypsin genes in the salmon louse (*Lepeophtheirus salmonis*, Crustacea, Copepoda) genome. *Gene* 352:63-74.
- Kwok, K.W.H. & K.M.Y. Leung. 2005. Toxicity of antifouling biocides to the intertidal harpacticoid copepod *Tigriopus japonicus* (Crustacea, Copepoda): effects of temperature and salinity. *Marine Pollution Bulletin* 51(8-12):830-837.
- Lampadariou, N., I. Karakassis, S. Teraschke & G. Arlt. 2005. Changes in benthic meiofaunal assemblages in the vicinity of fish farms in the eastern Mediterranean. *Vie et Milieu* 55(2):61-69.
- Lancelot, C., Y. Spitz, N. Gypens, K. Ruddick, S. Becquevort, V. Rousseau, G. Lacroix & G. Billen. 2005. Modelling diatom and *Phaeocystis* blooms and nutrient cycles in the Southern Bight of the North Sea: the MIRO model. *Marine Ecology Progress Series* 289:63-78.
- Laugaste, R. & J. Haberman. 2005. Seasonality of zoo- and phytoplankton in Lake Peipsi (Estonia) as a function of water temperature. *Proceedings of the Estonian Academy of Sciences, Biology, Ecology* 54(1):18-39.
- Lee, C.-S., P. O'Bryen & N. Marcus (eds.). 2005. *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Lee, K.H., K.-H. Chung, S.-H. Kang & W. Lee. 2005. Study on the community structure of sublittoral meiofauna in the Barents Sea in summer 2002, Arctic Ocean. *Korean Journal of Environmental Biology* 23(3):257-268.
- Lee, J.M. & C.Y. Chang. 2005. Harpacticoid copepods of genus *Onychocamptus* (Laophontidae) from Korea. *Korean Journal of Systematic Zoology* 21(1):31-43.
- Lee, J.M., J.M. Jeon & C.Y. Chang. 2005. Taxonomy on genus *Mesocyclops* (Copepoda: Cyclopoida: Cyclopidae) from South Korea. *Korean Journal of Systematic Zoology* 21(1):93-110.
- Lee, O., R.D.M. Nash & B.S. Danilowicz. 2005. Small-scale spatio-temporal variability in ichthyoplankton and zooplankton distribution in relation to a tidal-mixing front in the Irish Sea. *ICES Journal of Marine Science* 62(6):1021-1036.
- Lee, Y.-M., I.-C. Kim, S.-O. Jung & J.-S. Lee. 2005. Analysis of 686 expressed sequence tags (ESTs) from the intertidal harpacticoid copepod *Tigriopus japonicus* (Crustacea, Copepoda). *Marine Pollution Bulletin* 51(8-12):757-768.
- Leech, D.M., A. Padeletti & C.E. Williamson. 2005. Zooplankton behavioral responses to solar UV radiation vary within and among lakes. *Journal of Plankton Research* 27(5):461-471.
- Lehman, P.W., G. Boyer, C. Hall, S. Waller & K. Gehrts. 2005. Distribution and toxicity of a new colonial *Microcystis aeruginosa* bloom in the San Francisco Bay Estuary, California. *Hydrobiologia* 541(1):87-99.
- Lehtiniemi, M., J. Engstrom-Ost & M. Viitasalo. 2005. Turbidity decreases anti-predator behaviour in pike larvae, *Esox lucius*. *Environmental Biology of Fishes* 73(1):1-8.
- Leising, A.W., R.A. Horner, J.J. Pierson, J. Postel & C. Halsband-Lenk. 2005. The balance between microzooplankton grazing and phytoplankton growth in a highly productive estuarine fjord. *Progress in Oceanography* 67(3-4):366-383.
- Leising, A.W., J.J. Pierson, C. Halsband-Lenk, R.A. Horner & J. Postel. 2005. Copepod grazing during spring blooms: Does *Calanus pacificus* avoid harmful diatoms? *Progress in Oceanography* 67(3-4):384-405.
- Leising, A.W., J.J. Pierson, C. Halsband-Lenk, R.A. Horner & J. Postel. 2005. Copepod grazing during spring blooms: Can *Pseudocalanus newmani* induce trophic cascades? *Progress in Oceanography* 67(3-4):406-421.
- Lenz, P., A.E. Hower & D.K. Hartline. 2005. Temperature compensation in the escape response of a marine copepod, *Calanus finmarchicus* (Crustacea). *Biological Bulletin - Marine Biological Laboratory* 209(1):75-85.
- Lévêque, C., E.V. Balian & K. Martens. 2005. An assessment of animal species diversity in continental waters. *Hydrobiologia* 542(1):39-67.
- Levine, S.N., R.F. Zehrer & C.W. Burns. 2005. Impact of resuspended sediment on zooplankton feeding in Lake

- Waihola, New Zealand. *Freshwater Biology* 50(9):1515-1536.
- Levy, S. 2005. Cholera's life aquatic. *BioScience* 55(9):728-732.
- Lin, C.-L. & J.-s. Ho. 2005. Three species of *Nothobomolochus* Vervoort, 1962 (Copepoda: Bomolochidae) parasitic on marine fishes landed at Dong-shih Fishing Port in central Taiwan. *Journal of the Fisheries Society of Taiwan* 32(1):1-18.
- Lin, C.-L. & J.-s. Ho. 2005. Three species of *Bomolochus* Claus, 1864 (Copepoda: Bomolochidae) parasitic on marine fishes of Taiwan. *Journal of the Fisheries Society of Taiwan* 32(2):113-128.
- Lin, Y.S., L.P. Fang, W.Q. Cao & S.J. Li. 2005. Mitochondrial DNA COI sequence analysis of *Calanus sinicus* (Copepod) in Qingdao waters. *Xiamen Daxue Xuebao (Ziran Kexue Ban)/ Journal of the Xiamen University of Natural Science* 44(1):90-93. [In Chinese.]
- Lindley, J.A. & S. Daykin. 2005. Variations in the distributions of *Centropages chierchiae* and *Temora stylifera* (Copepoda: Calanoida) in the north-eastern Atlantic Ocean and western European shelf waters. *ICES Journal of Marine Science* 62(5):869-877.
- Lionard, M., F. Azémar, S. Boulêtreau, K. Muylaert, M. Tackx & W. Vyverman. 2005. Grazing by meso- and microzooplankton on phytoplankton in the upper reaches of the Schelde estuary (Belgium/The Netherlands). *Estuarine, Coastal and Shelf Science* 64(4):764-774.
- Little, T.J., D. Hultmark & A.F. Read. 2005. Invertebrate immunity and the limits of mechanistic immunology. *Nature Immunology* (6):651-654.
- Liu, H., M.J. Dagg & S. Strom. 2005. Grazing by the calanoid copepod *Neocalanus cristatus* on the microbial foodweb in the coastal Gulf of Alaska. *Journal of Plankton Research* 27(7):647-662.
- Liu, Z., G. Stewart, J.K. Cochran, C. Lee, R.A. Armstrong, D.J. Hirschberg, B. Gasser & J.-C. Miquel. 2005. Why do POC concentrations measured using Niskin bottle collections sometimes differ from those using in-situ pumps? *Deep Sea Research Part I: Oceanographic Research Papers* 52(7):1324-1344.
- Lluch-Belda, D., D.B. Lluch-Cota & S.E. Lluch-Cota. 2005. Changes in marine faunal distributions and ENSO events in the California Current. *Fisheries Oceanography* 14(6):458-467.
- Lough, R.G., L.J. Buckley, F.E. Werner, J.A. Quinlan & K. Pehrson Edwards. 2005. A general biophysical model of larval cod (*Gadus morhua*) growth applied to populations on Georges Bank. *Fisheries Oceanography* 14(4):241-262.
- Luan, Y., J.M. Mallatt, R. Xie, Y. Yang & W. Yin. 2005. The phylogenetic positions of three basal hexapod groups (Protura, Diplura & Collembola) based on ribosomal RNA gene sequences. *Molecular Biology and Evolution* 22:1579-1592.
- Ma, X. & J.E. Purcell. 2005. Temperature, salinity, and prey effects on polyp versus medusa bud production by the invasive hydrozoan *Moerisia lyonsi*. *Marine Biology* 147(1):225-234.
- Maes, J., M. Tackx & K. Soetaert. 2005. The predation impact of juvenile herring *Clupea harengus* and sprat *Sprattus sprattus* on estuarine zooplankton. *Hydrobiologia* 540(1-3):225-235.
- Maillo, P.A., M.A. Vich, H. Salvado, A. Marques & M.P. Gracia. 2005. Parasites of *Anguilla anguilla* (L.) from three coastal lagoons of the River Ebro delta (Western Mediterranean). *Acta Parasitologica, Warsaw* 50(2):156-160.
- Maiolina, B., V. Lencioni, R. Berera & V. Cottarelli. 2005. Effects of flood pulse on the hyporheic harpacticoids (Crustacea, Copepoda) in two high altitude Alpine streams. *Meiofauna Marina* 14:105-108.
- Maitland, P.S. & A.A. Lyle. 2005. Ecology of Allis Shad *Alosa alosa* and Twaite Shad *Alosa fallax* in the Solway Firth, Scotland. *Hydrobiologia* 534(1-3):205-221.
- Malbrouck, C., P. Mergen & J.-C. Micha. 2005. Growth and diet of introduced coregonid fish *Coregonus peled* (Gmelin) and *Coregonus lavaretus* (L.) in two Belgian reservoir lakes. *Applied Ecology and Environmental Research* 4(1):27-44.
- Maly, E.J. 2005. Within- and between-pond differences in diapausing egg production in *Leptodiatomus coloradensis* (Copepoda: Calanoida). *Proceedings of the International Association of Theoretical and Applied Limnology* 29(2):845-848.
- Maneiro, I., P. Iglesias, C. Guisande, I. Riveiro, A. Barreiro, S. Zervoudaki & E. Granéli. 2005. Fate of domoic acid ingested by the copepod *Acartia clausi*. *Marine Biology* 148(1):123-130.
- Marchenkov, A. & G.A. Boxshall. 2005. Three new species of *Enterocola* van Beneden, 1860 (Crustacea: Copepoda: Cyclopoida) from ascidian hosts. *Systematic Parasitology* 61(3):223-233.
- Marcus, N.M. 2005. Calanoid copepods, resting eggs, and aquaculture. Pp. 1-24 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- **Marrone, F. & L. Naselli-Flores. 2005. First record of a representative of the subfamily Paradiaptominae (Copepoda Calanoida Diaptomidae) in Italy: *Metadiaptomus chevreuxi* (Guerne & Richard, 1894). *Journal of Limnology* 64(1):89-92.
- Martínez-Córdova, L.R. & E. Peña-Messina. 2005. Biotic communities and feeding habits of *Litopenaeus vannamei* (Boone 1931) and *Litopenaeus stylirostris* (Stimpson 1974) in monoculture and polyculture semi-intensive ponds. *Aquaculture Research* 36(11):1075-1084.
- Martynova, D.M. 2005. Feeding of the mass species of the White Sea copepods. *Oceanology/ Okeanologiya* 45(2):233-239.

- Mastrantuono, L. & T. Mancinelli. 2005. Littoral invertebrates associated with aquatic plants and bioassessment of ecological status in Lake Bracciano (Central Italy). *Journal of Limnology* 64(1):43-53.
- Matias-Peralta, H., F.M. Yusoff, M. Shariff & A. Arshad. 2005. Effects of some environmental parameters on the reproduction and development of a tropical marine harpacticoid copepod *Nitocra affinis* f. *californica* Lang. *Marine Pollution Bulletin* 51(8-12):722-728.
- Matsumura-Tundisi, T. & J. Tundisi. 2005. Plankton richness in a eutrophic reservoir (Barra Bonita Reservoir, SP, Brazil). *Hydrobiologia* 542(1):367-378.
- Matthews, B. & A. Mazumder. 2005. Consequences of large temporal variability of zooplankton $\delta^{15}\text{N}$ for modeling fish trophic position and variation. *Limnology and Oceanography* 50(5):1404-1414.
- McKinnon, A.D., S. Duggan & G. De'ath. 2005. Mesozooplankton dynamics in nearshore waters of the Great Barrier Reef. *Estuarine, Coastal and Shelf Science* 63(4):497-511.
- McLaughlin, P.A., D.K. Camp, M.V. Angel, E.L. Bousfield, P. Brunel, R.C. Brusca, D. Cadien, A.C. Cohen, K. Conlan, L.G. Eldredge, D.L. Felder, J.W. Goy, T. Haney, B. Hann, R.W. Heard, E.A. Hendrycks, H.H. Hobbs III, J.R. Holsinger, B. Kensley, D.R. Laubitz, S.E. LeCroy, R. Lemaitre, R.F. Maddocks, J.W. Martin, P. Mikkelsen, E. Nelson, W.A. Newman, R.M. Overstreet, W.J. Poly, W.W. Price, J.W. Reid, A. Robertson, D.C. Rogers, A. Ross, M. Schotte, F.R. Schram, C.-T. Shih, L. Watling, G.D.F. Wilson & D.D. Turgeon. 2005. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Crustaceans. American Fisheries Society Special Publication 31. 545 pp. plus index. ISBN 1-888569-64-6
- Mel'nikov, I.A. 2005. Sea ice-upper ocean ecosystems and global changes in the Arctic. *Biologiya Morya, Vladivostok* 31(1):3-10. [In Russian.]
- Men, R.-X., G.-P. Yang, Y.-J. Liu & G. Xiao-Jing. 2005. Amplification and variation analysis of Jiaozhou Bay pelagic copepod 18S ribosomal RNA gene (18S rDNA). *Oceanologia et Limnologia Sinica* 36(1):88-96.
- Men, R.-X., G.-P. Yang, X.-Q. Shen, M.-J. Liao & X.-J. Guan. 2005. Variation analysis of 18S ribosomal RNA gene fragments amplified from Jiaozhou Bay plankton copepod. *Zhongguo Haiyang Daxue Xuebao* 35(3):392-396. [In Chinese.]
- Merella, P., A. Scala, R. Marrosu & G. Garippa. 2005. Occurrence of the pedunculate barnacle *Conchoderma virgatum virgatum* in the western Mediterranean. *Vie et Milieu* 55(1):41-44.
- Meshram, C.B. 2005. Zooplankton biodiversity in relation to pollution of Lake Wadali, Amravati. *Journal of Ecotoxicology and Environmental Monitoring* 15(1):55-59.
- Miller, C.B., J.A. Crain & N.H. Marcus. 2005. Seasonal variation of male-type antennular setation in female *Calanus finmarchicus*. *Marine Ecology Progress Series* 301:217-229.
- Mirlean, N., S.T. Larned, V. Nikora & V. Tavares Kütter. 2005. Mercury in lakes and lake fishes on a conservation-industry gradient in Brazil. *Chemosphere* 60(2):226-236.
- Mitwally, H.M. & H.B. Awad. 2005. Distribution of meiofauna in relation to abiotic and biotic factors in a semi-closed harbor in Alexandria, Egypt. *Meiofauna Marina* 14:139-143.
- Mitwally, H.M., S. Shabaka, H.M. Mostafa & Y. Halim. 2005. Distribution of meiofauna inside and outside a *Cymodocea nodosa* meadow in Alexandria, Egypt. *Meiofauna Marina* 14:145-156.
- Mohamed, E., S. Al-Kady, A. Al-Kandari & J. Al-Saffar. 2005. Meiofauna seasonal abundance in three Kuwaiti beaches. *Meiofauna Marina* 14:115-120.
- Moiseenko, T.I. 2005. Effects of acidification on aquatic ecosystems. *Russian Journal of Ecology* 36(2):93-102. Translated from *Ekologiya* 2005(2):110-119.
- Molina-Astudillo, F.I., H. Quiroz-Castelán, J. García-Rodríguez & M. Díaz-Vargas. 2005. Distribución vertical del plancton en un estanque rústico de producción piscícola en el municipio de Cuautla, Morelos, México. (Vertical distribution of plankton in a rural fishery pond, Cuautla, Morelos, México.) *Revista Electrónica de Veterinaria REDVET* 6(4). 16 pp. April 2005. <http://www.veterinaria.org/revistas/redvet/n040405.html>
- Molinero, J.C., F. Ibañez, P. Nival, E. Buecher & S. Souissi. 2005. The North Atlantic climate and the northwestern Mediterranean plankton variability. *Limnology and Oceanography* 50(4):1213-1240.
- Molinero, J.C., F. Ibañez, S. Souissi, M. Chifflet & P. Nival. 2005. Phenological changes in the Northwestern Mediterranean copepods *Centropages typicus* and *Temora stylifera* linked to climate forcing. *Oecologia* 145(4):640-649.
- Möllmann, C., G. Kornilovs, M. Fetter & F.W. Köster. 2005. Climate, zooplankton, and pelagic fish growth in the central Baltic Sea. *ICES Journal of Marine Science* 62(7):1270-1280.
- Morehead, D.T., S.C. Battaglene, E.B. Metillo, M.P. Bransden & G.A. Dunstan. 2005. Copepods as a live feed for striped trumpeter *Latris lineata* larvae. Pp. 195-208 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Moreno, M., V. Granelli, G. Albertelli & M. Fabiano. 2005. Meiofaunal distribution in microtidal mixed beaches of the Ligurian Sea (NW Mediterranean). *Meiofauna Marina* 14:131-137.
- Morgan, C.A., A. De Robertis & R.W. Zabel. 2005. Columbia River plume fronts. I. Hydrography, zooplankton distribution, and community composition. *Marine Ecology Progress Series* 299:19-31.

- Morton, A., R. Routledge & R. Williams. 2005. Temporal patterns of sea louse infestation on wild Pacific salmon in relation to the fallowing of Atlantic salmon farms. *North American Journal of Fisheries Management* 25:811-821.
- Moss, B., T. Barker, D. Stephen, A.E. Williams, D.J. Balayla, M. Beklioglu & L. Carvalho. 2005. Consequences of reduced nutrient loading on a lake system in a lowland catchment: deviations from the norm? *Freshwater Biology* 50(10):1687-1705.
- Müren, U., J. Berglund, K. Samuelsson & A. Andersson. 2005. Potential effects of elevated sea-water temperature on pelagic food webs. *Hydrobiologia* 545(1):153-166.
- Mustafa, A., B.M. MacKinnon & W. Piasecki. 2005. Interspecific differences between Atlantic salmon and Arctic charr in susceptibility to infection with larval and adult *Caligus elongatus*: effect of skin mucus protein profiles and epidermal histological differences. *Acta Ichthyologica et Piscatoria* 35(1):7-13.
- Mutlu, E. 2005. A comparison of the contribution of zooplankton and nekton taxa to the near-surface acoustic structure of three Turkish seas. *Marine Ecology* 26(1):17-32.
- Mwebaza-Ndawula, L., S.B.K. Sekiranda & V. Kiggundu. 2005. Variability of zooplankton community along a section of the Upper Victoria Nile, Uganda. *African Journal of Ecology* 43(3):251-257.
- Nakamura, Y. & M. Sano. 2005. Comparison of invertebrate abundance in a seagrass bed and adjacent coral and sand areas at Amitori Bay, Iriomote Island, Japan. *Fisheries Science* 71(3):543-550.
- Napp, J.M., R.R. Hopcroft, C.T. Baier & C. Clarke. 2005. Distribution and species-specific egg production of *Pseudocalanus* in the Gulf of Alaska. *Journal of Plankton Research* 27(5):415-426.
- Nash, R.D.M. & M. Dickey-Collas. 2005. The influence of life history dynamics and environment on the determination of year class strength in North Sea herring (*Clupea harengus* L.). *Fisheries Oceanography* 14(4):279-291.
- Naylor, R., K. Hindar, I.A. Fleming, R. Goldberg, S. Williams, J. Volpe, F. Whoriskey, J. Eagle, D. Kelso & M. Mangel. 2005. Fugitive salmon: assessing the risks of escaped fish from net-pen aquaculture. *BioScience* 55(5):427-437.
- Neumann, T. & C. Kremp. 2005. A model study with light-dependent mortality rates of copepod stages. *Journal of Marine Systems* 56(3-4):416-434.
- Nipper, M., S. Carr, J.M. Biedenbach, R.L. Hooten & K. Miller. 2005. Fate and effects of picric acid and 2,6-DNT in marine environments: Toxicity of degradation products. *Marine Pollution Bulletin* 50(11):1205-1217.
- Nishida, S. & I.F.M. Rumengan. 2005. A new species of *Pseudodiaptomus* (Copepoda: Calanoida: Pseudodiaptomidae) from the coastal water of Sulawesi, Indonesia. *Plankton Biology and Ecology* 52(1):27-32.
- Nour El-Din, N.M. & J.A. Al-Khayat. 2005. Phytoplankton-zooplankton relations in three inland seas along the Qatari coast (Arabian Gulf). *International Journal of Environmental Studies* 62(4):375-390.
- O'Bryen, P.J. & C.-S. Lee. 2005. Culture of copepods and applications to marine finfish larval rearing: workshop discussion summary. Pp. 245-254 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- O'Donohoe, P., S. Kennedy, F. Kane, O. Naughton, D. Tierney & D. Jackson. 2005. National survey of sea lice (*Lepeophtheirus salmonis* Kroyer and *Caligus elongatus* Nordmann) on fish farms in Ireland - 2004. *Irish Fisheries Bulletin* 22:1-33.
- Ogle, J.T., J.T. Lemus, L.C. Nicholson, D.N. Barnes & J.M. Lotz. 2005. Characterization of an extensive zooplankton culture system coupled with intensive larval rearing of red snapper *Lutjanus campechanus*. Pp. 225-244 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Oglesby, L.C. 2005. The Salton Sea. Geology, history, potential problems, politics, and possible futures of an unnatural desert salt lake. *Memoirs of the Southern California Academy of Sciences* 10:1-240.
- Ohtsuka, S., G.A. Boxshall & S. Harada. 2005. A new genus and species of nicothoid copepod (Crustacea: Copepoda: Siphonostomatoida) parasitic on the mysid *Siriella okadai* Ii from off Japan. *Systematic Parasitology* 62(1):65-81.
- Ohtsuka, S., H. Itoh & T. Mizushima. 2005. A new species of the calanoid copepod genus *Centropages* (Crustacea) collected from Shimizu Port, middle Japan: Introduced or not? *Plankton Biology and Ecology* 52(2):92-99.
- Ohtsuka, S., S. Nishida & R.J. Machida. 2005. Systematics and zoogeography of the deep-sea hyperbenthic family Arietellidae (Copepoda: Calanoida) collected from the Sulu Sea. *Journal of Natural History* 39(27):2483-2514.
- Okun, N., R. Mendonca & T. Mehner. 2005. Diel shifts in community composition and feeding of juvenile fishes in the pelagic area of a large shallow lake. *Limnologia – Ecology and Management of Inland Waters* 35(1-2):70-77.
- Olaleye, V.F., E.A. Oluyemi & O.A. Akinyemiju. 2005. Environmental disamenities produced by particulate and gaseous emissions from Ewekoro cement kilns on some strata of aquatic and terrestrial ecosystems. *Journal of Applied Sciences* 5 (3):428-436.
- Olaso, I., J.L. Gutiérrez, B. Villamor, P. Carrera, L. Valdés & P. Abaunza. 2005. Seasonal changes in the north-eastern Atlantic mackerel diet (*Scomber scombrus*) in the north of Spain (ICES Division VIIIc). *Journal of the Marine Biological Association of the United Kingdom* 85(2):415-418.
- Olesen, M., S. Strake & A. Andrushaitis. 2005. Egestion of non-pellet bound fecal material from the copepod

- Acartia tonsa*: implication for vertical flux and degradation. *Marine Ecology Progress Series* 293:131-142.
- Oliva, M.E. & M.T. González. 2005. The decay of similarity over geographical distance in parasite communities of marine fishes. *Journal of Biogeography* 32(8):1327-1332.
- Olivotto, I., A. Zenobi, A. Rollo, B. Migliarini, M. Avella & O. Carnevali. 2005. Breeding, rearing and feeding studies in the cleaner goby *Gobiosoma evelynae*. *Aquaculture* 250(1-2):175-182.
- Olsen, S.N., P. Westh & B.W. Hansen. 2005. Real-time quantification of microbial degradation of copepod fecal pellets monitored by isothermal microcalorimetry. *Aquatic Microbial Ecology* 40:259-267.
- Øresland, V. & R.A. Bray. 2005. Parasites and headless chaetognaths in the Indian Ocean. *Marine Biology* 147(3):725-734.
- Orlova, E.L., V.D. Boitsov, A.V. Dolgov, G.B. Rudneva & V.N. Nesterova. 2005. The relationship between plankton, capelin, and cod under different temperature conditions. *ICES Journal of Marine Science* 62(7):1281-1292.
- Østergaard, P., G.A. Boxshall & D.L.J. Quicke. 2005. Dwarfs or giants? Sexual size dimorphism in Chondracanthidae (Copepoda, Poecilostomatoida). *Crustaceana* 78(4):397-408.
- Østergaard, P., P. Munk & V. Janekarn. 2005. Contrasting feeding patterns among species of fish larvae from the tropical Andaman Sea. *Marine Biology* 146(3):595-606.
- Ottova, E., A. Simkova, P. Jurajda, M. Davidova, M. Ondrackova, M. Pecinkova & M. Gelnar. 2005. Sexual ornamentation and parasite infection in males of common bream (*Abramis brama*): a reflection of immunocompetence status or simple cost of reproduction? *Evolutionary Ecology Research* 7(4):581-593.
- Paavola, M., S. Olenin & E. Leppäkoski. 2005. Are invasive species most successful in habitats of low native species richness across European brackish water seas? *Estuarine, Coastal and Shelf Science* 64(4):738-750.
- Paffenhöfer, G.A. & M. Köster. 2005. Digestion of diatoms by planktonic copepods and doliolids. *Marine Ecology Progress Series* 297:303-310.
- Paller, M.H., F.D. Martin, L.D. Wike & J.H. Epler. 2005. Biological assessment of slope wetlands on the coastal plain of South Carolina. *Journal of Freshwater Ecology* 20(2):247-262.
- Pane, L., S. Boccardo, F. Bonfiglioli, G.L. Mariottini, F. Priano & O. Conio. 2005. Polycyclic aromatic hydrocarbons in water, seston and copepods in a harbour area in the Western Mediterranean (Ligurian Sea). *Marine Ecology* 26(2):89-99.
- Pane, L., S. Boccardo & G.L. Mariottini. 2005. Mesozooplankton assemblage and first record of *Paracartia grani* Sars G.O., 1904 (Copepoda: Calanoida) in the western harbour of Genova (Ligurian Sea). *Rivista di Biologia* 98(2):323-336.
- Papadopoulos, L.N., K.T.C.A. Peijnenburg & P.C. Luttkhuizen. 2005. Phylogeography of the calanoid copepods *Calanus helgolandicus* and *C. euxinus* suggests Pleistocene divergences between Atlantic, Mediterranean, and Black Sea populations. *Marine Biology* 147(6):1353-1365.
- Papandroulakis, N., C.C. Mylonas, E. Maingot & P. Divanach. 2005. First results of greater amberjack (*Seriola dumerili*) larval rearing in mesocosm. *Aquaculture* 250(1-2):155-161.
- Parra, G., R. Jimenez-Melero & F. Guerrero. 2005. Agricultural impacts on Mediterranean wetlands: the effect of pesticides on survival and hatching rates in copepods. *Annales de Limnologie* 41(3):161-168.
- Pascual, S., A.F. González & A. Guerra. 2005. The recruitment of gill-infesting copepods as a categorical predictor of size-at-age data in squid populations. *ICES Journal of Marine Science* 62(4):629-633.
- Pashkova, O.V. 2005. Near-bottom zooplankton of the littoral zone of the Dnieper reservoirs and its seasonal dynamics. *Hydrobiological Journal* 41(2):42-56.
- Pavlyuk, O.N., J.A. Trebukhova & E.N. Chernova. 2005. The meiobenthos in the area of Japanese Scallop cultivation in Minonosok Bay (Peter the Great Bay, Sea of Japan). *Russian Journal of Marine Biology* 31(5):279-287.
- Peach, M.B. & K.A. Pitt. 2005. Morphology of the nematocysts of the medusae of two scyphozoans, *Catostylus mosaicus* and *Phyllorhiza punctata* (Rhizostomeae): implications for capture of prey. *Invertebrate Biology* 124(2):98-108.
- Pedersen, O.P., M. Zhou, K.S. Tande & A. Edvardsen. 2005. Eddy formation on the coast of North Norway – evidenced by synoptic sampling. *ICES Journal of Marine Science* 62(4):615-628.
- Pedersen, S.A., M.H. Ribergaard & C.S. Simonsen. 2005. Micro- and mesozooplankton in Southwest Greenland waters in relation to environmental factors. *Journal of Marine Systems* 56(1-2):85-112.
- Persaud, A.D. & N.D. Yan. 2005. Developmental differences and a test for reciprocity in the tolerance of *Chaoborus punctipennis* larvae to ultraviolet radiation. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(3):483-491.
- Pershing, A.J., C.H. Greene, J.W. Jossi, L. O'Brien, J.K.T. Brodziak & B.A. Bailey. 2005. Interdecadal variability in the Gulf of Maine zooplankton community, with potential impacts on fish recruitment. *ICES Journal of Marine Science* 62(7):1511-1523.
- Peters, L. & W. Traunspurger. 2005. Species distribution of free-living nematodes and other meiofauna in littoral periphyton communities of lakes. *Nematology* 7(2):267-280.

- Petrillo, M., M. Giallain & N. Della Croce. 2005. Zooplankton in the surrounding waters of the Juan Fernández Archipelago. *Revista de Biología Marina y Oceanografía* 40(1):63-65. [In English; abstract in Spanish.]
- Phelps, R.P., G.S. Sumiarsa, E.E. Lipman, H.-P. Lan, K.K. Moss & A.D. Davis. 2005. Intensive and extensive production techniques to provide copepod nauplii for feeding larval red snapper *Lutjanus campechanus*. Pp. 151-168 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Phillips, G., A. Kelly, J.-A. Pitt, R. Sanderson & E. Taylor. 2005. The recovery of a very shallow eutrophic lake, 20 years after the control of effluent derived phosphorus. *Freshwater Biology* 50(10):1628-1638.
- Picard, V. & N. Lair. 2005. Spatio-temporal investigations on the planktonic organisms of the Middle Loire (France), during the low water period: biodiversity and community dynamics. *Hydrobiologia* 551(1):69-86.
- Pierson, J.J., C. Halsband-Lenk & A.W. Leising. 2005. Reproductive success of *Calanus pacificus* during diatom blooms in Dabob Bay, WA. *Progress in Oceanography* 67(3-4):314-331.
- Pierson, J.J., A.W. Leising, C. Halsband-Lenk & N. Ferm. 2005. Vertical distribution and abundance of *Calanus pacificus* and *Pseudocalanus newmani* in relation to chlorophyll a concentrations in Dabob Bay, WA. *Progress in Oceanography* 67(3-4):349-365.
- Pinder, A.M., S.A. Halse, J.M. McRae & R.J. Shiel. 2005. Occurrence of aquatic invertebrates of the wheatbelt region of Western Australia in relation to salinity. *Hydrobiologia* 543:1-24.
- Pinto-Coelho, R.M., J.F. Bezerra-Neto & C.A. Morais Jr. 2005. Effects of eutrophication on size and biomass of crustacean zooplankton in a tropical reservoir. *Brazilian Journal of Biology* 65(2):325-338.
- Pinto-Coelho, R.M., A. Giani, C.A. Morais Jr., E. Carvalho Jr. & J.F. Bezerra-Neto. 2005. The nutritional status of zooplankton in a tropical reservoir: effects of food quality and community structure. *Brazilian Journal of Biology* 65(2):313-324.
- **Pipan, T. 2005. Epikarst – a promising habitat. Copepod fauna, its diversity and ecology: a case study from Slovenia (Europe). Karst Research Institute at ZRC SAZU, Postojna, and ZRC Publishing, Ljubljana. *Carsologica* 5: 1-101.
- Pohnert, G. 2005. Diatom/copepod interactions in plankton: the indirect chemical defense of unicellular algae. *ChemBioChem* 6(6):946-959.
- Poulin, R. 2005. Book review: Kearns, G.C. Leeches, Lice and Lampreys: A Natural History of Skin and Gill Parasites of Fishes. *Fish and Fisheries* 6(3):277-277.
- Poulsen, L.K. & T. Kiørboe. 2005. Coprophagy and coprorhexy in the copepods *Acartia tonsa* and *Temora longicornis*: clearance rates and feeding behaviour. *Marine Ecology Progress Series* 299:217-227.
- Pracheil, B.M., G.E. Mestl & P.M. Muzzall. 2005. Metazoan parasites of young-of-the-year paddlefish from Lewis and Clark Lake, Nebraska, U.S.A. *Comparative Parasitology* 72(2):227-229.
- Præbel, K. & H. Ramløv. 2005. Antifreeze activity in the gastrointestinal fluids of *Arctogadus glacialis* (Peters 1874) is dependent on food type. *Journal of Experimental Biology* 208:2609-2613.
- Puello-Cruz, A.C., B. González-Rodríguez, A. García-Ortega & S. Gómez. 2005. Use of the tropical harpacticoid copepod *Tisbe monozota* Bowman, 1962 (Copepoda: Harpacticoida: Tisbidae) as live food in marine larviculture. Pp. 177-187 In: Hendrickx R., M.E. (ed.). *Contributions to the Study of East Pacific Crustaceans. Contribuciones al Estudio de los Crustáceos del Pacífico Este*. Vol. 3. Instituto de Ciencias del Mar y Limnología, Unidad Académica Mazatlán, Mazatlán. 245 pp.
- Pulido-Villena, E., I. Reche & R. Morales-Baquero. 2005. Food web reliance on allochthonous carbon in two high mountain lakes with contrasting catchments: a stable isotope approach. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(11):2640-2648.
- Queiroga, H., C. Silva, J.-C. Sorbe & F. Morgado. 2005. Composition and distribution of zooplankton across an upwelling front on the northern Portuguese coast during summer. *Hydrobiologia* 545(1):196-207.
- Radwanska, U. & A. Radwanski. 2005. Myzostomid and copepod infestation of Jurassic echinoderms: A general approach, some new occurrences, and/or re-interpretation of previous reports. *Acta Geologica Polonica* 55(2):109-130.
- Raes, M. & A. Vanreusel. 2005. The metazoan meiofauna associated with a cold-water coral degradation zone in the Porcupine Seabight (NE Atlantic). In: Freiwald, A. & J.M. Roberts (eds.) *Cold-water Corals and Ecosystems*. pp. 821-847.
- Ramfos, A., S. Somarakis, C. Koutsikopoulos & N. Fragopoulou. 2005. Summer mesozooplankton distribution in coastal waters of central Greece (eastern Mediterranean). I. Hydrology and group composition. *Journal of the Marine Biological Association of the United Kingdom* 85(4):755-764.
- Ramfos, A., S. Somarakis, C. Koutsikopoulos & N. Fragopoulou. 2005. Summer mesozooplankton distribution in coastal waters of central Greece (eastern Mediterranean). II. Species assemblages. *Journal of the Marine Biological Association of the United Kingdom* 85(4):765-774.
- Randall, J., P. Lobel & C. Kennedy. 2005. Comparative ecology of the gobies *Nes longus* and *Ctenogobius saepepallens*, both symbiotic with the snapping shrimp

- Alpheus floridanus*. Environmental Biology of Fishes 74(2):119-127.
- Rathod, V. 2005. Zooplankton studies with special reference to krill *Euphausia superba* Dana from fishing area 58 of Indian Ocean sector in Southern Ocean. Current Science, Bangalore 89(4):681-686.
- Raul, C. & M.T. González. 2005. *Clavellotis sebastidis* sp. nov. (Copepoda, Lernaepodidae) parasitic on *Sebastes oculatus* Valenciennes, 1833 from Argentina. Acta Parasitologica 50(1):74-79.
- Ré, P., U. Azeiteiro & F. Morgado (eds.). 2005. Ecologia do Plâncton Marinho e Estuarino. Edições Afrontamento, Porto, Coleção Ciências e Natureza No. 1. 140 pp. ISBN-972-36-0749-2.
- Relyea, R.A. 2005. The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities. Ecological Applications 15(2):618-627.
- Revie, C., G. Gettinby & P. Heuch. 2005. Do Scottish and Norwegian salmon farmers face different challenges in controlling sea lice? Fish Farmer 2005: 10-11.
- Revie, C.W., C. Robbins, G. Gettinby, L. Kelly & J.W. Treasurer. 2005. A mathematical model of the growth of sea lice, *Lepeophtheirus salmonis*, populations on farmed Atlantic salmon, *Salmo salar* L., in Scotland and its use in the assessment of treatment strategies. Journal of Fish Diseases 28(10):603-613.
- Rhodes, A. & L. Boyd. 2005. Formulated feeds for harpacticoid copepods: implications for population growth and fatty acid composition. Pp. 61-73 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). Copepods in Aquaculture. Blackwell Publishing, Oxford, U.K. 352 pp.
- Riandey, V., G. Champalbert, F. Carlotti, I. Taupier-Letage & D. Thibault-Botha. 2005. Zooplankton distribution related to the hydrodynamic features in the Algerian Basin (western Mediterranean Sea) in summer 1997. Deep Sea Research Part I: Oceanographic Research Papers 52(11):2029-2048.
- Richoux, N.B., D. Deibel, R.J. Thompson & C.C. Parrish. 2005. Seasonal and developmental variation in the fatty acid composition of *Mysis mixta* (Mysidacea) and *Acanthostephea malmgreni* (Amphipoda) from the hyperbenthos of a cold-ocean environment (Conception Bay, Newfoundland). Journal of Plankton Research 27(8):719-733.
- Riedel, R. & B.A. Costa-Pierce. 2005. Feeding ecology of Salton Sea Tilapia (*Oreochromis* spp.). Bulletin of the Southern California Academy of Sciences 104(1):26-36.
- Ríos-Jara, E. 2005. Effects of lunar cycle and substratum preference on zooplankton emergence in a tropical, shallow-water embayment, in southwestern Puerto Rico. Caribbean Journal of Science 41(1):108-123.
- Rippingale, R.J. & M.F. Payne. 2005. Suitability of the copepod *Gladioferens imparipes* for intensive cultivation for aquaculture. Pp. 107-118 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). Copepods in Aquaculture. Blackwell Publishing, Oxford, U.K. 352 pp.
- Rivier, I.K. 2005. Composition and some ecological features of winter zooplankton in deep stratified lakes. Russian Journal of Ecology 36(3):179-192.
- Rodriguez-Grana, L., L. Castro, M. Loureiro, H.E. Gonzalez & D. Calliari. 2005. Feeding ecology of dominant larval myctophids in an upwelling area of the Humboldt Current. Marine Ecology Progress Series 290:119-134.
- Rohde, K. (ed.). 2005. Marine Parasitology. CSIRO Publishing, Collingwood, Victoria. 592 pp.
- Romo, S., M.-J. Villena, M. Sahuquillo, J.M. Soria, M. Giménez, T. Alfonso, E. Vicente & M.R. Miracle. 2005. Response of a shallow Mediterranean lake to nutrient diversion: does it follow similar patterns as in northern shallow lakes? Freshwater Biology 50(10):1706-1717.
- Rossetti, G. 2005. Fungal parasitism in freshwater calanoid population: ecological consequences and possible mechanisms involved in the infection process. Hydrobiologia 548(1):167-176.
- Russell, B.D., B.M. Gillanders & S.D. Connell. 2005. Proximity and size of neighbouring habitat affects invertebrate diversity. Marine Ecology Progress Series 296:31-38.
- Rybak, J.I. & L.A. Bledzki. 2005. Widłonogi Copepoda: *Cyclopoida*. Klucz do oznaczenia. [Copepoda: Cyclopoida. Key for identification.] Inspekcja Ochrony Srodowiska, Warsaw. 127 pp. [In Polish.] PDF also available at: http://www.gios.gov.pl/dokumenty/widlonogi_calosc.pdf
- Saarinen, M. & J. Taskinen. 2005. Long-lasting effect of stress on susceptibility of a freshwater clam to copepod parasitism. Parasitology 130(Pt 5):523-529.
- Samak, O.A.A. 2005. Mode of attachment and histopathological impacts associated with the parasitic copepod *Lernanthropus kroyeri* infesting gills of the Sea Bass fish, *Dicentrarchus labrax* in Egypt. Journal of the Egyptian German Society of Zoology 48(D):1-22.
- Sampaio de Souza, C., P. Mafalda Jr., S. Sallés, T. Ramirez, D. Cortés, A. Garcia, J. Mercado & M. Vargas-Yañez. 2005. Tendencias estacionales y espaciales en la comunidad mesozooplancónica en una serie temporal plurianual en el noroeste del Mar de Alborán, España. (Seasonal and spatial trends in the mesozooplankton community at pluriannual temporal series in the NW of the Alborán Sea, Spain.) Revista de Biología Marina y Oceanografía 40(1):45-54. [In Spanish; abstract in English.]
- Sanford, M.R., K. Chan & W.E. Walton. 2005. Effects of inorganic nitrogen enrichment on mosquitoes (Diptera: Culicidae) and the associated aquatic community in constructed treatment wetlands. Journal of Medical Entomology 42(5):766-776.
- Sarkar, R.R., S. Pal & J. Chattopadhyay. 2005. Role of two toxin-producing plankton and their effect on phytoplankton-zooplankton system - a mathematical

- study supported by experimental findings. *Biosystems* 80(1):11-23.
- Sarnelle, O. & R.A. Knapp. 2005. Nutrient recycling by fish versus zooplankton grazing as drivers of the trophic cascade in alpine lakes. *Limnology and Oceanography* 50(6):2032-2042.
- Sato, T., Y. Watanabe, K. Toyota & J. Ishizaka. 2005. Extended probit mortality model for zooplankton against transient change of PCO₂. *Marine Pollution Bulletin* 50(9):975-979.
- Sattari, M. & B. Mokhayer. 2005. Occurrence and intensity of some parasites in five sturgeon species (Chondrostei: Acipenseridae) southwest of Caspian Sea. *Current Science, Bangalore* 89(2):259-263.
- Saygi, Y.B. 2005. Seasonal succession and distribution of zooplankton in Yenice Lake in northwestern Turkey. *Zoology in the Middle East* 34:93-100.
- Schaufler, L., R. Heintz, M. Sigler & L. Hulbert. 2005. Fatty acid composition of sleeper shark (*Somniosus pacificus*) liver and muscle reveals nutritional dependence on planktivores. *ICES CM 2005/N:05*. 19 pp.
- Semenchenko, V. P. & J.F. Buseva. 2005. Formation of aggregations on zooplankton. *Doklady of the National Academy of Sciences of Belarus / Doklady Natsionalnoi Akademii Nauk Belarusi* 49(2):80-82.
- Sevatdal, S., A. Fallang, K. Ingebrigtsen & T.E. Horsberg. 2005. Monooxygenase mediated pyrethroid detoxification in sea lice (*Lepeophtheirus salmonis*). *Pest Management Science* 61(8):772-778.
- Shahidul Islam, M. & M. Tanaka. 2005. Nutritional condition, starvation status and growth of early juvenile Japanese sea bass (*Lateolabrax japonicus*) related to prey distribution and feeding in the nursery ground. *Journal of Experimental Marine Biology and Ecology* 323(2):172-183.
- Shelden, K.E.W., S.E. Moore, J.M. Waite, P.R. Wade & D.J. Rugh. 2005. Historic and current habitat use by North Pacific right whales *Eubalaena japonica* in the Bering Sea and Gulf of Alaska. *Mammal Review* 35(2):129-155.
- Shevtsova, L.V. & L.V. Guleykova. 2005. Long-term dynamics of zooplankton of the Desna River. *Hydrobiological Journal* 41(4):3-14.
- Shields, R.J., T. Kotani, A. Molnar, K. Marion, J. Kobashigawa & L. Tang. 2005. Intensive cultivation of a subtropical paracalanid copepod, *Parvocalanus* sp., as prey for small marine fish larvae. Pp. 209-224 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Shiganova, T.A., E.I. Musaeva, L.A. Pautova & Yu.V. Bulgakova. 2005. [The problem of invaders in the Caspian Sea in the context of the findings of new zoo- and phytoplankton species from the Black Sea.] *Izvestiya Rossiiskoi Akademii Nauk, Seriya Biologicheskaya* 2005(1):78-87. [In Russian. English translation in *Biology Bulletin* 32(1):65-74.]
- Shinada, A., S. Ban, Y. Yamada & T. Ikeda. 2005. Seasonal variations of plankton food web structure in the coastal water off Usujiri southwestern Hokkaido, Japan. *Journal of Oceanography* 61(4):645-654.
- Shreeve, S., G.A. Tarling, A. Atkinson, P. Ward, C. Goss & J. Watkins. 2005. Relative production of *Calanoides acutus* (Copepoda: Calanoida) and *Euphausia superba* (Antarctic krill) at South Georgia and its implications at wider scales. *Marine Ecology Progress Series* 298:229-239.
- Silva, W.M. & T. Matsumura-Tundisi. 2005. DNA extraction and ITS2 (internal transcribed spacer 2) gene sequences of some Brazilian freshwater copepods. *Proceedings of the International Association of Theoretical and Applied Limnology* 29(1):409-413.
- Silva, W.M. & T. Matsumura-Tundisi. 2005. Taxonomy, ecology, and geographical distribution of the species of the genus *Thermocyclops* Kiefer, 1927 (Copepoda, Cyclopoida) in São Paulo State, Brazil, with description of a new species). *Brazilian Journal of Biology* 65(3): 521-531.
- Sims, D.W., E.J. Southall, G.A. Tarling & J.D. Metcalfe. 2005. Habitat-specific normal and reverse diel vertical migration in the plankton-feeding basking shark. *Journal of Animal Ecology* 74(4):755-761.
- Siordia-Cermeño, P. & L. Sánchez-Velasco. 2005. Distribución espacial de crustáceos del zooplancton en el golfo de California (marzo 1998). [Spatial distribution of the zooplankton crustaceans in the Gulf of California (March 1998).] Pp. 117-125 In: Hendrickx R., M.E. (ed.). *Contributions to the Study of East Pacific Crustaceans. Contribuciones al Estudio de los Crustáceos del Pacífico Este*. Vol. 3. Instituto de Ciencias del Mar y Limnología, Unidad Académica Mazatlán, Mazatlán. 245 pp. [In Spanish.]
- Skaret, G., B.E. Axelsen, L. Nottestad, A. Ferno & A. Johannessen. 2005. The behaviour of spawning herring in relation to a survey vessel. *ICES Journal of Marine Science* 62(6):1061-1064.
- Skarstein, F., I. Folstad & H.P. Rønning. 2005. Spawning colouration, parasites and habitat selection in *Salvelinus alpinus*: initiating speciation by sexual selection? *Journal of Fish Biology* 67(4):969-980.
- Skern, R., P. Frost & F. Nilsen. 2005. Relative transcript quantification by Quantitative PCR: Roughly right or precisely wrong? *BioMed Central Molecular Biology* 6:10. <http://www.biomedcentral.com/1471-2199/6/10>
- Skern, R., P. Frost & F. Nilsen. 2005. Relative transcript quantification by Quantitative PCR: Roughly right or precisely wrong? *BMC Molecular Biology* 6:10. <http://www.biomedcentral.com/1471-2199/6/10>
- Skjaeggstad, H. & P.J.S. Boaden. 2005. Impact of intertidal oyster trestle-culture on the meiobenthos of a Strangford Lough sandflat. *Meiofauna Marina* 14:189-200.
- Skovgaard, A., R. Massana, V. Balagué & E. Saiz. 2005. Phylogenetic position of the copepod-infesting Parasite

- Syndinium turbo* (Dinoflagellata, Syndinea). Protist 156(4):413-423.
- Skreslet, S., A. Borja, L. Bugliaro, G. Hansen, R. Meerkötter, K. Olsen & J. Verdebout. 2005. Some effects of ultraviolet radiation and climate on the reproduction of *Calanus finmarchicus* (Copepoda) and year class formation in Arcto-Norwegian cod (*Gadus morhua*). ICES Journal of Marine Science 62(7):1293-1300.
- Sliva, L. & D.D. Williams. 2005. Responses of hyporheic meiofauna to habitat manipulation. Hydrobiologia 548(1):217-232.
- Smit, N.J. & A.J. Davies. 2005. Intraerythrocytic merogony in *Haemogregarina koppiensis* (Apicomplexa: Adeleorina: Haemogregarinidae). Folia Parasitologica, Prague 52(3):277-278.
- Smith, S.L. & M. Madhupratap. 2005. Mesozooplankton of the Arabian Sea: Patterns influenced by seasons, upwelling, and oxygen concentrations. Progress in Oceanography 65(2-4):214-239.
- Somoue, L., N. Elkhiafi, M. Ramdani, T. Lam Hoai, O. Ettahiri, A. Berraho & T. Do Chi. 2005. Abundance and structure of copepod communities along the Atlantic coast of southern Morocco. Acta Adriatica 46(1):63-76.
- Souissi, S., L. Seuront, F.G. Schmitt & V. Ginot. 2005. Describing space-time patterns in aquatic ecology using IBMs and scaling and multi-scaling approaches. Nonlinear Analysis: Real World Applications 6(4):705-730.
- Speckman, S.G., J.F. Piatt, C.V. Minte-Vera & J.K. Parrish. 2005. Parallel structure among environmental gradients and three trophic levels in a subarctic estuary. Progress in Oceanography 66(1):25-65.
- Staton, J.L., L.C. Wickliffe, L. Garlitska, S.M. Villanueva & B.C. Coull. 2005. Genetic isolation discovered among previously described sympatric morphs of a meiobenthic copepod. Journal of Crustacean Biology 25(4):551-557.
- Stead, T.K., J.M. Schmid-Araya, P.E. Schmid & A.G. Hildrew. 2005. The distribution of body size in a stream community: one system, many patterns. Journal of Animal Ecology 74(3):475-487.
- Stepanova, L.A. 2005. Species of the genus *Gigantodiatomus* (Crustacea, Diaptomidae) in the Siberian fauna. Zoologicheskii Zhurnal 84(3):313-320. [In Russian.]
- Stern, G.A. & R.W. MacDonald. 2005. Biogeographic provinces of total and methyl mercury in zooplankton and fish from the Beaufort and Chukchi seas: results from the SHEBA drift. Environmental Science and Technology 39(13):4707-4713.
- Strecker, A.L. & S.E. Arnott. 2005. Impact of *Bythotrephes* invasion on zooplankton communities in acid-damaged and recovered lakes on the Boreal Shield. Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques 62(11):2450-2462.
- Strickler, J.R., A.J. Udvadia, J. Marino, N. Radabaugh, J. Ziarek & A. Nihongi. 2005. Visibility as a factor in the copepod-planktivorous fish relationship. Scientia Marina 69(Supp. 1):111-124.
- Su, H.-M., S.-H. Cheng, T.-I. Chen & M.-S. Su. 2005. Culture of copepods and applications to marine finfish larval rearing in Taiwan. Pp. 183-194 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). Copepods in Aquaculture. Blackwell Publishing, Oxford, U.K. 352 pp.
- Suárez-Morales, E., M.A. Gutiérrez-Aguirre, J.L. Torres & F. Hernández. 2005. The Asian *Mesocyclops pehpeiensis* Hu, 1943 (Crustacea, Copepoda, Cyclopidae) in Southeast Mexico with comments on the distribution of the species. Zoosystema 27(2):245-256.
- Suárez-Morales, E. & T.M. Iliffe. 2005. A new *Stygonitocrella* Petkovski (Copepoda: Harpacticoida) from a cave in Northern Mexico with comments on the taxonomy of the genus. Hydrobiologia 544(1):215-228.
- Suárez-Morales, E. & T.M. Iliffe. 2005. A new *Exumella* (Crustacea: Copepoda: Ridgewayiidae) from anchialine waters of the western Caribbean, with comments on regional biogeography. Bulletin of Marine Science 77(3):409-424.
- Sun, S. 2005. Over-summering strategy of *Calanus sinicus*. GLOBEC International Newsletter 11(1):34.
- Sun, S. & G.T. Zhang. 2005. Over-summering strategy of *Calanus sinicus*. Global Change Newsletter 62:12-13.
- Sutton, T.T. 2005. Trophic ecology of the deep-sea fish *Malacosteus niger* (Pisces: Stomiidae): An enigmatic feeding ecology to facilitate a unique visual system? Deep Sea Research Part I: Oceanographic Research Papers 52(11):2065-2076.
- Svetlichny, L.S. & E.S. Hubareva. 2005. The energetics of *Calanus euxinus*: locomotion, filtration of food and specific dynamic action. Journal of Plankton Research 27(7):671-682.
- Tackx, M., F. Azémar, S. Boulêtreau, N. Pauw, K. Bakker, B. Sautour, S. Gasparini, K. Soetaert, S. Damme & P. Meire. 2005. Zooplankton in the Schelde estuary, Belgium and the Netherlands: long-term trends in spring populations. Hydrobiologia 540(1-3):275-278.
- Takahashi, K. & P. Tiselius. 2005. Ontogenetic change of foraging behaviour during copepodite development of *Acartia clausi*. Marine Ecology Progress Series 303:213-223.
- Tam, Q., A. Avenant-Oldewage & E.H. Williams. 2005. An ultrastructural investigation of *Argulus personatus* Cunningham, 1913 (Crustacea: Branchiura) from Lake Tanganyika, northern Zambia. African Zoology 40(2):301-308.
- Tang, D. & J.-s. Ho. 2005. Resurrection of *Acanthocanthopsis* Heegaard, 1945 (Copepoda, Poecilostomatoida, Chondracanthidae), parasitic on tetraodontiform fishes. Crustaceana 78(7):809-818.

- Tang, D. & K. Izawa. 2005. *Biacanthus pleuronichthydis* (Yamaguti, 1939) gen. n., comb. n. (Copepoda: Taeniacanthidae), an ectoparasite of flatfishes from Japanese waters. *Zootaxa* 1071:47-60.
- Tang, D. & M.D. Johnston. 2005. *Caudacanthus*, a new genus for *Caudacanthus narcini* (Pillai 1963) comb. n. (Poecilostomatoida: Taeniacanthidae), a parasitic copepod of batoid fishes (Chondrichthyes: Elasmobranchii) from the Indo-West Pacific. *Zoological Studies* 44(3):337-346.
- Tang, D. & J.E. Kalman. 2005. A new caligiform copepod (Siphonostomatoida: Dissonidae) parasitic on *Seriola hippo* from Western Australian waters, with new records and morphological variation for *Dissonus nudiventris* and *Dissonus similis*, and an updated key to the species of *Dissonus*. *Journal of Parasitology* 91(2):427-437.
- Tavares, L.E.R. & J.L. Luque. 2005. *Ergasilus youngi* sp. nov. (Copepoda: Poecilostomatoida: Ergasilidae) parasitic on *Aspistor luniscutis* (Actinopterygii: Ariidae) from off the State of Rio de Janeiro, Brazil. *Acta Parasitologica, Warsaw* 50(2):150-155.
- Tavernini, S., G. Mura & G. Rossetti. 2005. Factors influencing the seasonal phenology and composition of zooplankton communities in mountain temporary pools. *International Review of Hydrobiology* 90(4):358-375.
- Taylor, L.H., S.M. Shellito, H.U. Abello & P.A. Jumars. 2005. Tidally phased emergence events in a strongly tidal estuary. *Estuaries* 28(4):500-509.
- Tengberg, A., P.O.J. Hall, U. Andersson, B. Lindén, O. Styrenius, G. Boland, F. de Bovee, B. Carlsson, S. Ceradini, A. Devol, G. Duineveld, J.-U. Friemann, R.N. Glud, A. Khrpounoff, J. Leather, P. Linke, L. Lund-Hansen, G. Rowe, P. Santschi, P. de Wilde & U. Witte. 2005. Intercalibration of benthic flux chambers: II. Hydrodynamic characterization and flux comparisons of 14 different designs. *Marine Chemistry* 94:147-173.
- Tenório, M.M.B., R. Le Borgne, M. Rodier & J. Neveux. 2005. The impact of terrigenous inputs on the Bay of Ouinné (New Caledonia) phytoplankton communities: A spectrofluorometric and microscopic approach. *Estuarine, Coastal and Shelf Science* 64(2-3):531-545.
- Thackeray, S.J., D.G. George, R.I. Jones & I.J. Winfield. 2005. Vertical heterogeneity in zooplankton community structure: a variance partitioning approach. *Archiv für Hydrobiologie* 164(2):257-275.
- Thiagarajan, R., J. Wilhelm, T. Tewolde, Y. Li, M.M. Rich & K.L. Engisch. 2005. Enhancement of asynchronous and train-evoked exocytosis in bovine adrenal chromaffin cells infected with a replication deficient adenovirus. *Journal of Neurophysiology* 94:3278-3291.
- Thingstad, T.F., M.D. Krom, R.F.C. Mantoura, G.A.F. Flaten, S. Groom, B. Herut, N. Kress, C.S. Law, A. Pasternak, P. Pitta, S. Psarra, F. Rassoulzadegan, T. Tanaka, A. Tselepidis, P. Wassmann, E.M.S. Woodward, C. Wexels Riser, G. Zodiatis & T. Zohary. 2005. Nature of phosphorus limitation in the ultraoligotrophic eastern Mediterranean. *Science* 309(5737):1068-1071.
- Thorp, J.H. & S. Mantovani. 2005. Zooplankton of turbid and hydrologically dynamic prairie rivers. *Freshwater Biology* 50(9):1474-1491.
- Thys, I. & L. Hoffman. 2005. Diverse responses of planktonic crustaceans to fish predation by shifts in depth selection and size at maturity. *Hydrobiologia* 551(1):87-98.
- Tirelli, V. & P. Mayzaud. 2005. Relationship between functional response and gut transit time in the calanoid copepod *Acartia clausi*: role of food quantity and quality. *Journal of Plankton Research* 27(6):557-568.
- Tjensvoll, K., K. Hodneland, F. Nilsen & A. Nylund. 2005. Genetic characterization of the mitochondrial DNA from *Lepeophtheirus salmonis* (Crustacea; Copepoda). A new gene organization revealed. *Gene* 353(2):218-230.
- Todd, C.D., R.J. Stevenson, H. Reinardy & M.G. Ritchie. 2005. Polyandry in an ectoparasitic copepod *Lepeophtheirus salmonis* despite complex precopulatory and postcopulatory mate guarding. *Marine Ecology Progress Series* 303:225-234.
- Toledo, J.D., M.S. Gólez & A. Ohno. 2005. Studies on the use of copepods in the semi-intensive seed production of grouper *Epinephelus coioides*. Pp. 169-182 In: Lee, C.-S., P. O'Bryen & N. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Tolomeyev, A. & Y. Zadereev. 2005. An *in situ* method for the investigation of vertical distributions of zooplankton in lakes: test of a two-compartment enclosure. *Aquatic Ecology* 39(2):181-188.
- Tomikawa, K., T. Ishida & S.F. Mawatari. 2005. *Alloctyclops (Alloctyclops) austronipponicus*, a new species of cyclopoid copepod (Crustacea: Cyclopoida: Cyclopidae) from Okinawa Island, Japan. *Species Diversity* 10:19-26.
- Tompsett, P.E. 2005. Notes on the eco-parasite copepod, *Sabelliphilus elongatus* M. Sars, 1862, found on *Sabella pavonina* Savigny, 1820 in the Fal-Helford special area of conservation, Cornwall. *Newsletter of the Porcupine Marine Natural History Society* 17:13-15.
- Tönnesson, K., M. Maar, C. Vargas, E.F. Møller, S. Satapoomin, S. Zervoudaki, E. Christou, A. Giannakourou, A. Sell, J.K. Petersen, T.G. Nielsen & P. Tiselius. 2005. Grazing impact of *Oikopleura dioica* and copepods on an autumn plankton community. *Marine Biology Research* 1(5):365-373.
- Torgersen, T. & G. Huse. 2005. Variability in retention of *Calanus finmarchicus* in the Nordic Seas. *ICES Journal of Marine Science* 62(7):1301-1309.
- Trochine, C., B. Modenutti & E. Balseiro. 2005. When prey mating increases predation risk: the relationship between the flatworm *Mesostoma ehrenbergii* and the copepod *Boeckella gracilis*. *Archiv für Hydrobiologie* 163(4):555-569.

- Troedsson, C., O. Grahl-Nielsen & E.M. Thompson. 2005. Variable fatty acid composition of the pelagic appendicularian *Oikopleura dioica* in response to dietary quality and quantity. *Marine Ecology Progress Series* 289:165-176.
- Tronstad, L.M., B.P. Tronstad & A.C. Benke. 2005. Invertebrate responses to decreasing water levels in a subtropical river floodplain wetland. *Wetlands* 25(3):583-593.
- Tsotetsi, A.M., A. Avenant-Oldewage & S.N. Mashego. 2005. Aspects of the pathology of *Lamproglana clariae* (Copepoda: Lernaecidae) on gills of *Clarias gariepinus* from the Vaal River system, South Africa. *African Zoology* 40(2):169-178.
- Tsuda, A., H. Saito, J. Nishioka & T. Ono. 2005. Mesozooplankton responses to iron-fertilization in the western subarctic Pacific (SEEDS2001). *Progress in Oceanography* 64:237-251.
- Turingan, R.G., J.L. Beck, J.M. Krebs & J.D. Licamele. 2005. Development of feeding mechanics in marine fish larvae and the swimming behavior of zooplankton prey: implications for rearing marine fishes. Pp. 119-132 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Udalov, A.A., V.O. Mokievskii & E.S. Chertoprud. 2005. Influence of the salinity gradient on the distribution of meiobenthos in the Chernaya River Estuary (White Sea). *Oceanology/ Okeanologiya* 45(5):680-688.
- Uriarte, I., U. Cotano & F. Villate. 2005. Effects of estuarine conditions and organic enrichment on the fecundity and hatching success of *Acartia clausi* in contrasting systems. *Journal of Experimental Marine Biology and Ecology* 320(1):105-122.
- Uriarte, I. & F. Villate. 2005. Differences in the abundance and distribution of copepods in two estuaries of the Basque coast (Bay of Biscay) in relation to pollution. *Journal of Plankton Research* 27(9):863-874.
- Ustaoglu, M.R., S. Balik, D.O. Mis & C. Aygen. 2005. The zooplankton of some mountain lakes in the Taurus Range (Turkey). *Zoology in the Middle East* 34:101-108.
- Utz, L.R. & D.W. Coats. 2005. Spatial and temporal patterns in the occurrence of peritrich ciliates as epibionts on calanoid copepods in the Chesapeake Bay, USA. *Journal of Eukaryotic Microbiology* 52(3):236-244.
- Uye, S.-i. 2005. A brief review of studies on mass culture of copepods used for fish food in Japanese mariculture and a proposed plan to use high biomass natural populations of brackish-water copepods. Pp. 75-90 In: Lee, C.-S., P.J. O'Bryen & N.H. Marcus (eds.). *Copepods in Aquaculture*. Blackwell Publishing, Oxford, U.K. 352 pp.
- Vanderlugt, K., B. Clauberg & P. Lenz. 2005. Intensive cultivation of the calanoid copepod *Bestiolina similis*. *Journal of Young Investigators* 12. <http://www.jyi.org/research/re.php?id=147>
- van Wijngaarden, R.P., T.C. Brock & M.T. Douglas. 2005. Effects of chlorpyrifos in freshwater model ecosystems: the influence of experimental conditions on ecotoxicological thresholds. *Pest Management Science* 61(10):923-935.
- Varpe, O., O. Fiksen & A. Slotte. 2005. Meta-ecosystems and biological energy transport from ocean to coast: the ecological importance of herring migration. *Oecologia* 146(3):443-451.
- Vávra, J., M. Hyliš, M. Oborník & C.R. Vossbrinck. 2005. Microsporidia in aquatic microcrustacea: the copepod microsporidium *Marssoniella elegans* Lemmermann, 1900 revisited. *Folia Parasitologica* 52(1/2):163-172.
- Veen, I.T. 2005. Costly carotenoids: a trade-off between predation and infection risk? *Journal of Evolutionary Biology* 18(4):992-999.
- Ventura, M. & J. Catalan. 2005. Reproduction as one of the main causes of temporal variability in the elemental composition of zooplankton. *Limnology and Oceanography* 50(6):2043-2056.
- Vestheim, H., B. Edvardsen & S. Kaartvedt. 2005. Assessing feeding of a carnivorous copepod using species-specific PCR. *Marine Biology* 147(2):381-385.
- Vinogradov, G.M. & E.I. Musaeva. 2005. Vertical distribution of zooplankton over the region of hydrothermal activity at 9°50'N (the East Pacific Rise). *Oceanology/ Okeanologiya* 45(5):671-679.
- Vinogradov, M.E., L.P. Lebedeva, G.M. Vinogradov, E.I. Musaeva, T.A. Lukasheva, D.N. Zas'ko, L.L. Anokhina & A.E. Sivkovich. 2005. Monitoring of the pelagic communities of the northeastern part of the Black Sea in 2004: macro- and mesoplankton. *Oceanology/ Okeanologiya* 45(3):356-367.
- Vitkova, M., J. Kral, W. Traut, J. Zrzavy & F. Marec. 2005. The evolutionary origin of insect telomeric repeats, (TTAGG)_n. *Chromosome Research* 13(2):145-156.
- Viviana-Berrios, C. & F. Mauricio-Vargas. 2005. Estructura trófica de la asociación de peces intermareales de la costa rocosa del norte de Chile. [Trophic structure of the association of intertidal fishes of the rocky coast in northern Chile.] *Revista de Biología Tropical* 52(1):201-212. [For March 2004. In Spanish.]
- Voordouw, M.J., H.E. Robinson & B.R. Anholt. 2005. Paternal inheritance of the primary sex ratio in a copepod. *Journal of Evolutionary Biology* 18(5):1304-1314.
- Voordouw, M.J., H.E. Robinson, G. Stebbins, A.Y.K. Albert & B.R. Anholt. 2005. Larval density and the Charnov-Bull model of adaptive environmental sex determination in a copepod. *Canadian Journal of Zoology* 83(7):943-954.
- Voronina, N.M., V.V. Maslennikov & T.N. Rat'kova. 2005. Changes in the structure of Antarctic plankton in the regions of mass development of salps. *Oceanology / Okeanologiya* 45(3):368-375.

- Vrede, T. & K. Vrede. 2005. Contrasting 'top-down' effects of crustacean zooplankton grazing on bacteria and phytoflagellates. *Aquatic Ecology* 39(3):283-293.
- Wagner, F.H. & C. Beisser. 2005. Does carbon enrichment affect hyporheic invertebrates in a gravel stream? *Hydrobiologia* 544(1):189-200.
- Walker-Smith, G.K. 2005. Review of: *Crustaceana Monographs* 3 (2004). Subterranean Copepoda from Arid Western Australia. *Journal of Crustacean Biology* 25(3):533.
- Walter, T., S. Piepiorka & N. Reimann. 2005. Parasitische Ruderfusskrebse-wichtige Schaedlinge an Meeresfischen. Significant parasitic copepod pests of marine fish. *DATZ* 58(6):64-67. [In German.]
- Wang, G., X. Jiang, S. Li, L. Wu & D. Wu. 2005. A potential source of recruitment of *Acartia pacifica* nauplii: viable benthic resting eggs. *Acta Oceanografica Sinica* 24(2):151-158.
- Wang, S., T.V. Phong, N. Tuno, H. Kawada & M. Takagi. 2005. [Sensitivity of two copepod species to an insect growth regulator, Pyriproxyfen.] *Medical Entomology and Zoology* 56(2):180. [In Chinese.]
- Wang, X. & W.-X. Wang. 2005. Uptake, absorption efficiency and elimination of DDT in marine phytoplankton, copepods and fish. *Environmental Pollution* 136(3):453-464.
- Webber, M., E. Edwards-Myers, C. Campbell & D. Webber. 2005. Phytoplankton and zooplankton as indicators of water quality in Discovery Bay, Jamaica. *Hydrobiologia* 545(1):177-193.
- Weitere, M., A. Scherwass, K.-T. Sieben & H. Arndt. 2005. Planktonic food web structure and potential carbon flow in the Lower River Rhine with a focus on the role of protozoans. *River Research and Applications* 21(5):535-549.
- Westheide, W. 2005. Meiofauna geographic distribution: vicariance and dispersal. *Meiofauna Marina* 14:201-207.
- Wiles, S., K. Ferguson, M. Stefanidou, D.B. Young & B.D. Robertson. 2005. Alternative luciferase for monitoring bacterial cells under adverse conditions. *Applied and Environmental Microbiology* 71(7):3427-3432.
- Willis, K.J., P.A. Gillibrand, C.J. Cromey & K.D. Black. 2005. Sea lice treatments on salmon farms have no adverse effects on zooplankton communities: a case study. *Marine Pollution Bulletin* 50(8):806-816.
- Wilson, S.P. & M.J. Costello. 2005. Predicting future discoveries of European marine species by using a non-homogeneous renewal process. *Journal of the Royal Statistical Society, Series C (Applied Statistics)* 54(5):897-918.
- Winter, A., G. Swartzman & L. Ciannelli. 2005. Early- to late-summer population growth and prey consumption by age-0 pollock (*Theragra chalcogramma*), in two years of contrasting pollock abundance near the Pribilof Islands, Bering Sea. *Fisheries Oceanography* 14(4):307-320.
- Witthöft-Mühlmann, A., W. Traunspurger & K.O. Rothhaupt. 2005. Meiobenthic response to river-borne benthic particulate matter – a microcosm experiment. *Freshwater Biology* 50(9):1548-1559.
- Wonham, M.A., S.A. Bailey, H.J. MacIsaac & M.A. Lewis. 2005. Modelling the invasion risk of diapausing organisms transported in ballast sediments. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(10):2386-2398.
- Woods, J.D. 2005. The Lagrangian Ensemble metamodel for simulating plankton ecosystems. *Progress in Oceanography* 67(1-2):84-159.
- Woods, J., A. Perilli & W. Barkmann. 2005. Stability and predictability of a virtual plankton ecosystem created with an individual-based model. *Progress in Oceanography* 67(1-2):43-83.
- Woodson, C.B., D.R. Webster, M.J. Weissburg & J. Yen. 2005. Response of copepods to physical gradients associated with structure in the ocean. *Limnology and Oceanography* 50(5):1552-1564.
- Xue, Y., X. Jin, B. Zhang & Z. Liang. 2005. Seasonal, diel and ontogenetic variation in feeding patterns of small yellow croaker in the central Yellow Sea. *Journal of Fish Biology* 67(1):33-50.
- Yahel, R., G. Yahel & A. Genin. 2005. Near-bottom depletion of zooplankton over coral reefs: I: diurnal dynamics and size distribution. *Coral Reefs* 24(1):75-85.
- Yalynskaya, N.S., I.T. Oleksiv, O.P. Andryushchishin, O.Ya. Dumich, O.P. Yedynak, O.N. Savitskaya & Yu.M. Zabytivskiy. 2005. Hydrobiological indicators of toxification of ponds of the western region of Ukraine. *Hydrobiological Journal* 41(4):103-118.
- Yamaguchi, A., S. Tachibana, K. Hirakawa & T. Ikeda. 2005. Descriptions of the copepodid stages of the mesopelagic copepod, *Gaetanus variabilis* (Brodsky, 1950) (Calanoida, Aetideidae) from the Japan Sea. *Crustaceana* 78(7):819-837.
- Yamamoto, Y. & H. Nakahara. 2005. The formation and degradation of cyanobacterium *Aphanizomenon flos-aquae* blooms: the importance of pH, water temperature, and day length. *Limnology* 6(1):1-6.
- Yamazaki, A.K. & J.R. Strickler. 2005. Contribution of biological studies to the understanding and modeling of skilled performance: some examples. In: Khosla, R., R.J. Howlett & L.C. Jain (eds.). *Knowledge-Based Intelligent Information and Engineering Systems: 9th International Conference, KES 2005, Melbourne, Australia, September 14-16, 2005, Proceedings, Part IV. Lecture Notes in Computer Science* 3684:124-128.
- Ye, S.M., S.J. Gao, Y. Pan, J.Y. Yang & S.L. Li. 2005. Automatic separation system for marine meiobenthos based on laser-induced fluorescence technology. *Journal of the Zhejiang University of Science* 6(6):535-539.
- Yebra, L., R.P. Harris & T. Smith. 2005. Comparison of five methods for estimating growth of *Calanus helgolandicus*

- later developmental stages (CV–CVI). *Marine Biology* 147(6):1367-1375.
- Yılmaz, I.N., E. Okus & A. Yüksek. 2005. Evidences for influence of a heterotrophic dinoflagellate (*Noctiluca scintillans*) on zooplankton community structure in a highly stratified basin. *Estuarine, Coastal and Shelf Science* 64(2-3):475-485.
- Yoder, H.R. & C.M. Crabtree. 2005. Parasite assemblages in Centrarchid fishes from backwater habitats in southeast Texas, U.S.A. *Texas Journal of Science* 57(1):59-66.
- Ysebaert, T., M. Fettweis, P. Meire & M. Sas. 2005. Benthic variability in intertidal soft-sediments in the mesohaline part of the Schelde estuary. *Hydrobiologia* 540(1-3):197-216.
- Zafar, A. & N. Sultana. 2005. Zooplankton and microinvertebrates of River Ganga at Kanpur. *Uttar Pradesh Journal of Zoology* 25(1):63-66.
- Zander, C.D. 2005. Comparative studies on goby (Teleostei) parasite communities from the North and Baltic Sea. *Parasitology Research* 96(1):62-68.
- Zeldis, J.R., J. Oldman, S.L. Ballara & L.A. Richards. 2005. Physical fluxes, pelagic ecosystem structure, and larval fish survival in Hauraki Gulf, New Zealand. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(3):593-610.
- Zhang, B., Q.-S. Tang, X.-S. Jin & Y. Xue. 2005. Feeding competition of the major fish in the East China Sea and the Yellow Sea. *Acta Zoologica Sinica* 51(4):616-623.
- Zhang, F., S. Sun & Y. Zhang. 2005. Ontogenetic diel vertical distribution of the planktonic copepod *Calanus sinicus* in Southern Yellow Sea. *Marine Sciences* 29(9):13-17.
- Zhang, G.T., S. Sun & F. Zhang. 2005. Seasonal variation of reproduction rates and body size of *Calanus sinicus* in the southern Yellow Sea, China. *Journal of Plankton Research* 27(2):135-143.
- Zhang, X., P. Xie, F.Z. Chen, Y.L. Li, S.X. Li, N.C. Guo & J.H. Qin. 2005. Present status and changes of the phytoplankton community after invasion of *Neosalanx taihuensis* since 1982 in a deep oligotrophic plateau lake, Lake Fuxian in the subtropical China. *Journal of Environmental Sciences China* 17(3):389-394.
- Zhao, W. & S. Dong. 2005. Studies of community structure and seasonal dynamics of planktonic copepods in saline-alkaline ponds. *Chinese Journal of Oceanography and Limnology* 23(2):189-193.
- Zhao, W., M.-p. Zheng, X.-z. Xu, X.-F. Liu, G.-I. Guo & Z.-h. He. 2005. Biological and ecological features of saline lakes in northern Tibet, China. *Hydrobiologia* 541(1): 189-203.
- Ziller, S.R., J.K. Reaser, L.E. Neville & K. Brandt (eds.). 2005. *Especies alienígenas invasoras en Sudamérica: informes nacionales & directorio de recursos. Invasive alien species in South America: national reports & directory of resources. Global Invasive Species Programme, Cape Town, South Africa.* 82 pp. <http://www.gisp.org/downloadpubs/IASSouthAmericaNatReps.pdf> [In Spanish.]
- Ziliukiene, V. 2005. The diet of *Abramis brama* (L.) larvae reared in illuminated cages. *Journal of Applied Ichthyology* 21(5):406-409.

RECENT THESES and DISSERTATIONS

- Abdallah, Vanessa Doro. 2005. Composição e estrutura das comunidades parasitárias de *Hoplosternum littorale* (Hancock, 1828) e *Cyphocharax gilbert* (Quoy & Gaimard, 1824) do rio Guandu, Estado do Rio de Janeiro, Brasil. 2005. [Composition and structure of the parasite communities of *Hoplosternum littorale* (Hancock, 1828) and *Cyphocharax gilbert* (Quoy & Gaimard, 1824) of the Guandu River, State of Rio de Janeiro, Brazil.] Dissertação de Mestrado em Ciências Veterinárias, Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. 65 pp. [In Portuguese.]
- Alves, Dmitri Ramos. 2005. Composição e estrutura das comunidades de metazoários parasitos de seis espécies de escombrídeos (Osteichthyes: Scombridae) do litoral do Estado do Rio de Janeiro. [Composition and structure of the communities of metazoan parasites of six species of scombrids (Osteichthyes: Scombridae) of the coast of the State of Rio de Janeiro.] Tese (Doutorado em Ciências Veterinárias), Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. [In Portuguese.]
- Antajan, Elvire. 2005. Rôle des copépodes dans le fonctionnement de l'écosystème à *Phaeocystis* de la côte sud de la mer du Nord. [Role of the copepods in the functioning of the *Phaeocystis* ecosystem of the southern coast of the North Sea.] Ph.D. Thèse, Vrij Universitat Brussel, Brussels, Belgium. [In French.]
- Aygen, C. 2003. Investigation on the Crustacea fauna of Isikli Lake (Çivril-Denizli). Ph.D. Thesis, Ege Üniversitesi Fen Bilimleri Enstitüsü, Ege, Turkey. 215 pp. [In Turkish.]
- Bandilla, Matthias. 2003. The fish louse *Argulus coregoni* (Crustacea: Branchiura): Interactions with its host and bacteria. M.Sc. Thesis, University of Jyväskylä, Jyväskylä, Finland.
- Bártholo Maranhão, G.M. 2003. Efeito antrópico sobre a meiofauna e nematofauna do ecossistema recifal de Porto de Galinhas (Pernambuco: Brasil). [Anthropic effect on the meiofauna and nematofauna of the reef ecosystem of Porto de Galinhas (Pernambuco: Brazil).] Ph.D. Thesis, Instituto de Oceanografia, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. 125 pp. [In Portuguese.]
- Buyukates, Yesim. 2003. Characterization of the plankton community in the lower Rincon Delta: investigations

- regarding new approaches to management. Ph.D. Dissertation, Wildlife & Fisheries Science, Texas A&M University, College Station, Texas, U.S.A. 112 pp.
- Byrne, I. 2004. Effects of salinity fluctuations on the diversity of estuarine meiofaunal assemblages. Bachelor of Environmental Science (Honours) Thesis, Deakin University, Melbourne, Victoria, Australia.
- Castro, F.J.V. de. 2003. Variação da meiofauna e da nematofauna em uma área mediolitorânea da bacia do Pina (Pernambuco: Brasil). [Variation of the meiofauna in a mid-littoral area of the Pina Basin (Pernambuco: Brazil).] Ph.D. Thesis, Instituto de Oceanografia, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. 111 pp. [In Portuguese.]
- Corcoran, Robin M. 2005. Lesser scaup nesting ecology in relation to water chemistry and macroinvertebrates on the Yukon Flats, Alaska. M.S. Thesis, University of Wyoming, Laramie, Wyoming, U.S.A. 83 pp.
- Davenport, Erik. 2005. The abundance and distribution of zooplankton in and about Hudson Canyon. M.S. Thesis, Morgan State University, Baltimore, Maryland, U.S.A. 156 pp.
- Dawson, Amy C. 2004. Effects of short-term pH variability on zooplankton communities recovering from acidification. M.Sc. Thesis, Queen's University, Kingston, Ontario, Canada. 68 pp.
- Enone, P.E. 2003. Spatial structure of the zooplankton population in the Belgian coastal waters in June 2002: relation with environmental variables. M.Sc. Thesis, Vrije Universiteit Brussel, Brussels, Belgium. 53 pp.
- Fanenbruck, M. 2003. Die Anatomie des Kopfes und des cephalen Skelett-Muskelsystems der Crustacea, Myriapoda und Hexapoda: Ein Beitrag zum phylogenetischen System der Mandibulata und zur Kenntnis der Herkunft der Remipedia und Tracheata. [The anatomy of the head and the cephalic skeleton-muscle system of the Crustacea, Myriapoda and Hexapoda: A contribution to a phylogenetic system of the Mandibulata and to knowledge of the origin of the Remipedia and Tracheata.] Ph.D. Dissertation (Doktor der Naturwissenschaften), Fakultät für Biologie, Ruhr-Universität Bochum, Bochum, Germany, Teil 1/3, Pp. 1-128. [In German.]
- Fast, Mark. 2005. Host immunomodulation by *Lepeophtheirus salmonis*. Ph.D. Thesis, Dalhousie University, Halifax, Nova Scotia, Canada.
- Finlay, Kerri P. 2004. Nauplii and Copepodites: an evaluation of trophodynamic roles in a north temperate bay - and implications beyond. Ph.D. Thesis, University of Guelph, Guelph, Ontario, Canada. 219 pp.
- Flowers, Jonathan M. 2005. Evolutionary genetics of the tidepool copepod *Tigriopus californicus*. University of California-San Diego, San Diego, California, U.S.A. 188 pp.
- Fonsêca, Francinete Torres Barreiro da. 2003. Copépodos parasitas de peixes Mugilidae, Centropomidae e Gerreidae da área de Suape e canal de Santa Cruz, Pernambuco, Brasil [Parasitic copepods of Mugilidae, Centropomidae and Gerreidae fishes from the area of Suape and the Santa Cruz Channel, Pernambuco, Brazil.] Ph.D. Thesis, Instituto de Oceanografia, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. 124 pp. [In Portuguese.]
- Fulford, Richard Stewart. 2004. Food web interactions of larval yellow perch, *Perca flavescens*, in Lake Michigan: Implications for recruitment. Ph.D. Thesis, North Carolina State University, Raleigh, North Carolina, U.S.A. 273 pp.
- Geddes, Pamela. 2004. Effect of terrestrial subsidies on structure, functioning, and dynamics of food webs in pond ecosystems. Ph.D. Thesis, The University of Chicago, Chicago, Illinois, U.S.A. 199 pp.
- Gogulek, Agatha. 2005. Biodiversity of the meiofauna from cold seeps. Licenciante Thesis, University of Ghent, Ghent, Belgium.
- Haddix, Tyler M. 2004. Factors affecting growth of rainbow trout in Flaming Gorge Reservoir, Utah-Wyoming (*Oncorhynchus mykiss*). M.S. Thesis, Utah State University, Logan, Utah, U.S.A. 82 pp.
- Hakalahti, Teija. 2005. Studies of the life history of a parasite – a basis for effective population management. M.Sc. Thesis, University of Jyväskylä, Jyväskylä, Finland. 41 pp.
- Harrison, James P. 2004. Large-scale seasonal use of hypoxic incursions as an adaptive foraging strategy by adult piscivores within a pelagic freshwater fish assemblage. Ph.D. Thesis, Rensselaer Polytechnic Institute, Troy, New York, U.S.A. 230 pp.
- Hill, Robert Sean. 2004. Genetic diversity and structure of calanoid copepods: Molecular evolutionary patterns in coastal estuaries (*Acartia tonsa*) and the open ocean (*Calanus* spp.). Ph.D. Thesis, University of New Hampshire, Durham, New Hampshire, U.S.A. 130 pp.
- Honea, Jon M. 2005. Effect of salmon spawning on seasonal changes in structure and function of stream macroinvertebrate communities. Ph.D. Dissertation, University of Washington, Seattle, Washington, U.S.A. 147 pp.
- Houthoofd, Lieven. 2005. To eat or to be eaten: feeding experiments with C-13 enriched diatoms and harpacticoid copepods (Crustacea). Licenciante Thesis, University of Ghent, Ghent, Belgium.
- Jahncke, Jaime. 2004. The influence of coastal water physical processes on the abundance and distribution of seabirds. Ph.D. Thesis, University of California at Irvine, Irvine, California, U.S.A. 197 pp.
- Jewett, Elizabeth Bromley. 2005. Epifaunal disturbance by periodic low dissolved oxygen: Native versus invasive species response. Ph.D. Thesis, University of Maryland-College Park, College Park, Maryland, U.S.A. 193 pp.

- Kane, Douglas D. 2004. The development of a planktonic index of biotic integrity for Lake Erie. Ph.D. Thesis, Ohio State University, Columbus, Ohio, U.S.A. 277 pp.
- Kvamme, Bjørn Olav. 2005. Trypsins from the salmon louse (*Lepeoptheirus salmonis* Crustacea, Copepoda). Ph.D. Thesis, University of Bergen, Bergen, Norway.
- Labata, M.P. 2003. *Temora longicornis* grazing during the seasonal cycle in the Belgian coastal waters. M.Sc. Thesis, Vrije Universiteit Brussel, Brussels, Belgium. 57 pp.
- Leguay, E. 2004. Pathologie d'*Argulus foliaceus* (Linné) chez *Oncorhynchus mykiss* (Walbaum). [Pathology of *Argulus foliaceus* (Linné) in *Oncorhynchus mykiss* (Walbaum.)] Ph.D. Thesis, École Nationale Vétérinaire de Nantes, Nantes, France. [In French.]
- Mantha, Gopikrishna. 2005. Studies on the marine cyclopoid copepods. Ph.D. Thesis, University of Madras, Madras, India. 157 pp.
- Mayor, D.J. 2005. Nutritional regulation of egg production of *Calanus finmarchicus* in the North Atlantic. Ph.D. Thesis, University of Southampton, Faculty of Science, School of Ocean and Earth Science, Southampton, U.K. 315 pp.
- Molinero-Vargas, Juan Carlos. 2003. Etude de la variabilité des abondances des copépodes planctoniques en Méditerranée, mécanismes et échelles caractéristiques: le cas de *Centropages typicus*. [Study of the variability of the abundances of planktonic copepods in the Mediterranean, characteristic mechanisms and scales: the case of *Centropages typicus*.] Thèse de Doctorat de l'Université Pierre & Marie Curie, Paris VI, Paris, France. [In French.]
- Muxagata, Erik. 2005. Seasonal and spatial distribution of the mesozooplankton of Southampton Water with particular reference to the contribution of copepods and barnacle larvae to pelagic carbon flux. Ph.D. Thesis, University of Southampton, Southampton, U.K. 285 pp.
- Norlin, John Ivor. 2004. Zooplankton and alternate states in western boreal wetland lakes (Alberta). M.Sc. Thesis, University of Alberta, Canada. 105 pp.
- Nunes, J.L.S. 2003. Colonização da meiofauna em ambientes algal e mimético do infralitoral da ilha de Cabo Frio, Arraial do Cabo – RJ – Brasil. [Colonization of the meiofauna in algal and simulated environments of the sublittoral zone, Cabo Frio Island, Arraial do Cabo – RJ – Brazil.] Dissertação do Mestrado, Instituto de Oceanografia, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. 88 pp. [In Portuguese.]
- Papadopoulos, L. 2004. Phylogeography of the planktonic copepod *Calanus helgolandicus* from European seas. M.Sc. Thesis, University of Amsterdam, Amsterdam, The Netherlands.
- Peijnenburg, Katja Theodora Catharina Adriana. 2005. Structure at open sea. Genetics of zooplankton populations. Ph.D. Thesis, Department of Evolutionary Biology, University of Amsterdam, Amsterdam, The Netherlands.
- Petrik-Finley, Rachel J. 2005. The impact of a gill copepod on the demography of a reef fish host. Ph.D. Dissertation, University of Rhode Island, Kingston, Rhode Island, U.S.A. 190 pp.
- Papa, Rey Donne S. 2005. Zooplankton diet of the freshwater sardine, *Sardinella tawilis* of Lake Taal, Batangas. M.S. Thesis, University of Santo Tomas, Pasig City, Philippines.
- Rasberry, Katherine Denise. 2005. The behavioral effect of laboratory turbulence on copepods. M.Sc. Thesis, Georgia Institute of Technology, Atlanta, Georgia, U.S.A. 100 pp.
- Reissig, Mariana. 2005. Análisis de los efectos de cascada trófica en cadenas alimentarias planctónicas de lagos oligotróficos. [Analysis of the effects of the trophic cascade in planktonic food webs of oligotrophic lakes.] Ph.D. Thesis, Universidad Nacional del Comahue, Comahue, Argentina. [In Spanish.]
- Rocha, C.M.C. 2003. Efeito do substrato fital na comunidade meiofaunística associada, com ênfase aos Nematoda livres. [Effect of the phytal substrate on the associated meiofaunal community, with emphasis on the free-living Nematoda.] Ph.D. Thesis, Instituto de Oceanografia, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. 117 pp. [In Portuguese.]
- Rodríguez-Jerez, Yira Arlene. 2005. Abundancia y composición de las comunidades zoopláncticas sobre los arrecifes coralinos en Isla Desecheo, Puerto Rico. [Abundance and composition of the zooplankton communities over the coral reefs on Isla Desecheo, Puerto Rico.] Tesis de Mestro en Ciencias Marinas, Universidad de Puerto Rico, Recinto Universitario de Mayagüez, Mayagüez, Puerto Rico, U.S.A. 70 pp. [In Spanish; abstract in English.]
- Rolland, Nicolas. 2004. Cycle de vie annuel des copépodes calanoides arctiques dans la Polynie des Eaux du Nord: Une étude basée sur 24 mois de collecte par des pièges a particules sequentiels. [Annual life cycle of the arctic calanoid copepods in the North Water Polynya: A study based on 24 months of collection by sequential sediment traps.] M.Sc. Thesis, Université Laval, Canada. 55 pp. [In French; abstract in English.]
- Savoie, Victoria Lynn. 2004. Taxonomy and ecology of *Ergasilus* sp. and *Thersitina gasterostei* (Copepoda) parasitizing gasterosteiforms along the coasts of the Atlantic Canadian Provinces. M.Sc. Thesis, Saint Mary's University, Halifax, Nova Scotia, Canada. 77 pp.
- Sedlacek, Christopher. 2003. Effect hypoxia has on feeding and egg production rates of *Acartia tonsa* Dana 1849 (Copepoda: Calanoida). M.S. Thesis, University of Florida, Gainesville, Florida, U.S.A.
- Shaddock, Bridget. 2005. An evaluation of invertebrate dynamics in a drinking water distribution system : a

- South African perspective. M.Sc. Thesis, University of Johannesburg, Johannesburg, South Africa.
- Short, Jeffrey Wayne. 2005. Seasonal variability of pristanes in mussels (*Mytilus trossulus*) in Prince William Sound, Alaska. Ph.D. Thesis, University of Alaska – Fairbanks, Fairbanks, Alaska, U.S.A.
- Silva, Eduardo Araújo da. 2003. Composição, abundância e diversidade do zooplâncton como subsídio para o monitoramento do manejo comunitário da pesca extrativista em lagos de várzea da Amazônia Central. [Composition, abundance and diversity of the zooplankton as a basis for monitoring the community management of fish harvesting in várzea lakes of Central Amazonia.] Iniciação Científica Thesis, Universidade Federal do Amazonas, Manaus, Amazonas, Brazil. [In Portuguese.]
- Silva, T. de A. 2003. Zooplâncton demersal na Área de Proteção Ambiental de Tamandaré (APA dos Corais) Pernambuco (Brasil). [Demersal zooplankton in the Tamandaré Environmental Protection Area (APA of the Corals) Pernambuco (Brazil).] Ph.D. Thesis, Instituto de Oceanografia, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. 89 pp. [In Portuguese.]
- Smith, Jennifer F. 2005. Benthic invertebrate community structure on rocky substrates in Lake Michigan: influence of environmental factors. M.Sc. Thesis, Loyola University Chicago, Chicago, Illinois, U.S.A.
- Speckman, Suzann Gail. 2004. Characterizing fish schools in relation to the marine environment and their use by seabirds in lower Cook Inlet, Alaska. Ph.D. Thesis, University of Washington, Seattle, Washington, U.S.A. 151 pp.
- Teasdale, M. 2003. The timing of benthic copepod emergence – a laboratory flume study. M.S. Thesis, Florida State University, Tallahassee, Florida, U.S.A.
- Torres, Leticia Elizabeth. 2005. Seasonal community structure of littoral microcrustaceans in eight urban playas of Lubbock, Texas. M.S. Thesis, Texas Tech University, Lubbock, Texas, U.S.A.
- Turner, Tracey Brooke. 2005. Ectoparasites and stress physiology of coral trout *Plectropomus leopardus* (Lacepède, 1802). Ph.D. Thesis, University of Queensland, Queensland, Australia.
- Ucan-Marin, Francisco J. 2004. Evidence of physiological disruption and effects of Ivermectin in juvenile Atlantic salmon (*Salmo salar* L.). M.Sc. Thesis, Dalhousie University, Halifax, Nova Scotia, Canada. 119 pp.
- Veloza, Adriana. 2005. Transfer of essential fatty acids by marine plankton. M.S. Thesis, Virginia Institute of Marine Science, College of William and Mary, Williamsburg, Virginia, U.S.A.
- Ventura-Oller, Marc. 2005. Crustacean zooplankton dynamics in Lake Redon: a stoichiometric, biochemical and isotopic approach. Ph.D. Thesis, Universitat de Barcelona, Barcelona, Spain.
- Vieira, Sátya Ardaia da Costa. 2005. Diversidade de crustáceos intersticiais da praia do Tupé, Manaus - AM. [Diversity of interstitial crustaceans of Tupé Beach, Manaus – Amazonas.] Iniciação Científica Thesis, Centro Universitário Luterano de Manaus, Manaus, Brazil. [In Portuguese.]
- Voordouw, Maarten Jeroen. 2005. Sex ratio theory in a splash pool: The sex ratio trait of *Tigriopus californicus*. Ph.D. Thesis, University of Victoria, Victoria, British Columbia, Canada. 176 pp.
- Warner, David Michael. 2004. The role of *Cercopagis pengoi* in nearshore areas of Lake Ontario. Ph.D. Thesis, Cornell University, Ithaca, New York, U.S.A. 140 pp.
- Wend, B. 2005. Entwicklung von *Oithona similis* (Copepoda: Cyclopoida) während EisenEx. [Development of *Oithona similis* (Copepoda: Cyclopoida) during EisenEx.] Diplomarbeit, Fachbereich 2, Universität Bremen, Bremen, Germany. [In German.]
- Westhead, Maxine C. 2005. Investigations of the reference condition approach and intertidal ecology of Minas Basin, Bay of Fundy, with reference to the impacts of intertidal harvesting (Nova Scotia). M.Sc. Thesis, Acadia University, Wolfville, Nova Scotia, Canada. 138 pp.
- Yoneyama, Hidetaka. 2005. Impact écologique des larves de la moule zébrée (*Dreissena polymorpha*) sur les larves de poisson de la zone de turbidité maximale de l'estuaire du St-Laurent. Ecological impact of larvae of the zebra mussel (*Dreissena polymorpha*) on fish larvae in the zone of maximum turbidity of the St. Lawrence Estuary.] M.Sc. Thesis, Université Laval, Québec City, Québec, Canada. 54 pp. [In French.]
- York, Keri Jane. 2005. Resource partitioning in an assemblage of deep-water, demersal rockfish (*Sebastes* spp.) on the northeast Pacific continental shelf. M.Sc. Thesis, Washington State University Vancouver, Vancouver, Washington, U.S.A. 78 pp.
- Yu, Ren-yao. 2005. Seasonal distribution of copepods in relation to environmental factors in Tanshui and Kaoping estuaries. M.S. Thesis, National Sun Yat-Sen University, Kaohsiung, Taiwan, Republic of China. 116 pp. [In Chinese.]
- Zuo, Tao. 2003. Zooplankton community structure in the East China Sea and the Yellow Sea. Ph.D. Dissertation, Institute of Oceanography, Chinese Academy of Sciences, People's Republic of China.

*** Titles received by the Monoculus-Library are indicated by asterisks. ***