



MONOCULUS Copepod Newsletter

The Newsletter of the World Association of Copepodologists

Number 55 A – Supplement

June 2008

CONTENTS

Editor's Notes	1
Plea for Reprints	1
Recommended Reading	2
Recent Publications	2

MONOCULUS Editor: Janet W. Reid

Research Associate, Division of Science & Learning
Virginia Museum of Natural History

21 Starling Avenue, Martinsville, Virginia 24112, U.S.A.

Tel. +1 276 656 6719; Fax. +1 276 656 6701

E-mail jwrassociates@sitestar.net

*Deadline for submissions to the next number of
MONOCULUS: 30 October 2008*

Material in *MONOCULUS* is reviewed only by the Editor.
This newsletter is not part of the scientific literature and is
not to be cited, abstracted, or reprinted as a published
document. Using the illustrations or text for other purposes
requires previous agreement by the Editor.

ISSN 1543-0731 (On-line version)

ISSN 0722-5741 (Printed version)

WAC Homepage

<http://www.copepoda.uconn.edu>

Each number of *MONOCULUS* is announced on:

Copepoda List copepoda@listas.usp.br

Crust-L crust-l@vims.edu

ALCA alca@ola.icmyl.unam.mx

Planktonnet planktonnet@yahoogroups.com

Copepod List copepods@yahoogroups.com

Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages, in addition to the journals and reprints themselves. If you note inaccuracies or omissions, please let me know and the correct version will appear in the next number of *MONOCULUS*. Grateful thanks to the donors of

reprints to the Monoculus and Wilson libraries.

The year of publication as given refers to the year in which the printed version of the journal was distributed, and not the year when it first became available online, if these are different. This supplement will be posted in pdf format on the WAC website.

R. Ramanibai, and Edinaldo Nelson dos Santos-Silva graciously provided literature references and, in some cases, reprints. Other colleagues including have donated reprints of articles that were listed in previous numbers, to the Monoculus and Wilson libraries. Thanks to Jiang-Shio Hwang for advice on the best English spelling of a Chinese name. Translations of titles in languages other than English (if not given by the source) are provided by the management.

— Jan Reid

Martinsville, U.S.A.

Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library!
Both paper copies and pdf files are welcome.

To the Monoculus-Library:

C/o Prof. Dr. Pedro Martínez Arbizu

Forschungsinstitut Senckenberg

DZMB-Forschungsinstitut Senckenberg

Monoculus-Library

Suedstrand 44

D-26382 Wilhelmshaven

Germany

E-mail: pmartinez@senckenberg.de

To the C. B. Wilson Library:

C/o Mr. T. Chad Walter

Smithsonian Institution

PO Box 37012

NMNH, MRC-163

Washington DC 20013-7012

U.S.A.

E-mail: WALTERC@si.edu



Recommended Reading

“Is there really six times more plastic than plankton in the North Pacific Gyre?” Posted by Miriam Goldstein on the blog “The Oyster’s Garter: Science, technology, and geekery from a marine biologist and a journalist”
<http://theoystersgarter.com/2008/06/10/is-there-really-six-times-more-plastic-than-plankton-in-the-north-pacific-gyre/>
 Discussion of zooplankton sampling issues, for laymen.

Recent Publications on Copepoda

Compiled by Jan Reid and Chad Walter

Older publications that were recently listed in the “World of Copepoda” bibliographic database (C. B. Wilson Library) are included. Please advise us if you learn of publications (including theses and “gray literature”), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the “World of Copepoda” database.

1998 and before

- Abé, H. 1993. Meiofauna of a sandy beach on Karo, Tottori (Japan). Proceedings of Hokkaido Tokai University, Science and Engineering 6:15-19.
- Adler, D.A. 1982. Tracer studies in marine mesocosms: Transport processes near the sediment-water interface. Ph.D. Thesis, Columbia University, New York, New York, U.S.A. 346 pp.
- Albjerg, J. 1996. Et studie af zooplankton dynamikken i danske farvande. [Studies of zooplankton dynamics in Danish waters.] M.Sc. Thesis, University of Copenhagen, Copenhagen, Denmark. [In Danish.]
- Al-Khabbaz, M. & A.M. Fahmi. 1998. Distribution of Copepoda in the ROPME Sea Area 1994. In: Otsuki, A., M. Abdulraheem & R. Reynolds (eds.). Offshore Environment of the ROPME Sea Area After the War-related Oil Spill– Results of the 1993-94 Umitaka-Marui Cruises. Tera Scientific Publishing Company (TERRAPUB), Tokyo. Pp. 303-318.
- Al-Yamani, F.Y., W.A. Ismail & A.M. Fahmi. 1995. Copepods from Kuwaiti coastal waters of Persian Gulf. Kuwait Institute for Scientific Research, Technical Report. 235 pp.
- Al-Yamani, F., K. Al-Rifaie, H. Al-Mutairi & W. Ismail. 1998. Post-spill spatial distribution of zooplankton in the ROPME Sea Area. In: Otsuki, A., M. Abdulraheem & R. Reynolds (Eds.). Offshore Environment of the ROPME Sea Area after the War-Related Oil Spill– Results of the 1993-94 Umitaka-Marui Cruises. Tera Scientific Publishing Company (TERRAPUB), Tokyo. Pp. 193-202.
- Battaglia, B., P.M. Bisol, I. Lazzaretto, A. Libertini, S. Marcato, T. Patarnello & V. Varotto. 1992. Studies on genetic differentiation in populations of Antarctic and Sub-Antarctic marine invertebrates. In: Proceedings of the 2nd Meeting on Antarctic Biology, Feb. 26-28, 1992, Padua. Scienza e Cultura, Special Issue: 121-130.
- Bekleyen, A. 1997. Devegeçidi ve Göksu Barajlarında Dağılım Gösteren Zooplankton Grupları Üzerinde Sistemik ve Ekolojik Çalışmalar. [Systematic and ecological investigations on some zooplankton groups of Göksu Reservoir.] Doctoral Thesis, Dicle University, Diyarbakir, Turkey. [In Turkish.]
- Bhat, A. 1994. Phytoplankton-zooplankton interactions in aquatic ecosystems: a review. M.S. Thesis, University of Delhi, Delhi, India.
- Bhat, K. & A.B. Waghm. 1992. Biochemical composition of zooplankton of Bombay High (platform) area in the Arabian Sea. Indian Journal of Marine Sciences 2(3):220-223.
- Bothár, A. 1983. Adatok a *Bosmina longirostris* (O.F. Müller) és *Eucyclops serrulatus* (Fischer) populációdinamikájához a Dunában. [Data on the population dynamics of *Bosmina longirostris* (O.F. Müller) and *Eucyclops serrulatus* (Fischer) in the Dunában.] Hidrobiológus Napok, 4-6 October 1983, Tihany. Pp. 7-8. [In Hungarian.]
- Bothár, A. 1985. Die qualitative und quantitative Verbreitung der planktischen Crustaceen im ungarischen Donauabschnitt von 1965-1985. [The qualitative and quantitative distribution of the planktonic crustaceans in the Hungarian stretch of the Danube of 1965-1985.] In: 25. Arbeitstagung der IAD, Bratislava, Wissenschaftliche Kurzreferate. Pp. 283-287. [In German.]
- Bothár, A. 1985. A Duna planktonikus Crustacea együtteseinek alakulása a 80-as években. [Occurrences of planktonic Crustacea in the Danube in the 1980s.] Hidrobiológus Napok, Eloadáskivonat, Budapest. Pp. 26-28. [In Hungarian.]
- Bothár, A. & K.T. Kiss. 1984. Phyto- und zooplankton Untersuchungen im Donauarm Ráckeve. [Phyto- and zooplankton investigations in the Ráckeve arm of the Danube.] In: 24. Arbeitstagung der IAD, Szentendre, Hungary (Proceedings of the 24th Symposium of the International Workgroup for the Danube, Szentendre, Hungary), Budapest 2:85-88. [In German.]
- Bowen, T.A. 1996. A fine structure comparison of three species of *Argulus* (Crustacea: Branchiura) ectoparasites of farmed and wild fish. Honors Thesis, Brigham Young University, Provo, Utah, U.S.A.
- Brugnoli-Olivera, E. 1998. Factores abióticos y bióticos que regulan la estructura y dinámica de la comunidad

- fitopláncica en la zona de Punta Morales, Golfo de Nicoya. [Abiotic and biotic factors that regulate the structure and dynamics of the phytoplankton community in the zone of Punta Morales, Gulf of Nicoya.] Tesis de Maestría, Universidad de Costa Rica, San Pedro, Costa Rica. 133 pp. [In Spanish.]
- Brzęk, G. 1948. Studia limnologiczne nad zbiornikami wodnymi Wielkopolskiego Parku Narodowego pod Poznaniem. [Limnological study of aquatic basins in the National Park of Great Poland below Poznan.] Poznańskie Towarzystwo Przyjaciół Nauk, Prace Monograficzne nad Przyrodą Wielkopolskiego Parku Narodowego pod Poznaniem, PWN, Poznań 2(2):19-70. [In Polish with English summary.]
- Carlson, D.M. 1978. The ecological role of zooplankton in a Long Island salt marsh. *Estuaries* 1(2):85-92.
- Carrasson López de Letona, M. 1994. Relaciones tróficas en las comunidades ícticas bentónicas (de 1000 a 2200 m) del Mar Catalán. [Trophic relationships in the benthic fish communities (from 1000 to 2000 m) of the Catalan Sea.] Tesis de Doctora, Universitat Autònoma de Barcelona, Barcelona, Spain. [In Spanish.]
- Chaurasia, S. 1996. Seasonal fluctuation of zooplankton in Burha tank water, Raipur. *Indian Journal of Environmental Protection* 16(2):140-142.
- Chen, W.M. & A. Nauwerck. 1996. A note on composition and feeding of the crustacean zooplankton of Lake Taihu, Jiangsu Province, China. *Limnologia* 26:275-279.
- Christou, E.D. 1991. Secondary production (zooplankton) in the Saronikos gulf. Ph.D. Thesis, University of Athens, Athens, Greece.
- Cipólli, M.N. 1990. Regime alimentar. [Diet.] Pp. 17-18 In: Bendazoli, A. & C.L.D.B. Rossi-Wongtschowski (eds.). A manjuba no Rio Ribeiro de Iguape: biologia, comportamento e avaliação do estoque. IBAMA/IOUSP/IP-AS/SEMA, São Paulo. 125 pp. [In Portuguese.]
- Clare, D.C. 1978. Some effects of zooplankton grazing and bully predation inside enclosures in Tomahawk lagoon No. 2. Ph.D. Thesis, University of Otago, Dunedin, New Zealand. 55 pp.
- Comaschi, A. 1968. Variazioni della biomassa zooplanctonica nel porto-canale di Malamocco (Laguna di Venezia). [Variations of zooplankton biomass in the Malamocco port-canal (Venice Lagoon).] Tesi di Laurea, Università di Padova, Padua, Italy. [In Italian.]
- Comaschi Scaramuzza, A. 1976. Studio sulla biomassa zooplanctonica nella Laguna di Venezia. III. Dicembre 1969-Dicembre 1970. [Study of the zooplankton biomass in the Venice Lagoon. III. December 1969-December 1970. *Atti dell'Istituto Veneto di Scienze, Lettere ed Arti* 134:47-73. [For 1975-1976. In Italian.]
- Cupp, E. 1977. Marine plankton of the west coast of North America. Doeltz Science Publishers, Koenigstein. 237 pp.
- Diebakhaté, C. 1996. Contribution à la connaissance des copépodes des genres *Hatschekia* et *Lernanthropus* parasites des poissons des côtes sénégalaises. [Contribution to knowledge of the copepods of the genera *Hatschekia* and *Lernanthropus*, parasites of fish of the Senegalese coasts.] M.S. Thesis, Université Cheikh Anta Diop, Dakar, Senegal. [In French.]
- Dinet, A., E.F. Albuquerque, A.G. Dalto, C.D. Freitas, C.R. Pascual, C. Tavares, L.O.V. Oliveira & M.A.L. Oliveira. 1998. Comparação de dois métodos de amostragem para pré-levantamentos da meiofauna, com enfoque para nematódeos e copépodes, na zona intertidal da laguna de Itaipu (RJ). [Comparison of two sampling methods for preliminary surveys of the meiofauna, with a focus on nematodes and copepods, in the intertidal zone of the Itaipu Lagoon (RJ).] IV Simpósio de Ecossistemas Brasileiros, 1998, Águas de Lindóia, SP. Anais do IV Simpósio de Ecossistemas Brasileiros, Aciesp, São Paulo 2:244-250. [In Portuguese.]
- Diouf, P.S. 1991. Le zooplancton au Sénégal. [The zooplankton in Senegal.] Pp. 103-116 In: Cury, P. & C. Roy (eds.). Pêcheries Ouest Africaines. Variabilité, Instabilité et Changements. Éditions de l'ORSTOM, Paris. 525 pp. [In French.]
- Diouf, P.S. 1992. Bio-écologie et structure des peuplements de poisson de l'estuaire du Sine-Saloum. [Bio-ecology and structure of the fish populations of the Sine-Saloum estuary.] Rapport Scientifique, CRODT (ISRA), Senegal. 29 pp. [In French.]
- Diouf, P.S. 1996. Les peuplements de poissons des milieux estuariens de l'Afrique de l'Ouest: l'exemple de l'estuaire hyperhalin du Sine-Saloum. [The fish populations of estuarine environments of West Africa: The example of the Sine-Saloum hypersaline estuary.] Thèse de Doctorat, Université de Montpellier, Montpellier, France. 267 pp. [In French.]
- Domingos, M.D. 1993. Heterogeneidade espacial (horizontal) da represa de Guarapiranga (São Paulo) e a distribuição da comunidade zooplanctônica. [Spatial (horizontal) heterogeneity of the Guarapiranga Reservoir (São Paulo) and the distribution of the zooplankton community.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. [In Portuguese.]
- El-Bassat, R.A. 1995. Ecological studies on zooplankton in the River Nile. M.Sc. Thesis, Suez Canal University, Ismailiya, Egypt. 199 pp.
- El-Maghraby, A.M., S.D. Wahby & A.H. Shaheen. 1963. The ecology of zooplankton in Lake Manzala. *Alexandria Institute of Hydrobiology Notes and Memoirs* 70:1-28.
- El-Serehy, H.A. & I.M. Shalaby. 1994. Seasonal distribution and numerical abundance of zooplankton along the Suez Canal. *Journal of the Egyptian German Society of Zoology* (14D) 379-395.

- Elser, J.J., C. Luecke, M.T. Brett & C.R. Goldman. 1995. Effects of food web compensation after manipulation of rainbow trout in an oligotrophic lake. *Ecology* 76(1):52-69.
- El-Sherbiny, M.M. 1997. Some ecological studies on zooplankton in Sharm El-Sheikh (Red Sea). M.Sc. Thesis, Suez Canal University, Ismailia, Egypt. 151 pp.
- Fonda-Umani, S., P. Franco, E. Ghirardelli & A. Malej. 1992. Outline of oceanography and the plankton of the Adriatic Sea. Pp. 347-365 In: Colombo, G., I. Ferrari, V.U. Ceccherelli & R. Rossi (eds.). *Marine Eutrophication and Population Dynamics. Proceedings of the 25th European Marine Biology Symposium, Ferrara, Italy, 10-15 September 1992.* Olson & Olson, Fredensborg.
- Fonda-Umani, S., E. Ghirardelli, L. Milani & M. Specchi. 1989. Zooplankton dell'Adriatico settentrionale e centrale. [Zooplankton of the northern and central Adriatic.] *Bollettino di Oceanologia Teorica ed Applicata* No. Speciale: 127-137. [In Italian.]
- Franco, P., D. Voltolina & A. Comaschi. 1972. Biomassa zooplanctonica nella Laguna di Venezia. I. Giugno 1960-Giugno 1961. [Zooplankton biomass in the Venice Lagoon. I. June 1960- June 1961.] *Atti dell'Istituto Veneto di Scienze, Lettere ed Arti* 130:1-15. [For 1971-1972. In Italian.]
- Frontier, S. 1963. Zooplankton recolté en Mer d'Arabie, Golfe Persique et Golfe d'Aden – I. Données générales. Répartition quantitative. [Zooplankton collected in the Arabian Sea, Persian Gulf and Gulf of Aden – I. General data. Quantitative distribution.] *Cahiers ORSTOM, Océanographie* 3:17-30. [In French.]
- Gambi, C. 1998. Meiofauna response to the Po river plume front system in the northern and southern Adriatic Sea. B. Sc. Thesis, University of Ancona, Ancona, Italy.
- García-Pámanes, J. 1989. Variación día-día de las tasas de pastoreo zooplanctónico frente a Baja California, México. [Day-to-day variation of zooplankton grazing rates off Baja California, Mexico.] Tesis de Maestría, Centro de Investigación Científica y Educación Superior de Ensenada, Ensenada, Mexico. 61 pp. [In Spanish.]
- Gaston, G. 1992. Green-winged teal ingest epibenthic meiofauna. *Estuaries* 15:227-229.
- Gibson, V.R., G.D. Grice & S.J. Graham. 1980. Zooplankton investigation in Gulf Waters north and south of the Strait of Hormuz. In: *Proceedings of a Symposium on Coastal and Marine Environment of the Red Sea, Gulf of Aden and Tropical Western Indian Ocean, Khartoum* 2:501-517.
- Gibson, V.R., G.D. Grice & S.J. Graham. 1980. Zooplankton investigation in Gulf waters north and south of the Strait of Hormuz. In: *Proceedings of a Symposium on Coastal and Marine Environment of the Red Sea, Gulf of Aden and Tropical Western Indian Ocean, Khartoum* 3:17-30.
- Girón, M. 1998. Zooplankton e ictioplankton durante el crucero B.I.C. Humboldt 9709–10, de Matarani a Paita. [Zooplankton and ichthyoplankton during the cruise B.I.C. Humboldt 9709–10, from Matarani to Paita.] *Informe Instituto del Mar del Perú* 130:70-77. [In Spanish.]
- Gliwicz, Z.M. & J.I. Rybak. 1976. Zooplankton. In: *Pieczyska, E. (ed.). Selected Problems of Lake Littoral Ecology.* Wydawnictwa Uniwersytetu Warszawskiego, Warsaw. Pp. 69-96.
- Gruner, H.E. 1993. Klasse Crustacea. In: *Gruner, H.E. (ed.). Lehrbuch der speziellen Zoologie. Volume 1: Wirbellose Tiere, 4. Teil: Arthropoda (ohne Insecta).* Gustav Fischer Verlag, Jena. Pp. 448-1030. [In German.]
- Guerguess, S.K. 1979. Ecological study of zooplankton and distribution of macrofauna in Lake Manzala. Ph.D. Thesis, Alexandria University, Alexandria, Egypt.
- Gulyás, P. 1997. Untersuchungen des Rotatoria- und Crustacea-Planktons an der Donauunterhalb Budapest sowie im Donauarm Ráckevei-Soroksári Duna (RSD). [Investigations of the Rotatoria- and Crustacea-plankton in the Donau stretch below Budapest and in the Ráckevei-Soroksári Duna (RSD) arm of the Donau.] In: *32. Konferenz der IAD "Limnologische Berichte Donau 1997", Wien-Österreich 1997. Wissenschaftliche Referate.* Pp. 265-270. [In German.]
- Hahn, H.J. 1996. Die Ökologie der Sedimente eines Buntsandsteinbaches im Pfälzerwald - unter besonderer Berücksichtigung der Ostracoden und Harpacticiden. The ecology of sediments of a mixed sandy and stony brook in the Pfälzerwald - with special reference to ostracods and harpacticids.] *Tectum Verlag, Marburg. Edition Wissenschaft, Reihe Biologie* Vol. 62. [In German.]
- Haq, S.M. 1960. Seasonal changes in the plankton of inshore waters with special reference to the life history of certain copepods. Ph.D. Thesis, University of Wales, Bangor, U.K.
- Hatsushika, R. 1973. Experimental infection of marine copepods with coracidia. *Japanese Journal of Parasitology* 22:79-89. [In Japanese.]
- Hatsushika, R. 1998. A brief review of principal investigations in parasitology conducted for thirty-nine years. *Kawasaki Igakkai Shi Liberal Arts & Science Course (Bulletin of Universities and Institutes, 1998)* 24:9-22. [In Japanese.]
- Hayward, P.J. & J.S. Ryland. 1990. *The Marine Fauna of the British Isles and North-West Europe, 1. Introduction and Protozoans to Arthropods.* Oxford University Press, Oxford.
- Höglund, J. 1983. On the external morphology of *Holobomolochus confusus* (Stock, 1953) (Copepoda). Undergraduate Thesis, Uppsala University, Uppsala, Sweden.
- Huang, X.F., X.M. Chen, Z.T. Wu & C.Y. Hu. 1984. Studies on changes in abundance and biomass of zooplankton in Lake Donghu, Wuhan. *Acta Hydrobiologica Sinica* 8:345-358. [In Chinese, abstract in English.]

- Ibneeva, N.I. 1983. Exploitation of food resources by planktophagous fishes in Lake Peipsi-Pihkva. Sbornik Nauchnykh Trudov Gosudarstvennogo Nauchno-Issledovatelskogo Instituta Ozernogo i Rechnogo Rybnogo Khozjajstva (GosNIORKh) 209:44-50. [In Russian.]
- Icanberry, J.W., J.W. Warrick & D.W. Rice, Jr. 1978. Seasonal larval fish abundance in waters off Diablo Canyon, California. Transactions of the American Fisheries Society 107(2):225-233.
- Janik, J.J. 1988. Nutrient cycling in Castle Lake California: phytoplankton-zooplankton interactions. Ph.D. Thesis, University of California-Davis, Davis, California, U.S.A.
- Jeppesen, E., T. Lauridsen, S.F. Mitchell & C.W. Burns. 1997. Do planktivorous fish structure the zooplankton communities in New Zealand lakes? New Zealand Journal of Marine and Freshwater Research 31:163-173.
- Karjalainen, J., T. Turunen, H. Helminen, J. Sarvala & H. Huuskonen. 1997. Food selection and consumption of 0+ smelt (*Osmerus eperlanus* (L.)) and vendace (*Coregonus albula* (L.)) in pelagial zone of Finnish lakes. Archiv für Hydrobiologie, Special Issue, Advances in Limnology 49:37-49.
- Kartha, K.N. & K.S. Rao. 1992. Environmental status of Gandhisagar reservoir. Fishery Technology 29(1):14-20.
- Kawano, T., S. Al-Mattar & A.M. Al-Khars. 1980. Zooplankton culture and collection in Kuwait. Kuwait Institute for Scientific Research, Annual Research Report (1979):56-58.
- Kolesnikova, E. (comp.) 1998. Harpacticoida of the Black Sea. Internet. <http://www.ibss.iuf.net>.
- Kostrichkina, E.M. 1984. The dynamics of zooplankton abundance and biomass in the south-eastern, eastern and northeastern Baltic. Articles on biological productivity of the Baltic Sea, Moscow, 2:204-241 [In Russian.]
- Kotangale, J.P., T.K. Ghosh & A. Godkari. 1994. Diversity of zooplankton and benthos at Dahanu, Danda and Sasta creeks in west coast of India. Proceedings of the Academy of Environmental Biology 3(1):1-8.
- Koteswari, Y.N. 1995. Zooplankters from the coastal zone of Madras. M.Phil. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Lacasa-Millán, M.I. 1993. Introducción a la parasitofauna de peces ciprínidos de la cuenca media del Llobregat. [Introduction to the parasite fauna of cyprinid fishes of the middle basin of the Llobregat.] Tesis de Doctora, Universitat Autònoma de Barcelona, Barcelona, Spain. 290 pp. [In Spanish.]
- Lazzaretto, I. & A. Libertini. 1991. Ricerche cariológicas su alcuni invertebrati marini della regione Antartica – dati preliminari. Karyological investigations on some marine invertebrates from Antarctic regions – preliminary data. Scienza e Cultura, Special Issue: 173-176. [In Italian; abstract in English.]
- Lazzaretto, I., A. Libertini & N. Guercini. 1988. A karyological study of two harpacticoid copepods: *Tisbe bulbisetosa* and *Tisbe lagunaris*. Atti e Memorie dell'Accademia Patavina di Scienze, Lettere ed Arti 99:157-163.
- Lee, B.-N. 1995. Genetic structure of *Tigriopus californicus* populations inferred from mitochondrial cytochrome oxidase 1 sequences. Ph.D. Thesis, University of Houston, Houston, Texas, U.S.A.
- Lee, W. 1971. Copepods in a collection from the southern coast of Oregon, 1973. M.S. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 62 pp.
- Leslie, J.K. & J.R.M. Kelso. 1977. Influence of a pulp and paper mill effluent on aspects of distribution, survival and feeding of Nipigon Bay, Lake Superior, larval fish. Bulletin of Environmental Contamination and Toxicology 18(5):602-610.
- MacMillan, A. 1985. A Study of the Late Summer Limnetic Zooplankton Community of Lake Simcoe, 1983. Ontario Ministry of Natural Resources, Lake Simcoe Fisheries Assessment Unit, Report 1985-2: 60 pp.
- Mageed, A.A.A. 1996. Diurnal vertical movements of zooplankton species at Lake Qarun, El Fayoum-Egypt. Al-Azhar Bulletin of Science 7(2):1621-1630.
- Mageed, A.A.A. 1998. Zooplankton of Lake Qarun (Fayoum-Egypt) during 1996. Bulletin of the National Institute of Oceanography and Fisheries A.R.E. 24:161-177.
- Mageed, A.A.A. 1998. Distribution and salinity ranges of zooplankton organisms at El-Fayoum Depression (El-Fayoum- Egypt). Egyptian Journal of Aquatic Biology and Fisheries 2(2):51-71.
- Makarewicz, J.C. 1985. Species composition, distribution, population, biomass, and behavior: zooplankton. In: Likens, G.E. (ed.). An Ecosystem Approach to Aquatic Ecology: Mirror Lake and Its Environment. Springer-Verlag, New York. Pp. 192-204.
- Marshall, B.E. 1997. A review of zooplankton ecology in Lake Kariba. Pp. 102-119 In: Moreau, J. (ed.). Advances in the ecology of Lake Kariba. University of Zimbabwe Publications, Harare. 270 pp.
- Matsakis, S. & R.J. Conover. 1991. Abundance and feeding of medusae and their potential impact as predators on other zooplankton in Bedford Basin (Nova Scotia, Canada) during spring. Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques 48(8):1419-1430.
- Mavuti, K.M. 1983. Studies on community structures, population dynamics and production of limnetic zooplankton in a tropical lake, Lake Naivasha, Kenya. Ph.D. Thesis, University of Nairobi, Nairobi, Kenya. 210 pp.
- Mayer, C.M. 1994. Selective feeding and growth of walleye: interaction of zooplankton composition and larval size. M.S. Thesis, Department of Ecology, Ethology, and Evolution, University of Illinois at Urbana, Urbana, Illinois, U.S.A.

- McAllen, R. 1998. Life at it's limits: The ecophysiology of the high shore rockpool inhabitant *Tigriopus brevicornis*. Ph.D. Thesis, University of London, London, U.K.
- Mengestou, S. 1989. Species composition, dynamics and production of the dominant crustacean zooplankton in Lake Awasa, Ethiopia. Ph.D. Thesis, University of Waterloo, Waterloo, Ontario, Canada.
- Michel, H.B., M. Behbehani, D. Herring, M. Arar & M. Shoushani. 1981. Zooplankton diversity, distribution and abundance in Kuwait waters. KISR (Kuwait Institute of Scientific Research), Safat, Kuwait. 154 pp.
- Michel, H.B., M. Behbehani & M. Arar. 1981. Diversity, distribution and biomass of zooplankton in the western Arabian Gulf. KISR (Kuwait Institute of Scientific Research) Annual Research Report (1980):92-94.
- Miura, Y. 1984. Nihon no rikusuisan Harpacticoida (Sokomijinko-rui). [Japanese Freshwater Copepoda (Sokomijinko-rui).] Chyugoku Tansuisan Kaiashi-rui, Yonago Printosha, Yonago. Pp. 500-563. [In Japanese.]
- Mumm, H. 1996. Zooplankton development in Plusssee: Invertebrate predation in the context of a biomanipulation experiment and long-term trends. Ph.D. Thesis, University of Kiel, Kiel, Germany. 156 pp.
- Naesje, T.F., B. Jonsson, L. Klyve & O.T. Sandlund. 1987. Food and growth of age-0 smelts, *Osmerus eperlanus*, in a Norwegian fjord lake. *Journal of Fish Biology* 30(2):119-126.
- Nayar, P.K.B. 1968. Zooplankton of Tomahawk Lagoon No 2. B.Sc. Thesis, University of Otago, Dunedin, New Zealand.
- Nyan, Taw. 1975. Zooplankton and hydrology of the south east coastal waters of Tasmania. Ph.D. Thesis, University of Tasmania, Hobart, Tasmania, Australia.
- Oden, B.J. 1979. The freshwater littoral meiofauna in a South Carolina reservoir receiving thermal effluents. *Freshwater Biology* 9:291-304.
- Ong, J.E. 1970. Ultrastructural studies of the cephalosome of some marine and estuarine calanoid copepods. Ph.D. Thesis, University of Tasmania, Hobart, Tasmania, Australia.
- Pamplin, P.A.Z. 1995. Caracterização nictimeral da migração vertical do zooplâncton em um reservatório artificial raso (reservatório do Monjolinho, São Carlos - SP). [Twenty-four-hour characterization of the zooplankton vertical migration in a shallow artificial reservoir (Monjolinho Reservoir, São Carlos - SP).] Undergraduate Thesis, Universidade Federal de São Carlos, São Carlos, São Paulo, Brazil. [In Portuguese.]
- Pandey, B.N., R.N. Lal, P.K. Mishra & A. Jha. 1992. Seasonal rhythm in the physicochemical properties of Mahananda river, Katihar, Bihar. *Environment and Ecology*, Kalyani 10(2):354-357.
- Piper, R.G., I.B. McElwain, L.E. Orme, J.P. McCraren, L.G. Fowler & J.R. Leonard. 1986. *Fish Hatchery Management*. Third Printing, with corrections. U.S. Fish & Wildlife Service, Washington, D.C. Reprinted by American Fisheries Society. ISBN 0-913235-03
- Price, A.R.G., C.P. Mathews, R.W. Ingle & K. Al-Rasheed. 1993. Abundance of zooplankton and penaeid shrimp larvae in the Western Gulf: Analysis of pre-war (1991) and post-war data. *Marine Pollution Bulletin* 27:273-278.
- Rajkumar, R. 1990. Observation on species environmental relationships in urban aquatic ecosystems. M.Phil. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Ranzoli, F. 1953. Ricerche sulle variazioni quantitative dello zooplankton su il trofismo della Laguna Veneta. [Researches on quantitative variations of the zooplankton and its trophism of the Venice Lagoon.] *Archivio di Oceanografia e Limnologia* 9(3):113-150. [In Italian.]
- Rao, G. Chandrasekhara. 1989. Intertidal meiofauna. In: Jairajpuri, M.S. (ed.). *Fauna of Orissa. Part 2. Zoological Survey of India, Calcutta*. Pp. 1-77.
- Roland, R.G., N. Zack & M. Pritchau. 1973. Zooplankton Crustacea of the Cleveland nearshore area of Lake Erie, 1971-1972. In: *Proceedings of the 16th Conference on Great Lakes Research, International Association of Great Lakes Research*. Pp. 116-131.
- Sabatini, M.A. 1987. Fito y zooplankton de un sector de la Bahía Blanca: especies dominantes, standing stock y estimación de la producción, con particular referencia a *Acartia tonsa* Dana, 1849 (Copepoda: Calanoida). [Phyto and zooplankton of a sector of Bahía Blanca: dominant species, standing stock and estimation of production, with particular reference to *Acartia tonsa* Dana, 1849 (Copepoda: Calanoida).] Ph.D. Thesis, Universidad Nacional del Sur, Bahía Blanca, Argentina. 164 pp. [In Spanish.]
- Saduakasova, R.E. 1972. Zooplankton ozera Balkhash. [Zooplankton of Lake Balkhash.] *Rybnye resursy vodoemov Kazakhstana i ikh ispol'zovanie*, Nauka KazSSR, Alma Ata. Vyp. 7. Pp. 97-100. [In Russian.]
- Salman, S.D., B.A. Marina, M.H. Ali & V.K. Oshana. 1986. Zooplankton studies. Final report: The 18-month marine pollution monitoring and research programme in Iraq. Marine Science Centre of Basrah University; Basrah, Iraq. Pp. 136-166.
- Sasekumar, A. 1994. Meiofauna of a mangrove shore on the west coast of peninsular Malaysia. *Raffles Bulletin of Zoology* 42(4):901-915.
- Shaffer, L.J. 1994. *Calanus glacialis* and *Calanus finmarchicus* copepodite size distributions as an indicator of co-occurrence and water origin in the Gulf of Maine. B.Sc. Thesis, Cornell University, Ithaca, New York, U.S.A.
- Shamsudin, L. 1994. Food value of indigenous zooplankton species collected from various coastal waters of South China Sea for aquaculture. *Third Asian Fisheries Forum*. Asian Fisheries Society, Manila. Pp. 752-755.
- Shimanaga, M. 1996. Reproductive ecology of interstitial harpacticoids (Copepoda, Crustacea) at sandy bottom in

- Otsuchi Bay, northeastern Japan. M.S. Thesis, University of Tokyo, Tokyo, Japan.
- Shumka, S. 1997. Significance of Prespa zooplankton in lake ecosystem functioning. Proceedings of the International Symposium 'Towards Integrated Conservation and Sustainable Development of Trans-boundary Macro and Micro Prespa Lakes,' 24-26 October 1997, Korcha, Albania. Edition of Preservation and Protection of Natural Environment in Albania (PPNEA), Tirana. Pp. 107-109.
- Shumka, S. 1997. Qualitative composition of zooplankton from Micro Prespa lake during summer 1995. Proceedings of the International Symposium 'Towards Integrated Conservation and Sustainable Development of Trans-boundary Macro and Micro Prespa Lakes,' 24-26 October 1997, Korcha, Albania. Edition of Preservation and Protection of Natural Environment in Albania (PPNEA), Tirana. Pp. 111-112.
- Shyam, R. 1991. Comparative dynamics of zooplankton in a tropical freshwater swamp and in newly constructed ponds in swampy area. *Journal of Applied Zoological Research* 2(2):80-84.
- Sidrevics, L. 1979. Some peculiarities of vertical distribution of zooplankton in the Central Baltic. Fisheries investigations in the basin of the Baltic Sea. *Zvaigzne, Riga* 14:11-19. [In Russian.]
- Singh, U.N. & S. Pandey. 1991. Water quality of stagnant water bodies of North Bihar. *Environment and Ecology, Kalyani* 9(3):770-774.
- Skjoldal, H.R. & F. Rey. 1989. Pelagic production and variability of the Barents Sea ecosystem. In: Sherman, K. (ed.). *Biomass Yields and Geography of Large Marine Ecosystems AAAS Selected Symposium—Boulder, Colorado: Westview Press and American Association for the Advancement of Sciences*. Pp. 241-286.
- Soliman, A.M. 1983. Quantitative and qualitative studies of the plankton of Lake Edku in relation to the local environmental conditions and to fish food. M.Sc. Thesis, Alexandria University, Alexandria, Egypt. 220 pp.
- Srinivasan, A. & R. Santhanam. 1991. Tidal and seasonal variations in zooplankton of Pullavazhi brackishwater, southeast coast of India. *Indian Journal of Marine Sciences* 20(3):182-186.
- Suh, H.-L. & H.Y. Soh. 1993. Zooplankton in the waters around Cheju Island: a brief overview. *Bulletin of Marine Research Institute, Cheju National University* 17:57-67. [In Korean; abstract in English.]
- Shumka, S. 1994. Annual zooplankton dynamics of Lake Prespa. M.Sc. Thesis, University "St. Cyril and Methodius," Skopje, Macedonia. 114 pp.
- Sundby, S. 1994. The influence of bio-physical processes on fish recruitment in an Arcto-boreal ecosystem. Doctor Philosophiae Thesis, University of Bergen, Bergen, Norway. 189 pp.
- Thilagavathy, F. 1989. Experimental evaluation of planktonic community responses to environmental gradients. M.Phil. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Thomas, L.P. 1979. Red water at Lysekil. *Sea Frontiers* 25:229-233.
- Thulin, J. 1970. Ekto- och endoparasitism hos torsk. (Ecto- and endoparasitism on cod.) *Trebetygsarbete i zoologi. Göteborgs Universitet, Göteborg, Sweden*. 21pp. [In Swedish.]
- Tyahun, S. 1977. Populatiodynamische Untersuchungen der Mesofauna in den aichkrautbeständen des Donauarms von Soroksár. [Investigations of the population dynamics of the mesofauna in the reed stands of the Soroksár arm of the Danube.] *Opuscula Zoologica, Budapest* 13:83-106. [In German.]
- Vashkevichute, A. 1959. Materials about the feeding of young fish in the Curonian Lagoon. Pp. 403-462 In: Yankevichyus, K., I. Gasyunas, A. Gediminas, V. Gudelis, A. Kublitskas & I. Manyukas (eds). *Kurshyu Mares. Results of a Comprehensive Study. Akademiya Nauk Litovskoi SSR, Institut Biologii, Vilnius*. [In Russian.]
- Węgleńska, T. & J.I. Rybak. 1998. Dobowe migracje horyzontalne skorupiaków planktonowych między skupiskami roślin litoralnych a strefą wolnej wody. [On horizontal migrations of planktonic crustaceans between stands of littoral macrophytes and the pelagic zone.] In: Radwan, S. (ed.). *Materiały z Ogólnopolskiej Konferencji: Ekotony Śłodkowodne. Struktura - Rodzaje - Funkcjonowanie. UMCS, Lublin*. Pp. 117-129. [In Polish.]
- Weinfurter, S.H. 1984. Interactions of three zooplankton species in laboratory microcosms. M.S. Thesis, Case Western Reserve University, Cleveland, Ohio, U.S.A.
- Welker, M.T. 1993. Growth and survival of larval fishes: the role of zooplankton abundance and competition. M.S. Thesis, Department of Zoology, Eastern Illinois University, Charleston, Illinois, U.S.A.
- Wildgoose, W. 1998. Skin disease in ornamental fish: identifying common problems. *In Practice* 20:226-243.
- Woods, D.R. 1983. Vertical and horizontal distribution of the meiofauna in the Venezuela Basin. M.A. Thesis, City College of New York, New York, U.S.A.
- Woods, D.R. & J.H. Tietjen. 1985. Horizontal and vertical distribution of meiofauna in the Venezuela Basin. *Marine Geology* 68(1-4):233-241.
- Zavala-Hamz, V.A. & J. Alvarez-Borrego. 1997. Circular harmonic filters for the recognition of marine microorganisms. *Applied Optics* 36(2):484-489.

1999

- Batzer, D.P., R.B. Rader & S.A. Wissinger. 1999. *Invertebrates in Freshwater Wetlands of North America: Ecology and Management*. John Wiley & Sons, New York. 1120 pp. ISBN:0471292583

- Beaulieu, S., M. Mullin, V. Tang, S. Pyne, A. King & B. Twining. 1999. Using an optical plankton counter to determine the size distributions of preserved zooplankton samples. *Journal of Plankton Research* 21(10):1939-1956.
- Berger, I. 1999. Reproduktionsbiologie von calanoiden und cyclopoiden Copepoden im Vergleich, sowie die Auswirkungen von Räubern auf diese. [Comparative reproduction biology of calanoid and cyclopoid copepods, and the effects of predators on this.] Diploma Thesis in Biology, University of Ulm, Ulm, Germany. 82 pp. [In German.]
- Capetillo, N., C. López-Cánovas & C. Carrodeguas. 1999. El meiobentos de las bahías Taco, Boma, Baracoa y Mata. [The meiobenthos of Taco, Boma, Baracoa and Mata bays.] Informe Científico - Técnico, GEOCUBA Estudios Marinos, Havana. 40 pp. [In Spanish.]
- Christiansen, B., B. Druke, R. Koppelman & H. Weikert. 1999. The near-bottom zooplankton at the abyssal BIOTRANS site, northeast Atlantic: composition, abundance and variability. *Journal of Plankton Research* 21(10):1847-1863.
- Coelho, M.M. & V.M. Vasconcelos. 1999. Qualidade da água das albufeiras dos rios Vouga e Mondego. Zooplâncton. [Water quality of the lagoons of the Vouga and Mondego rivers. Zooplankton.] Actas da 6ª Conferência Nacional sobre a Qualidade do Ambiente, Lisbon 2:493-498. [In Portuguese.]
- Dalto, A.G. 1999. Distribuição espaço-temporal da meiofauna do sublitoral da baía de Jacuacanga (Angra dos Reis - RJ). [Spatio-temporal distribution of the meiofauna of the sublittoral of Jacuacanga Bay (Angra dos Reis - RJ).] Dissertação de Mestrado, Universidade Santa Úrsula, Rio de Janeiro, Brazil. [In Portuguese.]
- Dharani, G. 1999. The reproductive biology and culture of freshwater plankton *Sinodiaptomus (Rhinediaptomus) indicus*. Ph.D. Thesis, University of Madras, Madras, India.
- Guilherme, B.C. 1999. Efeito dos tubos de *Diopatra cuprea* sobre a distribuição espacial da meiofauna. [Effect of the tubes of *Diopatra cuprea* on the spatial distribution of the meiofauna.] Dissertação de Mestrado, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Hansson, H.G. (comp.) 1998. NEAT (North East Atlantic Taxa): South Scandinavian marine Crustacea Check-List. Internet. <http://www.tmbi.gu.se>.
- Head, R.N., R.P. Harris, D. Bonnet & X. Irigoien. 1999. A comparative study of size-fractionated mesozooplankton biomass and grazing in the North East Atlantic. *Journal of Plankton Research* 21(12):2285-2308.
- Helle, K. & M. Pennington. 1999. The relation of spatial distribution of early juvenile cod (*Gadus morhua* L.) in the Barents Sea to zooplankton density and water flux during the period 1978-1984. *ICES Journal of Marine Science* 56:5-27.
- Holland, R.S. 1986. Biomanipulation of fish communities as an algal control technique in two Nebraska farm ponds (zooplankton). Ph.D. Dissertation, University of Nebraska, Lincoln, Nebraska, U.S.A. 198 pp.
- Holmes, R.T. & G.E. Likens (compilers). 1999. Organisms of the Hubbard Brook Valley, New Hampshire. United States Department of Agriculture, Forest Service, Northeastern Research Station, Radnor, Pennsylvania, General Technical Report NE-257. 32 pp.
- Hooge, M.D. 1999. Abundance and horizontal distribution of meiofauna on a northern California beach. *Pacific Science* 53(3):305-315.
- Keita, A. & C.R. Haba. 1999. Contribution à l'étude du plancton estuarien: cas de la Soumba. [Contribution to the study of estuarine plankton: case of the Soumba.] Bulletin du Centre de Rogbané 14:67-71. [In French.]
- Mirto, S., C. Gambi, M. Cecchi & A. Manganaro. 1999. Influences of biodeposition due to intensive mussel culture on coastal meiofaunal assemblages: preliminary results. *Atti della Associazione Italiana di Oceanologia e Limnologia* 13(1):301-307.
- Napp, J., K. Mier & M. Cohen. 1999. Estimation of larval fish prey volume: mensuration formulae for copepod nauplii. *Journal of Plankton Research* 21(9):1633-1642.
- Parent, S. 1999. The role of meiofauna in the nitrogen cycle of a cold marine mesocosm. Ph.D. Thesis, University of Ottawa, Ottawa, Ontario, Canada.
- Plaganyi, E., L. Hutchings, J. Field & H. Verheye. 1999. A model of copepod population dynamics in the southern Benguela upwelling region. *Journal of Plankton Research* 21(9):1691-1724.
- Ramadan, S.H.E., H.A. El-Serehy, M.E. Farghaly & R.A. El-Bassat. 1999. Zooplankton communities in the Nile River, Egypt. *Bulletin of the Institute of Oceanography and Fisheries* 24:139-160.
- Ribeiro, V.S.S. 1999. Relação dos fatores ambientais com a meiofauna na praia de Tamandaré, PE - Brasil. [Relationship of environmental factors to the meiofauna in Tamandaré Beach, PE - Brazil.] Dissertação de Mestrado, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Saunders, P., K. Porter & B. Taylor. 1999. Population dynamics of *Daphnia* spp. and implications for trophic interactions in small, monomictic lake. *Journal of Plankton Research* 21(10):1823-1845.
- Schmidt, M., Y. Zhang & D. Hutchins. 1999. Assimilation of Fe and carbon by marine copepods from Fe-limited and Fe-replete diatom prey. *Journal of Plankton Research* 21(9):1753-1764.
- Sei, S., G. Rossetti, F. Villa & I. Ferrari. 1999. Studi di lungo termine dello zooplankton in due lagune del delta padano. [Long-term studies of the zooplankton in two lagoons of the Po River delta.] Atti XIII Convegno del Gruppo di Ecologia di Base "G. Gadio," 1996, Venice, Italy. *Bollettino del Museo Civico di Storia Naturale di Venezia* 49(Supplement):241-243. [For 1998. In Italian.]

- Sergipense, S., E.P. Caramaschi & I. Sazima. 1999. Morfologia e hábitos alimentares de duas espécies de Engraulidae (Teleostei, Clupeiformes) na Baía de Sepetiba, Rio de Janeiro. Morphology and feeding habits of two engraulid fish (Teleostei, Clupeiformes) in the Baía de Sepetiba, Rio de Janeiro. *Revista Brasileira de Oceanografia* 47(2):173-188. [In Portuguese; abstract in English.]
- Shimanaga, M. 1999. Seasonal changes in abundance, vertical distribution and reproductive activity, and species diversity of the meiofaunal community at a bathyal site in Sagami Bay, Central Japan. Ph.D. Thesis, University of Tokyo, Tokyo, Japan.
- Thouvenot, A., M. Richardot, D. Debroas & J. Devaux. 1999. Bacterivory of metazooplankton, ciliates and flagellates in a newly flooded reservoir. *Journal of Plankton Research* 21(9):1659-1679.
- Wernersson, A.-S., G. Dave & E. Nilsson. 1999. Combining sediment quality criteria and sediment bioassays with photoactivation for assessing sediment quality along the Swedish West Coast. *Aquatic Ecosystem Health & Management* 2(4):379-389.
- Wicklum, D. 1999. Variation in horizontal zooplankton abundance in mountain lakes: shore avoidance or fish predation? *Journal of Plankton Research* 21(10):1957-1975.
- 2000**
- Aboul-Ezz, S.M. & A.M. Soliman. 2000. Zooplankton community in Lake Edku. *Bulletin of the Institute of Oceanography and Fisheries* 26:71-100.
- Albuquerque, E.F., A.G. Dalto, M.P.F. Reis, M. Alvarenga, L.H. Silva, H. Margem & M.C. Machado. 2000. Distribuição espacial e variabilidade sazonal da meiofauna intersticial de uma praia arenosa no litoral do Rio de Janeiro, Brasil. [Spatial distribution and seasonal variability of the interstitial meiofauna of a sandy beach on the coast of Rio de Janeiro, Brazil.] In: V Simpósio de Ecossistemas Brasileiros, 2000, Vitória, ES. *Anais do V Simpósio de Ecossistemas Brasileiros: Conservação. Vitória, Espírito Santo* 2:151-155. [In Portuguese.]
- Breitholtz, M. 2000. Effects of environmental pollutants on crustacean development and reproduction. Doctoral Student Programme Thesis, Institute of Systems Ecology, Stockholm University, Stockholm, Sweden. 32 pp.
- Carvalho, M.R. 2000. Ecologia trófica de *Trachurus lathami* Nichols, 1920 (Carangidae) na costa sudeste do Brasil. [Trophic ecology of *Trachurus lathami* Nichols, 1920 (Carangidae) on the southeast coast of Brazil.] Dissertação de Mestrado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. [In Portuguese.]
- Franco, A. & L. A. Londoño. 2000. Referencia preliminar para el reporte del zooplancton superficial, sector "Plataforma Chuchupa B", departamento de la Guajira, Caribe colombiano. [Preliminary reference for the report of surface zooplankton, sector "Plataforma Chuchupa B", Department of Guajira, Colombian Caribbean.] *Geotropica* 5:23-32. [In Spanish.]
- Jeppesen, E., T.L. Lauridsen, S.F. Mitchell, K. Christoffersen & C.W. Burns. 2000. Trophic structure in the pelagial of 25 shallow New Zealand lakes: changes along nutrient and fish gradients. *Journal of Plankton Research* 22(5):951-968.
- Khalifa, N.S. 2000. Study on the impact of industrial wastes at Helwan on River Nile zooplankton. Ph.D. Thesis, Cairo University, Cairo, Egypt. 165 pp.
- Melton, B.R. & G.M. Serviss. 2000. Florida Power Corporation–Anclote Power Plant entrainment survival of zooplankton. *Environmental Science & Policy* 3(Supplement 1):233-248.
- Nielsen, D.L. 2000. The influence of flooding regimes on the ecology of billabongs: an experimental approach. Ph.D. Thesis, Charles Sturt University, New South Wales, Australia.
- Pinto, C.S.C. 2000. Comparação da dinâmica populacional de *Tisbe biminiensis* cultivado com dietas de microalgas. [Comparison of the population dynamics of *Tisbe biminiensis* cultured on diets of microalgae.] Dissertação de Mestrado, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Santos, P.J.P., C.A.A. Gomes, Z.S. Almeida, V.F. Genevois & L.P. Souza-Santos. 2000. Diversidade de Copepoda Harpacticoida em área de manguezal no canal de Santa Cruz, PE, Brasil. [Diversity of Copepoda Harpacticoida in a mangrove area in the Santa Cruz Channel, Pernambuco, Brazil.] *Oceanologica Acta, Vitória* 109(2):319-326. [In Portuguese.]
- Schindler, D.E. 2000. Aquatic problems caused by human activities in Banff National Park, Alberta, Canada. *Ambio* 29(7):401-407.
- Shumka, S. 2000. Zooplankton community as an indicator of lake trophic state (Macro Prespa Lake). Proceedings of the International Symposium on Sustainable development of Prespa region, Oteshevo, 23-25 June 2000, Macedonian Ecological Society & Prespa Society. Pp. 25-29.
- Soudamani, S. 2000. Towards a taxonomic database of zooplankton from India. M.Phil. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Sreemathi, T. 2000. Hydrobiological studies on Puzhal Lake at Kavanagarai-North Chennai. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Therriault, T.A. 2000. Environmental temporal determinants of community variability using natural aquatic microcosms. Ph.D. Dissertation, McMaster University, Hamilton, Ontario, Canada.
- Venekey, V. 2000. Efeito da morfologia de *Sargassum polyceratium* MONTAGNE (Fucales, Sargassaceae) na distribuição quali-quantitativa da meiofauna. [Effect of the morphology of *Sargassum polyceratium*

- MONTAGNE (Fucales, Sargassaceae) on the qualitative distribution of the meiofauna.] Undergraduate Thesis, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Zehra, A. 2000. Breeding biology and culture of the freshwater cyclopoid *Mesocyclops aspericornis* (Daday, 1906). Ph.D. Thesis, University of Madras, Madras, India. 162 pp.
- 2001**
- Bi, Hong-sheng. 2001. The ecological characteristics of zooplankton community in the Bohai Sea. II. The distribution of copepoda abundance and seasonal dynamics. *Acta Ecologica Sinica / Sheng Tai Xue Bao* 21(2):177-185.
- Chen, D.D. 2001. Temporal and spatial variations of copepods in the Kaohsiung Harbor and its adjacent coastal waters. M.Sc. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan, R.O.C. 116 pp.
- Cunha, M.E. 2001. Physical control of biological processes in a coastal upwelling system: Comparison of the effects of coastal topography, river run-off and physical oceanography in the northern and southern parts of western Portuguese coastal waters. Ph.D. Thesis, University of Lisbon, Lisbon, Portugal. 306 pp. [In English; abstract in Portuguese.]
- Gidó, Z. & G. Lakatos. 2001. Összehasonlító kistrák (Crustacea: Copepoda, Ostracoda) faunisztikai vizsgálatok a Mecsek, a Zempléni-, a Hargita-hegység és az Aggteleki-karszt forrásaiban. [Similarities of small crustaceans (Crustacea: Copepoda, Ostracoda) in faunal assessments in the Macsek, Zempléni-, Hargita-mountain and the Aggteleki-karszt springs.] II. Kárpát-medencei Biológiai Szimpózium, Magyar Biológiai Társaság és Magyar Természettudományi Múzeum, Budapest, November 20-22, 2001. Pp. 167-169. [In Hungarian.]
- Girón, M. 2001. Zooplankton e ictioplankton durante el crucero oceanográfico regional Conjunto 0005-06. [Zooplankton and ichthyoplankton during the Conjunto 0005-06 regional oceanographic cruise.] Informe Instituto del Mar del Perú 163:47-57. [In Spanish.]
- Gonçalves, E.G.R. 2001. *Vibrio cholerae*: estudo da associação com o zooplâncton de águas estuarinas da Baía de São Marcos - São Luis (MA). [*Vibrio cholerae*: study of the association with the zooplankton of estuarine waters of San Marcos Bay - São Luis (MA).] Tese de Doutorado, Fundação Instituto Oswaldo Cruz, Rio de Janeiro, Brazil. [In Portuguese.]
- Gulyás, P. & L. Forró. 2001. Az evezőlábú rákok (Calanoida és Cyclopoida) alrendjeinek kishatározója. [The oar-footed crustaceans (Calanoida and Cyclopoida) suborders of Hungary.] 2nd (final) edition. *Vízi természet- és környezetvédelem* 14:1-199. Környezetgazdálkodási Intézet, Budapest. [In Hungarian.]
- Kagalou, I., G. Tsimarakis & I. Paschos. 2001. Water chemistry and biology in a shallow lake (Lake Pamvotis - Greece). Present state and perspectives. *Global Nest: the International Journal* 3(2):85-94.
- Knapp, R.A., K.R. Matthews & O. Sarnelle. 2001. Resistance and resilience of alpine lake fauna to fish introductions. *Ecological Monographs* 71(3):401-421.
- Krivtsov, V., D. Sigeo & E. Bellinger. 2001. A one-year study of the Rostherne Mere ecosystem: seasonal dynamics of water chemistry, plankton, internal nutrient release, and implications for long-term trophic status and overall functioning of the lake. *Hydrological Processes* 15(8):1489-1506.
- Lavaniegos-Espejo, B.E., G. Gaxiola-Castro, L.C. Jiménez-Pérez, M.R. González-Esparza, T. Baumgartner & J. García-Cordova. 2001. 1997-98 El Niño effects on the pelagic ecosystem of the California current off Baja California, Mexico. *Geofísica Internacional* 42(3):483-494.
- Mikhail, S.K. 2001. Phytoplankton-zooplankton relationship in the neritic water off Alexandria. *Bulletin of the Institute of Oceanography and Fisheries* 27:201-216.
- Nicholls, K.H. & C. Tudorancea. 2001. Application of fuzzy cluster analysis to Lake Simcoe crustacean zooplankton community structure. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 58:231-240.
- Pónyi, J. 2001. Evezőlábú rákok (Copepoda) kevésbé ismert fajainak előfordulása Magyarországon. [Some records of oar-footed crustaceans (Copepoda) of genera not known from Hungary.] *Hidrológiai Tájékoztató, Magyar Hidrológiai Társaság* 2001:31-33. [In Hungarian.]
- Quesada, M. 2001. Caracterización, composición, abundancia y biomasa del zooplancton en el Golfo Dulce durante el período 1997 - 1998. [Characterization, composition, abundance and biomass of the zooplankton in the Dulce Gulf during the period 1997 - 1998.] Tesis de Maestría, Universidad de Costa Rica, San Pedro, Costa Rica. 210 pp. [In Spanish.]
- Rowshantabari, M. 2001. Distribution of zooplankton of the southern Caspian Sea (order Copepoda). M.Sc. thesis, Tarbiat Modares University, Tehran, Iran.
- Schindler, D.E., R.A. Knapp & P.R. Leavitt. 2001. Alteration of nutrient cycles and algal production resulting from fish introductions into mountain lakes. *Ecosystems* 4(4):308-321.
- Svensen, C. 2001. Vertical flux regulation in experimental ecosystems: Impact of nutrients and grazers. Ph.D. Thesis, University of Tromsø, Tromsø, Norway. 51 pp.
- 2002**
- Azevedo, F. 2002. Estrutura de tamanho da comunidade zooplanctônica em diferentes lagoas da planície de inundação do alto rio Paraná. [Size structure of the zooplankton community in different lakes of the Upper

- Paraná River floodplain.] Dissertação de Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. [In Portuguese.]
- Braicovich, P.E. 2002. Una nueva especie de copépodo parásito -Poecilostomatoida: Chondracanthidae- del lenguado *Paralichthys orbignyanus* Valenciennes, 1839, en el estuario de Bahía Blanca. [A new species of parasitic copepod - Poecilostomatoida: Chondracanthidae- of the flounder *Paralichthys orbignyanus* Valenciennes, 1839 in the Bahía Blanca estuary.] Tesina de Licenciatura, Universidad Nacional del Sur, Bahía Blanca, Argentina. 39 pp. [In Spanish.]
- Carli, A., M. Feletti & L. Pane. 2002. Zooplankton biomass and copepod abundance of Terra Nova Bay Ross Sea Antarctic Campaign 1994-95. Terra Antarctica Reports B1:51-55.
- Castro, C.M.V.A. 2002. Comparação do desenvolvimento e fecundidade de *Tisbe biminiensis* (Copepoda: Harpacticoida) cultivado em duas diatômáceas *Thalassiosira fluviatilis* e *Navicula* sp. [Comparison of the development and fecundity of *Tisbe biminiensis* (Copepoda: Harpacticoida) cultured on two diatoms, *Thalassiosira fluviatilis* and *Navicula* sp.] Dissertação de Mestrado, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Choueri, R.B. 2002. Variação espaço-temporal da riqueza e densidade dos microcrustáceos em diferentes lagoas da planície de inundação do alto rio Paraná - PR/MS. [Spatio-temporal variation of the richness and density of microcrustaceans in different lakes of the Upper Paraná River floodplain - PR/MS.] Dissertação de Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. [In Portuguese.]
- Eswari, Y.N.K. 2002. Urban environmental gradients and zooplankton diversity. Ph.D. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Gislason, A. 2002. Ecology of zooplankton in Icelandic waters with special reference to *Calanus finmarchicus*. Ph.D. Thesis, University of Oslo, Oslo, Norway.
- Gnohossou, P. 2002. Influence de la pollution organique sur les invertébrés du lac Nokoué. [Influence of organic pollution on the invertebrates of Lake Nokoué.] Mémoire de Diplôme d'Agronomie Approfondie, École Nationale Supérieure Agronomique de Toulouse (ENSAT), Toulouse, France. 49 pp. [In French.]
- Gomes, C.A.A. 2002. Variação temporal da meiofauna e da diversidade de Copepoda Harpacticoida em manguezal em Itamaracá. [Temporal variation of the meiofauna and of the diversity of Copepoda Harpacticoida in a mangrove in Itamaracá.] Dissertação de Mestrado, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Hsieh, H.-Y. 2002. The comparison of larval fish assemblages in Tapeng Bay and Kaoping coastal waters. M.Sc. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan, R.O.C. [In Chinese.]
- Huang, C.H. 2002. Tempo-spatial distribution and feeding of planktonic copepods in Kaohsiung coastal waters, Taiwan. M.Sc. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan, R.O.C. 113 pp.
- Kiss, A. 2002. The Cladocera, Ostracoda and Copepoda fauna of the Fehér-tó (Ferto-Hanság National Park). In: Mahunka, S. (ed.). The fauna of the Ferto-Hanság National Park. Hungarian Natural History Museum, Budapest. Pp. 245-248.
- Lira, G. 2002. Influência da dieta na reprodução e crescimento do copépode, *Apocyclops procerus*, e seu potencial como alimento na larvicultura do robalo-peva, *Centropomus parallelus*. [Influence of diet on reproduction and growth of the copepod, *Apocyclops procerus*, and its potential as food in larviculture of the fat snook, *Centropomus parallelus*.] Tese de Mestrado, Universidade Federal de Santa Catarina, UFSC. Florianópolis, Santa Catarina, Brazil. 41 pp. [In Portuguese.]
- Previatelli, D. 2002. Composição e abundância do zooplâncton de um lago polimítico de região subtropical. [Composition and abundance of the zooplankton of a polymictic lake of a subtropical region.] Trabalho de Conclusão de Curso (= B.Sc. Thesis), Universidade Estadual Paulista Júlio de Mesquita Filho, Botucatu, São Paulo, Brazil. [In Portuguese.]
- Radwan, A.K. 2002. Ecological and biological studies on zooplankton in Lake Qarun, Egypt. Ph.D. Thesis, Al-Azhar University, Cairo, Egypt. 309 pp.
- Silva, Alzira Patrícia Constantino da. 2002. Ecologia de Copepoda Harpacticoida (Crustacea) na praia arenosa de Tamandaré, Pernambuco. [Ecology of Copepoda Harpacticoida (Crustacea) on the sandy beach of Tamandaré, Pernambuco.] Undergraduate Thesis, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Stuge, T.S. 2002. Veslonogii rachok *Arctodiaptomus salinus* Daday (Calanoida, Copepoda) v ozere Balkhash. [The copepod crustacean *Arctodiaptomus salinus* Daday (Calanoida, Copepoda) in Lake Balkhash.] Izvestiya Ministerstva obrazovaniya i nauki Respubliki Kazakhstan, Natsional'noi Akademii nauk Respubliki Kazakhstan, Seriya Biologicheskaya i Meditsinskaya 2002(2):21-29. [In Russian.]

2003

- Castro, C.M.V.A., L.P. Souza-Santos & M.F. Costa. 2003. Testes toxicológicos com *Tisbe biminiensis* (Copepoda: Harpacticoida) utilizando sedimento do Porto de Suape nos períodos seco e chuvoso. [Toxicological tests with *Tisbe biminiensis* (Copepoda: Harpacticoida) using sediment from the Port of Suape in the dry and rainy periods.] In: 1º Congresso de P&D Petróleo e Gás da UFPE e 3º Reunião de Avaliação do PRH/ANP/MCT,

- Universidade de Pernambuco, Recife, 2003. Pp. 12-16. [In Portuguese.]
- Chules, M.R. 2003. Heterogeneidade espacial e temporal da comunidade de copépodos do reservatório da UHE de Salto Caxias, rio Iguaçu, Paraná, Brasil. [Spatial and temporal heterogeneity of the community of copepods of the reservoir of the Salto Caxias Hydroelectric Plant, Iguaçu River, Paraná, Brazil.] Trabalho de Conclusão de Curso (B.Sc. Thesis), Pontifícia Universidade Católica do Paraná, Curitiba, Paraná, Brazil. [In Portuguese.]
- Gidó, Z. & G. Lakatos. 2003. Contribution to the knowledge of copepod and ostracod fauna of the stream interstitial habitats in Hungary and Romania. Proceedings of the Subsurface Organisms International Workshop, 30 March-1 April, Baile Felix, Romania. Pp. 49-52.
- Gidó, Z. & G. Lakatos. 2003. Hegyi patakok intersticiális kistrák (Copepoda, Ostracoda) faunája: adatok a Mecsek, a Zempléniés a Hargita hegységéből és az Aggteleki-karsztról. [Interstitial crustacean (Copepoda, Ostracoda) fauna of upland streams: data from Mecsek, the Zempléniés, the Hargita and the Aggtelek karst regions.] Hidrológiai Közlöny 83:55-56. [In Hungarian.]
- Hessen, D.O. 2003. UVR and pelagic metazoans. In: Helbling, E.W. & H. Zagarese (eds.). UV Effects in Aquatic Organisms and Ecosystems. European Society for Photobiology, Cambridge. Pp. 399-430.
- Kalinkina, N.M. 2003. Ekologicheskie faktory formirovaniya tolerantnosti planktonnykh rakoobraznykh k mineral'nomu zagryazneniyu (na primere vodoemov Karelii). [Ecological factors forming tolerance of crustacean zooplankton to metal pollution (with examples from Karelian waters.) Avtoreferat Dissertation Candidate Biologii Nauk, Karelian Branch of the USSR Academy of Sciences, Institute of Biology, Petrozavodsk. 38 pp. [In Russian.]
- Kuczynska-Kippen, N., B. Messyasz & B. Nagengast. 2003. The influence of increasing uncontrolled regulation on the structure of plankton and macrophyte communities in the Tunnel-Valley lakes located in agricultural catchment area. Roczniki Akademii Rolniczej w Poznaniu 354, Botany 6:107-119. [In English; abstract in Polish.]
- Kuczynska-Kippen, N. & B. Nagengast. 2003. The impact of the architecture of macrophytes on the spatial structure of zooplankton of the Wielkowiekskie Lake. Roczniki Akademii Rolniczej w Poznaniu 354, Botany 6:121-129. [In English; abstract in Polish.]
- Leech, D.M. & S. Johnsen. 2003. Avoidance and UV vision. P. 455-484 In: Helbling, W. & H. Zagarese (eds). UV Effects in Aquatic Organisms and Ecosystems. Royal Society of Chemistry, London, England.
- Menéndez, M.C. 2003. Composición y variación espacial del meso-zooplancton en el Golfo Nuevo (Chubut, Argentina). [Composition and spatial variation of the mesozooplankton in the Nuevo Gulf (Chubut, Argentina).] Tesis de Licenciatura, Universidad Nacional del Sur, Bahía Blanca, Argentina. 26 pp. [In Spanish.]
- Parameswari, V. 2003. Description of calanoid and cyclopoid copepods in freshwater habitats of Thiruvannamalai and Kanchipuram districts, Tamilnadu. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Pastor, J.M.O. 2003. Técnicas de cultivo do copepodo harpacticóide *Tisbe biminiensis*. [Culture techniques of the harpacticoid copepod *Tisbe biminiensis*.] Undergraduate Thesis, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Pereira, N.G. 2003. Efeito da redução da salinidade nos copépodos harpacticóides *Cletocamptus deitersi* e *Tisbe biminiensis* e crescimento populacional de *C. deitersi* em laboratório. [Effect of salinity reduction on the harpacticoid copepods *Cletocamptus deitersi* e *Tisbe biminiensis* and population growth of *C. deitersi* in the laboratory.] Undergraduate Thesis, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Popovska-Stankovic, O., G. Kostoski, D. Guseska & O. Tasevska. 2003. Temporal successions of most important zooplankton populations of Lake Prespa. In: Djukic, A. (ed.). Proceedings of the 32nd Annual Conference of the Yugoslav Water Pollution Control Society, "Water 2003", 3-6 June 2003, Zlatibor, Yugoslavia. Pp. 201-206.
- Priya, G. 2003. Studies on the role of environmental factors on the survival, development and life history of copepods. M.Phil. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Rajalakshmi, A. 2003. Description of freshwater copepods (Crustacea) off Chennai city, Tamilnadu. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Ramanibai, R. & N. Kannan. 2003. Microzooplankton in Ennore mangrove waters. Pp. 175-192 In: Kumar, A., C. Bohra & L.K. Singh (eds.). Environment, Pollution and Management. APH, New Delhi. 604 pp. ISBN 81-7648-419-9.
- Renuga, K. 2003. Description of freshwater copepods (Crustacea) in Kanchipuram district, Tamilnadu. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Santiago, A.C.M. 2003. Efeito da exposição ao ar e do sedimento retido sobre a composição e a densidade da meiofauna em *Halimeda opuntia* (L.) J.V. Lamouroux 1812 na praia de Maracaípe-PE. [Effect of exposure to air and retained sediment on the composition and density of the meiofauna in *Halimeda opuntia* (L.) J.V. Lamouroux 1812 on Maracaípe Beach - Pernambuco.] Undergraduate Thesis, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Sergeeva, N.G. 2003. Meiobentos limana Donuzlav. [Meiobenthos of the Danube estuary.] Sovremennoe

- sostoyanie bioraznoobraziya pribrezhnykh vod Kryma (Chernomorskii sektor). Institute of Biology of the Southern Seas, National Academy of Sciences of Ukraine (INBYuM), EKOSI-Gidrofizika, Sevastopol. Pp. 251-258. [In Russian.]
- Sommaruga, R. 2003. UVR and its effects on species interactions. In: Helbling, E.W. & H. Zagarese (eds.). UV Effects in Aquatic Organisms and Ecosystems. European Society for Photobiology, Cambridge. Pp. 485-508.
- Vasconcelos, D.M. 2003. Distribuição espacial da comunidade da meiofauna e diversidade de Copepoda Harpacticoida no estuário do Rio Formoso, Pernambuco. [Spatial distribution of the meiofauna community and diversity of Copepoda Harpacticoida in the estuary of the Formoso River, Pernambuco.] Dissertação de Mestrado, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Vasconcelos-Filho, A., S. Neumann-Leitão, E. Eskinazi-Leça, R. Schwaborn, A.M. Eskinazi-Oliveira & M.N. Paranaguá. 2003. Trophic interactions between fish and other compartment communities in a tropical estuary in Brazil as indicator of environmental quality. In: Usó, J. L., B.C. Patten & C.A. Brebia (eds.). Ecosystems and Sustainable Development IV. WIT Press, Southampton. Pp. 172-182.
- Williamson, C. & H. Zagarese. 2003. UV effects on aquatic ecosystems: A changing climate perspective. In: Helbling, E.W. & H. Zagarese (eds.). UV Effects in Aquatic Organisms and Ecosystems. European Society for Photobiology, Cambridge. Pp. 547-568.
- Woin, P., L. Wendt-Rasch, U. Friberg-Jensen & K. Christoffersen. 2003. Effects of the pyrethroid insecticide, cypermethrin, on a freshwater community studied under field conditions. I. Direct and indirect effects on abundance measures of organisms at different trophic levels. *Aquatic Toxicology* 63(4):357-371.
- Zagorodnyaya, Yu.A., T.V. Pavlovskaya & V.K. Moryakova. 2003. Sovremennoe sostoyanie zooplanktona u beregov Kryma. [Present status of the zooplankton on the Crimean coast.] *Sovremennoe sostoyanie bioraznoobraziya pribrezhnykh vod Kryma (Chernomorskii sektor)*. Institute of Biology of the Southern Seas, National Academy of Sciences of Ukraine (INBYuM), EKOSI-Gidrofizika, Sevastopol. Pp. 49-83. [In Russian.]
- 2004**
- Abdel-Aziz, N.E. & S.M. Aboul-Ezz. 2004. The structure of zooplankton community in Lake Maryout, Alexandria, Egypt. *Egyptian Journal of Aquatic Research* 30(A):160-170.
- Angélibert, S. 2004. Etude des mares du parc Naturel Régional des Causses du Quercy: fonctionnement, biodiversité et connectivité inter-mares. Propositions pour l'entretien et la sauvegarde. [Study of the ponds of the Causses du Quercy Regional Natural Park: functioning, biodiversity and inter-pond connectivity. Proposals for conservation and protection.] Thèse du Doctorat, Université Paul Sabatier - Toulouse III, Toulouse, France. [In French; abstract in English.]
- Araújo, R.J.V. 2004. Efeito da salinidade no crescimento populacional do Copepoda Harpacticoida *Cletocamptus deitersi* em laboratório. [Effect of salinity on population growth of the Copepoda Harpacticoida *Cletocamptus deitersi* in the laboratory.] Undergraduate Thesis, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Bird, T.J. 2004. Using an optical plankton counter to measure fine-scale and seasonal variation in the size-distribution of zooplankton communities. Ph.D. Dissertation, University of Victoria, Victoria, British Columbia, Canada.
- Costa, M.F., S. Neumann-Leitão & L.P. Souza-Santos. 2004. Bioindicadores da qualidade ambiental. [Bioindicators of environmental quality.] In: Eskinazi-Leça, E., S. Neumann-Leitão & M.F. Costa (eds.). *Oceanografia: Um Cenário Tropical*. Vol. 1. Bagaço, Recife. Pp. 319-352. [In Portuguese.]
- Gerlach, S.A. (ed.). 2004. Die Biodiversität in der deutschen Nord- und Ostsee. Vol. 2. [Biodiversity in the German North and East Sea.] Bundesanstalt für Gewässerkunde, Koblenz. Pp. 133-141. [In German.]
- Jacobs, D.K., T.A. Haney & K.D. Louie. 2004. Genes, diversity, and geologic process on the Pacific coast. *Annual Review of Earth and Planetary Sciences* 32:601-652.
- Josten, N. 2004. Die Parasitengemeinschaften in der Flensburger Förde und die Populationsdynamik ihrer Wirte. The parasite communities in the Flensburger Foerde and the dynamic of population of their hosts. Doctoral Thesis, University of Hamburg, Hamburg, Germany. [In German; abstract in English.]
- Kalaivani, D. 2004. Studies on phytoplankton and zooplankton diversity of Krishnagiri reservoir catchment and its sub water sheds. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Kiss, A. 2004. Long-term changes of Crustacean (Cladocera, Ostracoda, Copepoda) assemblages in Szigetköz Floodplain Area (Hungary) 1991-2002. National Committee of IAD Serbia and Montenegro, *Limnological Reports* 35:2-7.
- Li, C.-H., X.-P. Jia & W.-G. Cai. 2004. Diversity of marine zooplankton in the north of South China Sea. *Journal of Fishery Sciences of China / Zhong Guo Shui Chan Ke Xue* 11(2):139-146. [In Chinese; abstract in English.]
- Malkiel, E., J.N. Abras & J. Katz. 2004. Automated scanning and measurements of particle distributions within a holographic reconstructed volume. *Measurement Science and Technology* 15(4):601-612.

- Mulyadi. 2004. The pelagic calanoid copepods of the families Acartiidae, Aetideidae, Augaptilidae, Calanidae, Calocalanidae, Candaciidae, Centropagidae, Clausocalanidae, Eucalanidae, Euchaetidae, Heterorhabdidae, Metridinidae, Paracalanidae, Phaennidae, Pseudodiaptomidae, Scolecithridae, and Tortanidae in Indonesian waters. Research Center for Biology, Indonesia Institute of Sciences, Bogor. 195 pp.
- Neves, G.P. 2004. Composição, dinâmica espaço-temporal da comunidade de Copepoda (Crustácea) do rio Jordão, na área de influência da UHE Santa Clara, Bacia do rio Iguçu, Paraná, Brasil. [Composition, spatio-temporal dynamics of Copepoda (Crustacea) of the Jordão River, in the area influenced by the Santa Clara Hydroelectric Plant, Iguçu River basin, Paraná, Brazil.] Trabalho de Conclusão de Curso (B.Sc. Thesis), Pontifícia Universidade Católica do Paraná, Curitiba, Paraná, Brazil. 12 pp. [In Portuguese.]
- Nour El-Din, N.M. 2004. Impact of cooling water discharge on the benthic and pelagic fauna along the coastal waters of Qatar (Arabian Gulf). *Egyptian Journal of Aquatic Research* 30(A):150-159.
- Parameswari, V. 2004. The distribution of copepods in Madurandhakam Lake in Kanchipuram district, Tamilnadu. M.Phil. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Peixoto, R.S. 2004. Estrutura e flutuação temporal das populações zooplânctônicas (Copepoda e Cladocera) nas represas da Reitoria e Quatro Pilastras, Campus da Universidade Federal de Viçosa (UFV), MG. [Structure and temporal fluctuation of the zooplankton populations (Copepoda and Cladocera) in the Reitoria and Quatro Pilastras reservoirs, campus of the Federal University of Viçosa (UFV), MG.] Undergraduate Thesis, Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil. [In Portuguese.]
- Ribeiro, A.C.B., L.P. Souza-Santos, M.A. Maia Filho & S.M. Oliveira. 2004. Cultivo em massa do copépodo *Tisbe biminiensis* e sua utilização na larvicultura de *Macrobrachium rosenbergii*. [Mass culture of the copepod *Tisbe biminiensis* and its use in the larviculture of *Macrobrachium rosenbergii*.] Anais do XIII Simpósio Brasileira de Aqüicultura (SIMBRAQ), 2004, Fortaleza. Pp. 95-104. [In Portuguese.]
- Runge, J.A., P.J.S. Franks, W.C. Gentleman, B.A. Megrey, K.A. Rose, F.E. Werner & B. Zakardjian. 2004. Diagnosis and prediction of variability in secondary production and fish recruitment processes: developments in physical-biological modeling. In: Robinson, A.R. & K.H. Brink (eds.). *Global Coastal Ocean: Multi-Scale Interdisciplinary Processes, The Sea*, Vol. 13. John Wiley & Sons, New York. Pp. 413-473.
- Shiganova, T.A., H.J. Dumont, A.F. Sokolsky, A.M. Kamakin, D. Tinenkova & E.K. Kurasheva. 2004. Population dynamics of *Mnemiopsis leidy* in the Caspian Sea, and effects on the Caspian ecosystem. Pp. 71-111 In: H. Dumont, H.J., T.A. Shiganova & U. Niermann (eds.). *Aquatic Invasions in the Black, Caspian, and Mediterranean Seas: The ctenophores *Mnemiopsis leidy* and *Beroe* in the Ponto-Caspian and other aquatic invasions*. NATO Science Series 4: Earth and Environmental Sciences 35. Kluwer Academic, Dordrecht. 313 pp.
- Shumka, S. 2004. The zooplankton of the Durres area (Adriatic Sea) – Dynamics and variations in. *Biological Journal of Albanian Academy of Sciences*, Tirana 21:33-42.
- Souza-Santos, L.P., P.J.P. Santos & V.F. Genevois. 2004. Meiofauna. In: Eskinazi-Leça, E., S. Neumann-Leitão & M.F. Costa (eds.). *Oceanografia: Um Cenário Tropical*. Vol. 1. Bagaço, Recife. Pp. 529-554. [In Portuguese.]
- Syed, N.K. 2004. Ecological studies of waterfowl of Karachi coast. Ph.D. Thesis, University of Karachi, Karachi, Pakistan.
- Villanueva, M.C.S. 2004. Biodiversité et relations trophiques dans quelques milieux estuariens et lagunaires de l'Afrique de l'Ouest: Adaptations aux pressions environnementales. [Biodiversity and trophic relationships in some estuarine and lagoon environments of West Africa: Adaptations to environmental pressures.] Thèse du Doctorat, Institut National Polytechnique du Toulouse, Toulouse, France. 247 pp. [In French.]
- Vinni, M., J. Lappalainen, T. Malinen & H. Peltonen. 2004. Seasonal bottlenecks in diet shifts and growth of smelt in a large eutrophic lake. *Journal of Fish Biology* 64(2):567-579.
- Yusuf, A.A. 2004. Analysis of Fatty acids and Lipids in relation to environmentally sensitive samples [*Calanus finmarchicus*]. M.Sc. Thesis, The Robert Gordon University, Aberdeen, Scotland.

2005

- Alvarez-Cobelas, M., J. García-Avilés & E. Ortega-Mayagoitia. 2005. El plancton de las lagunas de gravera y el fósforo: el enriquecimiento de las paradojas. [The plankton of gravel-pit lakes and phosphorus: enrichment of the paradoxes.] *Limnética* 24(1-2):67-81. [In Spanish; abstract in English.]
- Ashok, P.V., P. Perumal & M. Rajkumar. 2005. Biochemical composition of some marine copepods. *Research Journal of Chemistry and Environment* 9(4):36-41.
- Bilger, M.D., K. Riva-Murray & G.L. Wall. 2005. A checklist of the aquatic invertebrates of the Delaware River Basin, 1990-2000. U.S. Geological Survey Data Series 116:1-29.
- Borek, K.W., I. Zloch, M.R. Sapota, M. Fijalkowska & K. Forycka. 2005. Food quality affect the conditions of the sand and common gobies from the Gulf of Gdansk, Poland? *Oceanological and Hydrobiological Studies* 34(3):39-55.

- Chertoprud, E.S. & A.I. Azovsky. 2005. Sezonnaya dinamika populyatsii litoral'nykh garpaktitsid (Harpacticoida: Copepoda) Belogo morya. [Seasonal dynamics of the populations of intertidal harpacticoids (Harpacticoida: Copepoda) in the White Sea.] *Okeanologiya* 45(6):1-9. [In Russian.]
- Chertoprud, E.S., A.I. Azovsky & F.V. Sapozhnikov. 2005. Kolonizatsiya litoral'nykh garpaktitsidami (Harpacticoida: Copepoda) bezzhiznennykh gruntov razlichnogo granulometricheskogo sostava. [Colonization of azoic sediments of different grain-size composition by littoral Harpacticoida: Copepoda.] *Okeanologiya* 45(4):637-646. [In Russian.]
- Cravens, J.B. 2005. Thermal effects. *Water Environment Research* 77:2820-2834.
- Harper-Smith, S., E.L. Berlow, R.A. Knapp, R.J. Williams & N.D. Martinez. 2005. Communicating ecology through food webs: Visualizing and quantifying the effects of stocking alpine lakes with trout. Pp. 407-423 In: De Ruiter, P., J.C. Moore & V. Wolters (eds.). *Dynamic Webs: Multispecies Assemblages, Ecosystem Development, and Environmental Change*. Theoretical Ecology Series, 590. Elsevier/ Academic Press, Amsterdam.
- Lalana, R., M. Ortiz & C. Varela. 2005. Primera adición a la lista de los crustáceos no decápodos de Cuba. [First addition to the list of non-decapod crustaceans of Cuba.] *Revista Biología* 19(1-2):50-56. [In Spanish; abstract in English.]
- Mageed, A.A.A. 2005. Effect of some environmental factors on the biodiversity of holozooplankton community in Lake Qarun, Egypt. *Egyptian Journal of Aquatic Research* 31(1):230-234.
- Mouawad, R. 2005. Characterization of meiobenthic communities of Lebanese sandy beaches with emphasis on free-living marine nematodes. *Meiofauna Marina* 14:41-48.
- Prusova, I.Y & S.L. Smith. 2005. Taxonomic composition, abundance and biomass of copepods in the epipelagic realm of the Arabian Sea during the southwest and northeast monsoon seasons. *Morskyi Ekologichnyi Zhurnal* 4(4):72-86. [In Russian.]
- Soliman, A.M. 2005. Zooplankton structure in Lake Edku and adjacent waters (Egypt). *Egyptian Journal of Aquatic Research* 31(2):239-252.
- Velho, L.F.M., F.A. Lansac-Tôha, C.C. Bonecker, E.M. Takahashi, F.V. Santos & G.M. Alves. 2005. Distribuição longitudinal do zooplâncton em seis reservatórios do Estado do Paraná. [Longitudinal distribution of the zooplankton in six reservoirs of the State of Paraná.] In: Rodrigues, L., A.A. Agostinho, L.C. Gomes & S.M. Thomaz (eds.). *Produtividade em Reservatório e Bioindicadores*. Rima, São Carlos. Pp. 129-136. [In Portuguese.]
- Yang, Y.f. 2005. Comparative studies on zooplankton community between the sea surface microlayer and the subsurface microlayer in Daya Bay, China. *Progress in Natural Science* 15(8):713-719. [In Chinese; abstract in English.]
- Zloch, I., M. Sapota & M. Fijalkowska. 2005. Diel food composition and changes in the diel and seasonal feeding activity of common goby, sand goby and young flounder inhabiting the inshore waters of the Gulf of Gdansk, Poland. *Oceanological and Hydrobiological Studies* 34(3):69-84.

2006

- Abdel-Aziz, N.E. 2006. Vertical migration of zooplankton groups in an eutrophic bay, Dekhaila Harbor, Alexandria, Egypt. *Egyptian Journal of Aquatic Research* 32(1):135-157.
- Alekseev, V.R. & L.O. Sanoamuang. 2006. Biodiversity of cyclopoid copepods in Thailand - with a description of *Afrocylops henrii* sp.n. *Arthropoda Selecta* 15(4):277-290.
- Anufrieva, T.N. 2006. Taxonomy structure of zooplankton in brackish lakes in Khakasia. *Vestnik Krasnoyarskogo Gosudarstvennogo Universiteta Estestvennye Nauki* 5:69-73. [In Russian.]
- Bletter, M.C.M. & B.C. Bonecker. 2006. Avaliação da biomassa de microcrustáceos em ambientes aquáticos continentais. [Evaluation of the biomass of microcrustaceans in continental aquatic environments.] *Interciência, Venezuela* 31(8):591-597. [In Portuguese.]
- Budzyńska, A. & E. Szląg-Wasielewska. 2006. Species richness and spatial heterogeneity of spring plankton in a lake with varying morphometry. *Acta Agrophysica* 7(2):309-316. [In English; abstract in Polish.]
- Calles-Procet, A.K., S. Degraer, T. Vanagt, T. Gheskiere, P. Cornejo & M. Vincx. 2006. Tropical sandy beach meiofauna: a case study on cross-shore and seasonal patterns in Ecuador. In: Calles-Procet, A.K. *Spatial and temporal patterns of meiofauna along Ecuadorian sandy beaches, with a focus on nematode biodiversity*. (Thesis.) Pp. 41-60.
- Castro, C.M.V.A., L.P. Souza-Santos & M.F. Costa. 2006. Avaliação da toxicidade dos sedimentos do Porto de Suape utilizando o copépodo bentônico *Tisbe biminiensis* nos períodos seco e chuvoso de 2003. [Evaluation of sediment toxicity of the Port of Suape using the benthic copepod *Tisbe biminiensis* in the dry and rainy periods of 2003.] In: Kato, M. (ed.). *Gestão e Tratamento de Resíduos Líquidos Gerados na Cadeia Produtiva do Petróleo*. 1a. Coletânea de Trabalhos Técnicos. Editora Universitária da UFPE, Recife. Pp. 47-60. [In Portuguese.]
- Castro, C.M.V.A., L.P. Souza-Santos & M.F. Costa. 2006. Efeitos letais e sub-letais do dicromato de potássio (K₂Cr₂O₇) no copépodo bentônico *Tisbe biminiensis*. [Lethal and sub-lethal effects of potassium dichromate (K₂Cr₂O₇) on the benthic copepod *Tisbe biminiensis*.] In: Kato, M. (ed.). *Gestão e Tratamento de Resíduos*

- Líquidos Gerados na Cadeia Produtiva do Petróleo. 1a. Coletânea de Trabalhos Técnicos. Editora Universitária da UFPE, Recife. Pp. 61-70. [In Portuguese.]
- Chertoprud, E.S., M.V. Chertoprud, D.V. Kondar', P.N. Kornev & A.A. Udalov. 2006. Raznoobrazie taksotsenov Harpacticoida (Copepoda) peschano-ilstoi litorali Kandalakshskogo zaliva Belogo morya. [Harpacticoida taxocen diversity in the silty-sandy littoral zone of Kandalaksha Bay of the White Sea.] *Okeanologiya* 46(4):1-10. [In Russian.]
- Dam, H.G. 2006. Rapid evolution rampant at sea. *Wrack Lines*, University of Connecticut Sea Grant 3(1):5, 11-12.
- Dubiaski-Silva, J. & S. Masunari. 2006. Ontogenetic and seasonal variation in the diet of Marimba, *Diplodus argenteus* (Valenciennes, 1830) (Pisces, Sparidae) associated with the beds of *Sargassum cymosum* C. Agardh, 1820 (Phaeophyta) at Ponta das Garoupas, Bombinhas, Santa Catarina. *Journal of Coastal Research* 2(Special Issue 39):1190-1192.
- Gomoiu, M.T. (compiler). 2006. Harpacticoida. Biodiversitatea Marii Negre. Internet. <http://www.univ-ovidius.ro>.
- Huq, M.B., M. Srinivasan & M. Murugan. 2006. Observations on parasites of *Epinephelus malabaricus* (Bloch and Schneider). *Indian Journal of Fisheries* 53(4):459-461.
- Iannaccone, J. & L. Alvarino. 2006. Diversidad del zooplancton en la Reserva Nacional de Junín, Perú. Zooplankton diversity from the Junin Natural Reserve, Peru. *Ecología Aplicada* 5(1-2):175-181. [In Spanish; abstract in English.]
- Kapusta, S.C., C.E. Bemvenuti & N.L. Würdig. 2006. Meiofauna spatial-temporal distribution in a subtropical estuary of southern coast Brazil. *Journal of Coastal Research* 2(Special Issue 39):1238-1242.
- Khalaf, G., K. Nakhlé, M. Abboud-Abi Saab, J. Tronczynski, R. Mouawad & M. Fakhri. 2006. Preliminary results of the oil spill impact on Lebanese coastal waters. *Lebanese Science Journal* 7(2):135-153.
- Kiss, A. 2006. The effects of *Najas marina* on the zooplankton species composition and water chemistry in a small, shallow lake. (Fehér-tó, Hungary). *Opuscula Zoologica* 35:43-54.
- Klimaszyk, P. & N. Kuczyńska-Kippen. 2006. Peat-bog pool (Wielkopolski National Park) as a habitat of specific communities of zooplankton. *Acta Agrophysica* 7(2):375-381. [In English; abstract in Polish.]
- Kormendi, S. 2006. Somogy megyei lapok hidroekológiai vizsgalata. Hydroecological investigation in different moors of Somogy county. *Natura Somogyensis* 9:131-140. [In Bulgarian.]
- Kuczynska-Kippen, N. 2006. Changes in the zooplankton community of ponds as a result of macrophyte cover transformation in a pastoral water body. *Teka Komisji Ochrony i Kształtowania Środowiska Przyrodniczego* 3:87-95. [In English; abstract in Polish.]
- Kuczynska-Kippen, N. & B. Nagengast. 2006. Changes in the zooplankton community structure as a result of syntaxonomical rebuild of submerged vegetation of a mid-forest water body. *Acta Agrophysica* 7(2):415-422.
- Kuczynska-Kippen, N. & B. Nagengast. 2006. Zooplankton communities of a newly created small water body. *Teka Komisji Ochrony i Kształtowania Środowiska Przyrodniczego* 3:115-121. [In English; abstract in Polish.]
- Kuczyńska-Kippen, N., B. Nagengast & S. Celewicz-Gołdyn. 2006. Physical-chemical and biological parameters of two neighbouring post-exploitation clay-pits. *International Agrophysics* 20:183-187.
- Mageed, A.A.A. 2006. Biomass, production, and turnover rate of zooplankton in Lake Manzala (South Mediterranean Sea, Egypt). *Egyptian Journal of Aquatic Research* 32(1):158-167.
- Markhaseva, E.L. & K. Schulz. 2006. New benthopelagic aetideids (Crustacea: Copepoda: Calanoida) from deep Antarctic waters. *Invertebrate Zoology* 3(2):137-155.
- Markhaseva, E.L. & K. Schulz. 2006. *Lamiantennula* (Copepoda, Calanoida): a new deep-water benthopelagic genus of Arietelloidea. *Arthropoda Selecta* 15(3):203-210.
- Melo, M.F.A.C., R.S. Paiva & M.M. Tavares da Silva. 2006. Considerações ecológicas sobre o zooplâncton do lago Bolonha, Belém, Pará, Brasil. Ecological considerations on the lake Bolonha zooplankton, Belém, Pará, Brazil. *Boletim do Museu Paraense Emílio Goeldi, Ciências Naturais*, Belém 1(1):115-125. [In Portuguese; abstract in English.]
- Mirabdullayev, I.M., E.B. Tayzhanov & A.R. Kuzmetov. 2006. First record of *Diacyclops languidus* (Sars, 1863) (Copepoda: Cyclopoida) from central Asia. *Arthropoda Selecta* 15(3):211-214.
- Möllmann, C., B. Müller-Karulis, R. Diekmann, J. Flinkman, G. Kornilovs, E. Lysiak-Pastuszak, J. Modin, M. Plikshs, Y. Walther & N. Wasmund. 2006. An integrated ecosystem assessment of the Central Baltic Sea and the Gulf of Riga. *ICES Document CM 2006/P:03*.
- Musil, J. 2006. Metody odchovu nasadoveho materialu candata obecneho (*Sander lucioperca* L.) v rybnicnich podminkach Ceske Republiky - kratky souhrn. Ponds rearing methods of juvenile pike perch (*Sander lucioperca* L.) in the Czech Republic - a short review. *Bulletin VURH Vodnany* 42(1):38-44.
- Novikov, M.A. 2006. Automated calculation of damage to fish stocks from death of food organisms (by the example of the Barents Sea). *Rybnoe Khozyaistvo* 5:93-95, 119-120.
- Pamplin, P.A.Z., I.H. Moreno & J.R. Verani. 2006. Composição sazonal e espacial das comunidades zooplanctônicas em lagoas marginais do rio Mogi Guaçu

- na Estação Ecológica do Jataí (Luiz Antônio, SP, Brasil). [Seasonal and spatial composition of the zooplankton communities in marginal lakes of the Mogi Guaçu River at the Jataí Ecological Station (Luiz Antônio, SP, Brazil.) In: Santos, J.E. dos (ed.). Estação Ecologia do Jataí. 1st ed. EDUFSCar, São Carlos. Vol. 3:431-442. [In Portuguese.]
- Pislegina, E.V. 2006. Temporal dynamic of the dominant species of zooplankton of the Lake Baikal (1982-2003). *Sibirskii Ekologicheskii Zhurnal* 13(4):419-427. [In Russian.]
- Pronin, N.M. & T.G. Burdukovskaya. 2006. Ecological niche of two species of genus crustaceans *Salmincola* (Crustacea: Copepoda) - parasites of Baikal omul. *Sibirskii Ekologicheskii Zhurnal* 13(5):611-618. [In Russian.]
- Quesada-Alpizar, M.A. & A. Morales-Ramirez. 2006. Posible efecto de El Niño en el zooplancton no gelatinoso del Golfo Dulce, Pacifico de Costa Rica, 1997-1998. The possible effect of "El Niño" in the non-gelatinous zooplankton in Golfo Dulce, Pacific coast of Costa Rica during the period of 1997-1998. *Revista de Biología Tropical* 54(Suppl. 1):225-240. [In Spanish.]
- Radwan, S., J. Sender, A. Demetraki-Paleolog & B. Stępień. 2006. Biocenotic structure in the restored water ecosystem of the "Piskory" reserve. *Acta Agrophysica* 7(2):467-476. [In English; abstract in Polish.]
- Rocha, O., K.S. Tavares, M.B. Castelo-Branco, P.A.Z. Pamplin, E.L.G. Espíndola & M. Marchese. 2006. Padrões de biodiversidade em reservatórios e relações com o processo de eutrofização. [Biodiversity patterns in reservoirs and relationships with the eutrophication process.] In: Tundisi, J.G., T. Matsumura-Tundisi & C.S. Galli (eds.). Eutrofização na América do Sul: Causas, consequências e tecnologias para gerenciamento e controle. Instituto Internacional de Ecologia, São Carlos. Pp. 353-372. [In Portuguese.]
- Ruus, A., K.E. Tollefsen, M. Grung, J. Klungsoyr & K. Hylland. 2006. Accumulation of contaminants in pelagic organisms, caged blue mussels, caged cod, and semipermeable membrane devices. Pp. 51-74 In: Hylland, K., T. Lang & D. Vethaak (eds.). *Biological Effects of Contaminants in Marine Pelagic Ecosystems*. SETAC Press, Pensacola and Brussels. 475 pp.
- Sipaúba-Tavares, L.H. 2006. Aspectos limnológicos de um viveiro utilizado como abastecimento de água para sistemas de aquicultura. Limnological aspects in a pond used as a water supply for aquaculture. *Boletim Técnico do CEPTA* 19:59-64. [In Portuguese.]
- Vethaak, A.D., S.H. Brandsma, A.W. Kruijt & P. Leonards. 2006. Occurrence of brominated flame-retardants in zooplankton and pelagic fish in the North Sea. In: Hylland, K., T. Lang & D. Vethaak (eds.). *Biological Effects of Contaminants in Marine Pelagic Ecosystems*. SETAC Press, Pensacola and Brussels. 475 pp. Chapter pagination: 75-82.
- Xu, Z.-L. 2006. Ecological characters of *Euchaeta concinna* (copepod) in the East China Sea. *Oceanologia et Limnologia Sinica* 37(2):97-104. [In Chinese; abstract in English.]
- Zikova, E.K. & G.G. Ivanova. 2006. Seasonal and longstanding dynamics of zooplankton of r. Khilok. *Issledovano v Rossii* 9:769-779. [In Russian.]

2007

- Adeyemo, A.O. & A.E. Falaye. 2007. Parasitic incidence in cultured *Clarias gariepinus*. *Animal Research International* 4(2):702-704.
- Albaina, A. & X. Irigoien. 2007. Zooplankton communities and oceanographic structures in a high-resolution grid in the south-eastern corner of the Bay of Biscay. *Estuarine Coastal and Shelf Science* 75(4):433-446.
- Alessandrello, A. 2007. 150 years of the Italian Society of Natural Science. *Natura, Milan* 97(1-2):3-183. [In Italian.]
- Anadón, R., R. Danovaro, J.W. Dippner, K.F. Drinkwater, S.J. Hawkins, G. O'Sullivan, T. Oguz, C.J.M. Philippart (ed.) & P.C. Reid. 2007. Impacts of climate change on the European marine and coastal environment: Ecosystems approach. European Science Foundation Marine Board Position Paper 9:1-84. ISBN 2-912049-63-6.
- Ananthan, G., P. Sampath-Kumar, P. Soundarapandian & L. Kannan. 2007. Distribution of zooplankton in Uppanar backwaters of Cuddalore, Southeast coast of India. In: Director, Zoological Survey of India [ed.]. *National Symposium on Conservation and Valuation of Marine Biodiversity*. Zoological Survey of India, Kolkata. 445 pp. Chapter pagination: 1-7.
- Anonymous. 2007. Strait of Georgia juvenile herring survey, 2004. *Canadian Manuscript Report of Fisheries and Aquatic Sciences* 2821:1-31, V.
- Anonymous. 2007. Mechanism and monitoring indicators of the Kuroshio/Oyashio ecosystem. *Bulletin of the Japanese Society of Fisheries Oceanography* 71(3):209-224.
- Asami, H., H. Shimada, M. Sawada, H. Sato, Y. Miyakoshi, D. Ando, M. Fujiwara & M. Nagata. 2007. Influence of physical parameters on zooplankton variability during early ocean life of juvenile chum salmon in the coastal waters of eastern Hokkaido, Okhotsk Sea. *North Pacific Anadromous Fish Commission Bulletin* 4:211-221.
- Bakhoum, S.A. 2007. Diet overlap of immigrant narrow-barred Spanish mackerel *Scomberomorus commerson* (Lac., 1802) and the largehead hairtail ribbonfish *Trichiurus lepturus* (L., 1758) in the Egyptian Mediterranean coast. *Animal Biodiversity and Conservation* 30(2):147-160.
- Borel, C.M. 2007. Algas no silíceas y acritarcos de depositos costeros holocenos en el arroyo La Ballenera, Buenos Aires, Argentina. Non siliceous algae and acritarchs from

- the Holocene coastal deposits at the La Ballenera Creek, Buenos Aires, Argentina. *Ameghiniana* 44(2):359-366. [In Spanish.]
- Brakovska, A. & R. Skute. 2007. Ecological characteristic of groups of zooplankton in the deepest lakes of East-Latvia. *Acta Biologica Universitatis Daugavpiliensis* 7(2):165-174.
- Buriola, E., G.C. Trotti, U. Parenti, A. Pizzinat & F. Pizzolato. 2007. Metazoan parasites of pumpkinseed sunfish, *Lepomis gibbosus* (Linnaeus, 1758) in Torino province (Piedmont, Italy). *Museo Regionale di Scienze Naturali Bollettino Turin* 24(2):281-299. [For 2006.]
- Carvalho, L., B. Dudley, I. Gunn & A. Kirika. 2007. Loch Leven 2004-2006: trends in water quality and biological communities. Scottish Natural Heritage Commissioned Report No.262 (ROAME No. F05LH01/2). 28 pp.
- Christian, E. 2007. Bilder aus der Unterwelt: Kleinarthropoden im Boden der Stadt Wien. [Pictures from the underworld: Small arthropods at the bottom of the City of Vienna.] In: Meyer, E. & S. Meyer (eds.). Entomologentagung 2007, Entomologentagung Innsbruck, 26 February - 1 March 2007, Innsbruck. *Berichte des Naturwissenschaftlich-Medizinischer Vereins in Innsbruck, Supplement* 17:33. [Abstract. In German.]
- Clarke, L.R. & D.H. Bennett. 2007. Zooplankton production and planktivore consumption in lake Pend Oreille, Idaho. *Northwest Science* 81(3):215-223.
- Czarkowski, T.K., A. Martyniak, A. Kapusta, A. Wojcik, M. Bowszys, B. Wziqtek, U. Szamanska & J. Kozłowski. 2007. Feeding ecology of vendace, *Coregonus albula* (L.), in Lake Wigry (northeastern Poland). *Archiwum Rybactwa Polskiego* 15(2):117-128.
- Dev-Roy, M.K., M. Roy & N.C. Nandi. 2007. Crustacean community and ecosystem health of some selected wetlands of West Bengal. *Journal of Environment and Sociobiology* 4(1):93-100.
- Dumont, H.J. & G.M. El-Shabrawy. 2007. Lake Borullus of the Nile Delta: A short history and an uncertain future. *Ambio* 36(8):677-682.
- Dvoretzky, V.G. 2007. Peculiarities of population structure of *Oithona similis* (Copepoda: Cyclopoida) in the White and Barents Sea. *Doklady Akademii Nauk* 414(4):557-560.
- Erdogan, O., M. Atamanalp, T. Sisman, E. Aksakal & G. Alak. 2007. Effects of 2,2-dichlorovinyl dimethyl phosphate (DDVP) on Hsp70 gene expression in rainbow trout. *Israeli Journal of Aquaculture Bamidgeh* 59(4):230-234.
- Feyrer, F., T. Sommer & J. Hobbs. 2007. Living in a dynamic environment: variability in life history traits of age-0 splittail in tributaries of San Francisco Bay. *Transactions of the American Fisheries Society* 136(5):1393-1405.
- Frederiksen, M., M. Edwards, R.A. Mavor & S. Wanless. 2007. Regional and annual variation in black-legged kittiwake breeding productivity is related to sea surface temperature. *Marine Ecology Progress Series* 350:137-143.
- Froneman, P.W., I.J. Ansorge, N. Richoux, J. Blake, R. Daly, J. Sterley, B. Mostert, E. Heyns, J. Sheppard, B. Kuyper, N. Hart, C. George, J. Howard, E. Mustafa, F. Pey & J.R.E. Lutjeharms. 2007. Physical and biological processes at the subtropical convergence in the south-west Indian Ocean. *South African Journal of Science* 103(5-6):193-195.
- Gidó, Z. 2007. Carpathian elements of the benthic microcrustacean (Crustacea: Harpacticoida, Ostracoda) fauna of Hungary. *Acta Zoologica Universitatis Comenianae* 47(1):9-19. [For 2005.]
- Gladstone, W. 2007. Selection of a spawning aggregation site by *Chromis hypsilepis* (Pisces: Pomacentridae): habitat structure, transport potential, and food availability. *Marine Ecology Progress Series* 351:235-247.
- Güher, H. & T. Kirgiz. 2007. Gala Gölü Milli Park'ında makrofitler ile mikrocrustacea (Cladocera, Copepoda) ilişkisi üzerine bir araştırma. A study on associated microcrustacea (Cladocera, Copepoda) with macrophytes in Gala Lake National Park. *Trakya University Journal of Science* 8(2):109-114. [In Turkish; abstract in English.]
- Guiral, D. & C. Rougier. 2007. Trap size and prey selection of two coexisting bladderwort (*Utricularia*) species in a pristine tropical pond (French Guiana) at different trophic levels. *Annales de Limnologie* 43(3):147-159.
- Hall-Spencer, J. & R. Bamber. 2007. Efectos del cultivo de salmón sobre crustáceos bénticos. Effects of salmon farming on benthic Crustacea. *Ciencias Marinas* 33(4):353-366.
- Higgins, T., H. Kenny & E. Colleran. 2007. Plankton communities of artificial lakes created on Irish cutaway peatlands. *Biology and Environment* 107B(2):77-85.
- Jenssen, B.M., E.G. Sørmo, K. Baek, J. Bytingsvik, H. Gaustad, A. Ruus & J.U. Skaare. 2007. Brominated flame retardants in North-East Atlantic marine ecosystems. *Environmental Health Perspectives* 115(Suppl. 1):35-41.
- Jocque, M., B.V. Timms & L. Brendonck. 2007. A contribution on the biodiversity and conservation of the freshwater fauna of rocky outcrops in the central Wheatbelt of Western Australia. *Journal of the Royal Society of Western Australia* 90(Part 3):137-142.
- Karpenko, V.I., A.F. Volkov & M.V. Koval. 2007. Diets of Pacific salmon in the Sea of Okhotsk, Bering Sea, and northwest Pacific Ocean. *North Pacific Anadromous Fish Commission Bulletin* 4:105-116.
- Kehayias, G. & E. Doulka. 2007. A light trap for sampling *Atherina boyeri* larvae in Lake Trichonis, Greece. *Journal of Freshwater Ecology* 22(3):533-534.
- Kim, I.H. 2007. *Giardella ricoensis* n. sp. from the West Indies and the proposal of the new genus *Goodingius*

- (Copepoda: Cyclopoida: Clausidiidae). Korean Journal of Systematic Zoology 23(2):127-133.
- Kim, I.H. 2007. Two new species of *Doridicola* (Copepoda: Cyclopoida: Rhynchomolgidae) associated with opisthobranch mollusks from Korea. Korean Journal of Systematic Zoology 23(2):117-126.
- Kiran, B.R., E.T. Puttaiah & D. Kamath. 2007. Diversity and seasonal fluctuation of zooplankton in fish pond of Bhadra fish farm, Karnataka. Zoos Print Journal 22(12):2935-2936.
- Kottelat, M. 2007. A freshwater diaptomid copepod harvested for human consumption in central Laos. Raffles Bulletin of Zoology 31(Suppl. 16):355-357.
- Krupa, E.G. & T.S. Stuge. 2007. New species of the genus *Gigantodiaptomus* (Crustacea, Calanoida) from northeastern Kazakhstan. Izvestiya Natsionalnoi Akademii Nauk Respubliki Kazakhstan Seriya Biologicheskaya i Meditsinskaya 1(259):18-22.
- Kumar, V., T.A. Qureshi & J.P. Shukla. 2007. Ecological status and zooplankton diversity of Sikandarpur reservoir, Basti (U.P.). Journal of Ecophysiology & Occupational Health 7(1/2):79-85.
- Kumari, P., S. Dhadse, P.R. Chaudhari & S.R. Wate. 2007. Bioindicators of pollution in lentic water bodies of Nagpur city. Journal of Environmental Science and Engineering 49(4):317-324.
- Lacerda, A.C.F., R.M. Takemoto, M.A.P. Lizama & G.C. Pavanelli. 2007. Parasitic copepods in the nasal fossae of five fish species (Characiformes) from the upper Paraná river floodplain, Paraná, Brazil. Copépodos parasitos de fossas nasais de cinco espécies de peixes (Characiformes) da planície de inundação do alto rio Paraná, Paraná, Brasil. Acta Scientiarum, Biological Sciences 29(4):429-425. [In English; abstract in Portuguese.]
- Lampert, W. & U. Sommer. 2007. Limnoecology: The Ecology of Lakes and Streams. 2nd edition. Oxford University Press, Oxford. 324 pp.
- Larik, Z.A., M.A. Mahar, N.T. Narejo, S.M. Leghari & S.I.H. Jafri. 2007. Natural productivity of fish ponds in relation to physico-chemical parameters at Chilya hatchery Thatta, Sindh, Pakistan. Sind University Research Journal, Science Series 39(1):41-48.
- Lavaniegos-Espejo, B.E. 2007. El papel del zooplancton en la transferencia del carbono en el océano. [The role of zooplankton in carbon transfer in the ocean.] In: Hernández-de la Torre, B., & G. Gaxiola-Castro (eds.). Carbono en ecosistemas acuáticos de México. Instituto Nacional de Ecología, SEMARNAT, México, D.F. Pp. 129-139. [In Spanish.]
- Laybourn-Parry, J. & D.A. Pearce. 2007. The biodiversity and ecology of Antarctic lakes: models for evolution. Philosophical Transactions of the Royal Society of London, B, Biological Sciences 362(1488):2273-2289.
- Limen, H., C. Levesque & S.K. Juniper. 2007. POM in macro/meiofaunal food webs associated with three flow regimes at deep-sea hydrothermal vents on Axial Volcano, Juan de Fuca Ridge. Marine Biology, Berlin 153(2):129-139.
- Liu, C., N. Yu, L.Q. Chen, G.R. Zhang, Z.X. We & P.F. Jin. 2007. Zooplankton communities and bio-assessment of five rivers in the outskirts unit of southwest Shanghai. Fudan Xuebao Ziranxueban 46(6):913-919. [In Chinese.]
- Liu, E.S., Z.W. Liu, C.H. Bao, L.K. Wu & P. Cao. 2007. Food content and the mutual effects between *Hypophthalmichthys molitrix* (Cuvier et Valenciennes) and *Aristichthys nobilos* (Richardson) and *Coilia ectenes taihuensis* Yen et Lin in Lake Taihu. Hupo Kexue / Journal of Lake Sciences 19(4):451-456. [In Chinese.]
- Liu, J.P., W. Zhao, S. Wang, L. Wang & Y.N. Xing. 2007. The embryonic and larval development of cyclop *Apocyclops royi*. Dalian Shuichan Xueyuan Xuebao / Journal of Dalian Fisheries University 22(4):239-245. [In Chinese.]
- Loukili, A. & D. Belghyti. 2007. The dynamics of the nematode *Anguillicola crassus*, Kuvahara 1974 in eel *Anguilla anguilla* (L. 1758) in the Sebou estuary (Morocco). Parasitology Research 100(4):683-686.
- Mahar, M.A., S.M. Leghari, M.Y. Khuhawar, S.A. Shaikh & G.M. Mastoi. 2007. Eco-biological status of Chotiari reservoir (Distt. Sanghar) Sindh, Pakistan. Sind University Research Journal, Science Series 39(2):55-64.
- Magnhagen, C., T.G. Northcote & R.S. Gregory. 2007. Diet differentiation in three species of juvenile Pacific salmon (*Oncorhynchus* spp.) in estuarine tidal channels and laboratory experiments. Canadian Technical Report of Fisheries and Aquatic Sciences 2758:1-20, VI.
- Mariani, P., B.R. MacKenzie, A.W. Visser & V. Botte. 2007. Individual-based simulations of larval fish feeding in turbulent environments. Marine Ecology Progress Series 347:155-169.
- Mudrak, S. & M.I. Zmijewska. 2007. Spatio-temporal variability of mesozooplankton from the Gulf of Gdansk (Baltic Sea) in 1999-2000. Oceanological and Hydrobiological Studies 36(2):3-19.
- Nagasawa, K., A. Inoue, S. Myat & T. Umino. 2007. New host records for *Lernaea cyprinacea* (Copepoda), a parasite of freshwater fishes, with a checklist of the Lernaecidae in Japan (1915-2007). Biosphere Science 46:21-33.
- Nagasawa, K., T. Umino & M.J. Grygier. 2007. A checklist of the parasites of ayu (*Plecoglossus altivelis altivelis*) (Salmoniformes: Plecoglossidae) in Japan (1912-2007). Biosphere Science 46:59-89.
- Nagasawa, K., T. Umino & K. Mizuno. 2007. A checklist of the parasites of eels (*Anguilla* spp.) (Anguilliformes: Anguillidae) in Japan (1915-2007). Biosphere Science 46:91-121.
- Nanjo, N. 2007. Feeding habits on the glass shrimp *Pasiphaea japonica* in Toyama Bay of the Sea of Japan. Crustacean Research 36:45-51.

- Naydenko, S.V., A.Y. Efimkin & A.E. Lazhentsev. 2007. Regional diversity of juvenile pink salmon diet in Autumn in the Bering, Okhotsk and Japan Seas. North Pacific Anadromous Fish Commission Bulletin 4:117-126.
- Neumann, T. & W. Fennel. 2007. Stage resolved description of copepods in three dimensional ecosystem models. GLOBEC International Newsletter 13(2):61-62.
- O'Donohoe, P., F. Kane, S. Kennedy, P. Nixon, A. Power, O. Naughton & D. Jackson. 2007. National survey of sea lice (*Lepeophtheirus salmonis* Kroyer and *Caligus elongatus* Nordmann) on fish farms in Ireland - 2006. Irish Fisheries Bulletin 28:1-35.
- Oduor, S.O. & M. Schagerl. 2007. Phytoplankton primary productivity characteristics in response to photosynthetically active radiation in three Kenyan Rift Valley saline-alkaline lakes. Journal of Plankton Research 29(12):1041-1050.
- Ostojic, A.M., S.S. Curcic, L.R. Comic & M.D. Topuzovic. 2007. Application of the PEG model to two reservoirs with different trophic levels. Ekologia, Bratislava 26(4):408-428.
- Pardo-Gandarillas, M.C., K. Gonzalez, C.M. Ibanez & M. George-Nascimento. 2007. Parasites of two deep-sea fish *Coelorhynchus chilensis* (Pisces: Macrouridae) and *Notacanthus sexspinis* (Pisces: Notacanthidae) from Juan Fernandez Archipelago, Chile. JMBA2 Biodiversity Records 5794:1-5.
- Peck, M.A. & U. Daewel. 2007. Physiologically based limits to food consumption, and individual-based modeling of foraging and growth of larval fishes. Marine Ecology Progress Series 347:171-183.
- Perbiche-Neves, G., M. Serafim Jr., A.R. Ghidini & L. de Brito. 2007. Spatial and temporal distribution of Copepoda (Cyclopoida and Calanoida) of an eutrophic reservoir in the basin of upper Iguacu River, Paraná, Brazil. Acta Limnologica Brasiliensia 19(4):393-406. [In English; abstract in Portuguese.]
- Pereira, S., C.C. Bonecker & L. Rodrigues. 2007. Influence of water level on periphytic meiofaunal abundance in lagoons of the Upper Paraná River floodplain, Brazil. Acta Limnologica Brasiliensia 19:273-283.
- Pomeroy, L.R., P.J. LeB. Williams, F. Azam & J.E. Hobbie. 2007. The microbial loop. Oceanography 20(2):28-31.
- Prasad, V., R. Garg, V. Vartika & B. Thakur. 2007. Organic matter distribution pattern in Arabian Sea: Palynofacies analysis from the surface sediments off Karwar coast (west coast of India). Indian Journal of Marine Sciences 36(4):399-406.
- Rainey, J.D., W.V. Sobczak & S.C. Fradkin. 2007. Zooplankton diel vertical distributions in Lake Crescent, a deep oligotrophic lake in Washington (USA). Journal of Freshwater Ecology 22(3):469-476.
- Renfro, K.J. & J. Nolan. 2007. Feeding preferences of *Acartia tonsa* found off the coast of Chincoteague Island, Virginia. Journal of the Pennsylvania Academy of Science 80:130. [Abstract.]
- Renz, J., H.J. Hirche & S. Grabbert. 2007. Differences in life history traits of congeneric copepod species. GLOBEC International Newsletter 13(2):58-59.
- Santos, P.J.P., P.V.V.C. Carvalho, P.P.A. Murolo, A.P.C. Silva, D.M. Vasconcelos, L.P. Souza-Santos, M.B. Carvalho, T.N.C. Alves, V.F. Genevois & V. Venekey. 2007. A comunidade bentônica na avaliação da qualidade ambiental de uma área estuarina influenciada pela carcinocultura. [The benthic community in the evaluation of environmental quality of an estuarine area influenced by carcinoculture.] In: Barroso, G.F., L.H.S. Poersch & R.O. Cavalli (eds.). Sistemas de cultivo aquícolas na zona costeira do Brasil: recursos, tecnologias, aspectos ambientais e sócio-econômicos. Museu Nacional, Rio de Janeiro. Pp. 261-272. [In Portuguese.]
- Selifonova, Z.P. & A.A. Shmeleva. 2007. Study of Copepoda fauna in Novorossiysk Bay of the Black Sea and in the Sea of Azov. Hidrobiologicheskii Zhurnal 43(5):27-35. [In Russian.]
- Sukumaran, P.K. 2007. Impact of thermal effluent on aquatic system with reference to biotic communities. Environment and Ecology Kalyani S:530-536 (Special 3).
- Suzuki, K.W., R. Sugimoto, A. Kasai, J. Shoji, K. Nakayama & M. Tanaka. 2007. Dynamics of particulate organic matter in the estuarine turbidity maximum of the Chikugo River, Ariake Sea, in spring. Bulletin of the Japanese Society of Fisheries Oceanography 71(3):190-198. [In Japanese.]
- Suzuki, T., S. Usuda, H. Ichinose & S. Inouye. 2007. Real-time bioluminescence imaging of a protein secretory pathway in living mammalian cells using *Gussia luciferase*. FEBS Letters 581(24):4551-4556.
- Tang, B.G., G. Chen, J.D. Zhang, G. Shi & Z.H. Wu. 2007. Effect of diet series on growth, activity of digestive enzymes and body composition of larval cobia, *Rachycentron canadum*. Acta Hydrobiologica Sinica 31(4):479-484.
- Thompson, M. & C. Hrabok. 2007. Strait of Georgia juvenile herring survey, 2004. Canadian Manuscript Report of Fisheries and Aquatic Sciences 2821: i-v, 1-31.
- Torreiro, A.G.A.G., C.M.V.A. Castro, K.S. Garcia & L.P. Souza-Santos. 2007. Avaliação da toxicidade dos sedimentos da Baía de Todos os Santos- Bahia- Brasil, utilizando o copépodo bentônico *Tisbe biminiensis* - período chuvoso. [Evaluation of the toxicity of sediments of the Baía de Todos os Santos- Bahia- Brazil, using the benthic copepod *Tisbe biminiensis* - rainy period.] Anais do XII Congresso Latino-americano de Ciências do Mar, Florianópolis, 2007. Pp. 1-4. [In Portuguese.]
- Trierweiler, A. & D.L. Pascual. 2007. Zooplankton growth responses to the cyanobacteria *Microcystis* and *Anabaena* in Eagle Creek Reservoir in Indiana.

- Proceedings of the Indiana Academy of Science 116(2):173-183.
- Ustups, D., D. Uzars & B. Mueller-Karulis. 2007. Structure and feeding ecology of the fish community in the surf zone of the Eastern Baltic Latvian coast. Proceedings of the Latvian Academy of Sciences, Section B, Natural, Exact and Applied Sciences 61(3-4):96-106.
- Vadadi-Fülöp, C., G. Mészáros, G. Jablonski & L. Hufnagel. 2007. Ecology of the Ráckeve-Soroksar Danube – a review. Applied Ecology and Environmental Research 5(1):133-163.
- Vasconcelos-Filho, A.L., S. Neumann-Leitão, M. Ramos-Porto & Z.S. Almeida. 2007. Biologia alimentar de *Citharichthys spilopterus* (Paralichthyidae) em um estuário tropical, Pernambuco, Brasil. Feeding biology of *Citharichthys spilopterus* (Paralichthyidae) in a tropical estuary, Pernambuco, Brazil. Revista Brasileira de Engenharia de Pesca 2(2):6-12. [In Portuguese; abstract in English.]
- Walker, I. 2007. The macrofauna associated with *Eichhornia crassipes* roots during the phase of declining eutrophication in the Balbina Reservoir (Presidente Figueiredo, Amazonas, Brasil). Acta Limnologica Brasiliensia 19(4):473-483. [In English; abstract in Portuguese.]
- Wang, C., Z.S. Yi, X.T. Lin & X.L. Chen. 2007. Analysis of food habits of *Spinibarbus denticulatus* in its life history. Chinese Journal of Zoology 42(4):101-107. [In Chinese.]
- Weaver, D.C. & L.A. Rocha. 2007. A new species of *Halichoeres* (Teleostei: Labridae) from the western Gulf of Mexico. Copeia 4:798-807.
- Werkman, P.J. 2007. Deel 6. Crustacea en inwendige parasieten (slot). [Part 6. Crustacea and endoparasites (conclusion).] Tijdschrift voor Diergeneeskunde 132(19):744-748. [In Dutch.]
- Wright, D.A., C.L. Mitchelmore, R. Dawson & H.G. Cutler. 2007. The influence of water quality on the toxicity and degradation of juglone (5-hydroxy 1,4-naphthoquinone). Environmental Technology 28(10):1091-1101.
- Wu, Z.B., A.F. Liu, X.H. Wu, F. He & S.P. Cheng. 2007. Dynamics of zooplankton in fish-culturing ponds with water circled by integrated vertical-flow constructed wetland. Chinese Journal of Applied and Environmental Biology 13(5):668-673. [In Chinese.]
- Xu, Y.J. & M. Zhang. 2007. Distribution of plankton on *Trachurus murphyi* fishing grounds of the Southeast Pacific and its relationship with fishing grounds. Marine Fisheries 29(4):289-295.
- Yamada, F.H., R.M. Takemoto & G.C. Pavanelli. 2007. Ecological aspects of ectoparasites from the gills of *Satanoperca pappaterra* (Heckel, 1840) (Cichlidae) from the upper Paraná river floodplain, Brazil. Aspectos ecológicos dos ectoparasitos branquiais de *Satanoperca pappaterra* (Heckel, 1840) (Cichlidae) da planície de inundação do alto rio Paraná, Brasil. Acta Scientiarum, Biological Sciences 29(3):331-336. [In English; abstract in Portuguese.]
- Yang, M.S., B.X. Xiong & X.F. Yang. 2007. Temporal and spatial distribution and evaluation of nitrogen and phosphorus of Macrozoobenthos in Lake Nanhu, Wuhan, China. Journal of Lake Sciences / Hupo Kexue 19(6):658-663. [In Chinese.]
- Yevdokimov, N.A. & M.V. Yermokhin. 2007. Seasonal dynamics of population density and biomass of *Hemidiaptomus hungaricus* Kiefer, 1933 (Copepoda, Calanoida) in temporary reservoirs [water bodies] in the Saratov Region. Povolzhskii Ekologicheskii Zhurnal 4:287-296. [In Russian.]
- Yuan, X.C., M.P. Zheng, W. Zhao & H.L. Wang. 2007. Plankton and ecology investigation of some Saline Lakes in Ali region, Tibet. Dizhi Xuebao 81(12):1754-1763. [In Chinese.]
- Zhang, J.S., S.L. Dong, X.L. Tian, Y.W. Dong, X.Y. Liu & D.C. Yan. 2007. Virus - phytoplankton adhesion: a new WSSV transmission route to zooplankton. Acta Oceanologica Sinica, English Edition 26(6):109-115.
- Zhang, X.G., D.J. Siveter, D. Waloszek & A. Maas. 2007. An epipodite-bearing crown-group crustacean from the Lower Cambrian. Nature, London 449(7162):595-598.

2008

- Alimov, A.F. 2008. Relations between biological diversity in continental waterbodies and their morphometry and water mineralization. Biologiya Vnutrennikh Vod / Biology of Inland Waters 2008(1):1-6.
- Angeler, D.G., O. Viedma, S. Cirujano, M. Alvarez-Cobelas & S. Sánchez-Carrillo. 2008. Microinvertebrate and plant beta diversity in dry soils of a semiarid agricultural wetland complex. Marine & Freshwater Research 59(5):418-428.
- Anonymous. 2008. Appendix: List of the Invertebrates of Plimmers Island, Maryland. Bulletin of the Biological Society of Washington 15:192-226.
- Badylak, S. & E.J. Phlips. 2008. Spatial and temporal distributions of zooplankton in Tampa Bay, Florida, including observations during a HAB event. Journal of Plankton Research 30(4):449-465.
- Barros, F., V. Hatje, M.B. Figueiredo, W.F. Magalhães, H.S. Dórea & E.S. Emídio. 2008. The structure of the benthic macrofaunal assemblages and sediments characteristics of the Paraguaçu estuarine system, NE, Brazil. Estuarine, Coastal and Shelf Science 78(4):753-762.
- Beklioglu, M. & C.O. Tam. 2008. Restoration of a shallow Mediterranean lake by biomanipulation complicated by drought. Fundamental and Applied Limnology / Archiv für Hydrobiologie 171(2):105-118.
- Berreville, O.F., A.F. Vézina, K.R. Thompson & B. Klein. 2008. Exploratory data analysis of the interactions among physics, food web structure, and function in two Arctic polynyas. Canadian Journal of Fisheries and

- Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques 65(6):1036-1046.
- Bizzarro, J.J. 2008. A review of the physical and biological characteristics of the Bahía Magdalena lagoon complex (Baja California Sur, Mexico). Bulletin of the Southern California Academy of Sciences 197(1):1-24.
- Blight, A.J. & R.C. Thompson. 2008. Epibiont species richness varies between holdfasts of a northern and a southerly distributed kelp species. Journal of the Marine Biological Association of the United Kingdom 88(3):469-475.
- Bogevik, A.S., R.E. Olsen & D.R. Tocher. 2008. Utilization and metabolism of palmityl and oleoyl fatty acids and alcohols in caecal enterocytes of Atlantic salmon (*Salmo salar* L.). Aquaculture Nutrition 14(3):270-280.
- Bolnick, D.I., E.J. Caldera & B. Matthews. 2008. Evidence for asymmetric migration load in a pair of ecologically divergent stickleback populations. Biological Journal of the Linnean Society 94(2):273-287.
- Bork, J., S. Bork, S.E. Berkhoff & H.J. Hahn. 2008. Testing unbaited stygofauna traps for sampling performance. Limnologica - Ecology and Management of Inland Waters 38(2):105-115.
- Böttger-Schnack, R., D. Schnack & W. Hagen. 2008. Microcopepod community structure in the Gulf of Aqaba and northern Red Sea, with special reference to Oncaeidae. Journal of Plankton Research 30(5):529-550.
- Briand, E., M. Gugger, J.-C. François, C. Bernard, J.-F. Humbert & C. Quiblier. 2008. Temporal variations in the dynamics of potentially microcystin-producing strains in a bloom-forming *Planktothrix agardhii* (cyanobacteria) population. Applied and Environmental Microbiology 74(12):3839-3848.
- Brunoli-Olivera, E. & A. Morales-Ramírez. 2008. Trophic planktonic dynamics in a tropical estuary, Gulf of Nicoya, Pacific coast of Costa Rica during El Niño 1997 event. Dinámica trófica planctónica en un estuario tropical, Golfo de Nicoya, costa Pacífica de Costa Rica durante El Niño 1997. Revista de Biología Marina y Oceanografía 43(1):75-89. [In English; abstract in Spanish.]
- Brussaard, C.P.D., K.R. Timmermans, J. Uitz, M.J.W. Veldhuis. 2008. Virioplankton dynamics and virally induced phytoplankton lysis versus microzooplankton grazing southeast of the Kerguelen (Southern Ocean). Deep Sea Research Part II: Topical Studies in Oceanography 55(5-7):752-765.
- Burnes, R.M., Jr., E.J. Philips, M.F. Cichra, M. Lehmanseik & A.N. Wills. 2008. Zooplankton community structure of the Middle St. John's River, Florida, 2003 – 2005. Florida Scientist 71(2):173-187.
- Cabal, J., G. González-Nuevo & E. Nogueira. 2008. Mesozooplankton species distribution in the NW and N Iberian shelf during spring 2004: Relationship with frontal structures. Journal of Marine Systems 72(1-4):282-297.
- Cáceres, C.E., A.J. Tessier, A. Andreou & M.A. Duffy. 2008. Stoichiometric relationships in vernal pond plankton communities. Freshwater Biology 53(7):1291-1302.
- Campbell, R.W. 2008. Overwintering habitat of *Calanus finmarchicus* in the North Atlantic inferred from autonomous profiling floats. Deep Sea Research Part I: Oceanographic Research Papers 55(5):630-645.
- Carlotti, F., D. Thibault-Botha, A. Nowaczyk & D. Lefèvre. 2008. Zooplankton community structure, biomass and role in carbon fluxes during the second half of a phytoplankton bloom in the eastern sector of the Kerguelen Shelf (January–February 2005). Deep Sea Research Part II: Topical Studies in Oceanography 55(5-7):720-733.
- Carrasco, N., I. Arzul, B. Chollet, M. Robert, J.P. Joly, M.D. Furones & F.C.J. Berthe. 2008. Comparative experimental infection of the copepod *Paracartia grani* with *Marteilia refringens* and *Marteilia maurini*. Journal of Fish Diseases 31(7):497-504.
- Cartes, J.E., T. Madurell, E. Fanelli & J.L. López-Jurado. 2008. Dynamics of suprabenthos-zooplankton communities around the Balearic Islands (western Mediterranean): Influence of environmental variables and effects on the biological cycle of *Aristeus antennatus*. Journal of Marine Systems 71(3-4):316-335.
- Cartes, J.E., V. Papiol, A. Palanques, J. Guillén & M. Demestre. 2008. Erratum to: Dynamics of suprabenthos off the Ebro Delta (Catalan Sea: western Mediterranean): Spatial and temporal patterns and relationships with environmental factors. Estuarine, Coastal and Shelf Science 77(4):763.
- Catalán, I.A., B. Morales-Nin, J.B. Company, G. Rotlland, I. Palomera & M. Emilianov. 2008. Environmental influences on zooplankton and micronekton distribution in Bransfield Strait and adjacent waters. Polar Biology 31(6):691-707.
- Chang, K.H., T. Nagata, M. Sakamoto & T. Hanazato. 2008. Day and night vertical distributions of rotiferan and crustacean zooplankton in Lake Suwa. Journal of Freshwater Ecology 23(1):165-168.
- Changwen, W. 2008. Research outling on meiofauna. Modern Fisheries Information, Changshu 23(3):9-12. [In Chinese.]
- Chaves, P. de T. & A.L. Vendel. 2008. Análisa comparativa da alimentação de peixes (Teleostei) entre ambientes de marisma e de manguezal num estuário do sul do Brasil (Baía de Guaratuba, Paraná). Study on feeding habits in estuarine fish (Teleostei) comparatively between salt marshes and mangroves in southern Brazil (Guaratuba Bay). Revista Brasileira de Zoologia: An International Journal for Zoology 25(1):10-15. [In Portuguese; abstract in English.]
- Chiba, S., M.N. Aita, K. Tadokoro, T. Saino, H. Sugisaki & K. Nakata. 2008. From climate regime shifts to lower-trophic level phenology: Synthesis of recent progress in

- retrospective studies of the western North Pacific. *Progress in Oceanography* 77(2-3):112-126.
- Choi, K.-H. & W.J. Kimmerer. 2008. Mate limitation in an estuarine population of copepods. *Limnology and Oceanography* 53(4):1656-1664.
- Chullasorn, S., P. Kangtia, K. Pinkaew & F.D. Ferrari. 2008. *Apocyclops ramkhamhaengi* sp. n. (Copepoda: Cyclopoida) in a culture originating from brackish waters of Chang Island in Trat Province, Thailand. *Zoological Studies* 47(3):326-337.
- Cooke, S.L., C.E. Williamson, D.M. Leech, W.J. Boeing & L. Torres. 2008. Effects of temperature and ultraviolet radiation on diel vertical migration of freshwater crustacean zooplankton. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 65(6):1144-1152.
- Cordell, J.R., S.M. Bollens, R. Draheim & M. Sytsma. 2008. Asian copepods on the move: recent invasions in the Columbia-Snake River system, USA. Proceedings of the Fifth International Conference on Marine Bioinvasions. *ICES Journal of Marine Science: Journal du Conseil* 65(5):753-758.
- Currie, D.C. & P.H. Adler. 2008. Global diversity of black flies (Diptera: Simuliidae) in freshwater. *Hydrobiologia* 595:469-475.
- Dagne, A., A. Herzig, C.D. Jersabek & Z. Tadesse. 2008. Abundance, species composition and spatial distribution of planktonic rotifers and crustaceans in Lake Ziway (Rift Valley, Ethiopia). *International Review of Hydrobiology* 93(2):210-226.
- Daponte, M.C., A.A. Gil de Perterra, M.A. Palmieri & M. Ostrowski de Nuñez. 2008. Monthly occurrence of parasites of the chaetognath *Sagitta friderici* off Mar del Plata, Argentina. *Journal of Plankton Research* 30(5):567-576.
- Decho, A.W., E.M. Beckman, G.T. Chandler & T. Kawaguchi. 2008. Application of photostable quantum dots for indirect immunofluorescent detection of specific bacterial serotypes on small marine animals. *Nanotechnology* 19(23) 235102, 4 pp. doi:10.1088/0957-4484/19/23/235102
- De Jong, H., P. Oosterbroek, J. Gelhaus, H. Reusch & C. Young. 2008. Global diversity of crane flies (Insecta, Diptera: Tipulidae or Tipulidae sensu lato) in freshwater. *Hydrobiologia* 595:457-467.
- De Laender, F., K.A.C. De Schamphelaere, P.A. Vanrolleghem & C.R. Janssen. 2008. Is ecosystem structure the target of concern in ecological effect assessments? *Water Research* 42(10):2395-2402.
- De Troch, M., J.F. Melgo-Ebarle, L. Angsinco-Jimenez, H. Gheerardyn & M. Vincx. 2008. Diversity and habitat selectivity of harpacticoid copepods from seagrass beds in Pujada Bay, the Philippines. *Journal of the Marine Biological Association of the United Kingdom* 88(3):515-526.
- Dimas-Flores, N., J. Alcocer & J. Ciro-Pérez. 2008. The structure of the zooplankton assemblages from two neighboring tropical high mountain lakes. *Journal of Freshwater Ecology* 23(1):21-31.
- Djurkovic, A., S. Mijovic & S. Cadjo. 2008. Results of zooplankton analysis of the Sava River. BALWOIS 2008, International Conference on Water Observation and Information System for Decision Support, Ohrid, Republic of Macedonia - 27-31 May 2008. 9 pp. http://balwois.com/balwois/administration/full_paper/ffp-1216.pdf
- Doblas-Miranda, E., D.A. Wardle, D.A. Peltzer & G.W. Yeates. Changes in the community structure and diversity of soil invertebrates across the Franz Josef Glacier chronosequence. *Soil Biology and Biochemistry* 40(5):1069-1081.
- Dojiri, M., G. Hendler & I.-H. Kim. 2008. Larval development of *Caribeopsyllus amphiodiae* (Thaumatopsyllidae: Copepoda), an entozoic parasite of the brittle star *Amphiodia urtica*. *Journal of Crustacean Biology* 28(2):281-305.
- Dolotov, Yu.S., N.N. Filatov, V.P. Shevchenko, M.P. Petrov, A.V. Tolstikov, R.E. Zdorovenov, A.V. Platonov, A. Filippov, K.L. Bushuev, I. P. Kutcheva, N. V. Denisenko, R. Stein & C. Sauke. 2008. Multidisciplinary studies in Onega Bay of the White Sea and the estuary of the Onega River during the summer period. *Oceanology* 48(2):255-267.
- Drillet, G., P.M. Jepsen, J.K. Højgaard, N.O.G. Jørgensen & B.W. Hansen. 2008. Strain-specific vital rates in four *Acartia tonsa* cultures II: Life history traits and biochemical contents of eggs and adults. *Aquaculture* 279(1-4):47-54.
- Ellingsen, I.H., P. Dalpadado, D. Slagstad & H. Loeng. 2008. Impact of climatic change on the biological production in the Barents Sea. *Climatic Change* 87(1-2):155-175.
- Farhadian, O., F.M. Yusoff & A. Arshad. 2008. Population growth and production of *Apocyclops dengizicus* fed on different diets. *Journal of the World Aquaculture Society* 39(3):384-396.
- Feazel, L.M., J.R. Spear, A.B. Berger, J.K. Harris, D.N. Frank, R.E. Ley & N.R. Pace. 2008. Eucaryotic diversity in a hypersaline microbial mat. *Applied and Environmental Microbiology* 74(1):329-332.
- Ferguson, P.L., G.T. Chandler, R.C. Templeton, A. DeMarco, W.A. Scrivens & B.A. Englehart. 2008. Influence of sediment-amendment with single-walled carbon nanotubes and diesel soot on bioaccumulation of hydrophobic organic contaminants by benthic invertebrates. *Environmental Science and Technology* 42(10):3879-3885.
- Fernanda-Adame, M., J. Alcocer & E. Escobar. 2008. Size-fractionated phytoplankton biomass and its implications for the dynamics of an oligotrophic tropical lake. *Freshwater Biology* 53(1):22-31.

- Flinn, M.B., S.R. Adams, M.R. Whiles & J.E. Garvey. 2008. Biological responses to contrasting hydrology in backwaters of Upper Mississippi River Navigation Pool 25. *Environmental Management* 41(4):468-486.
- Forlenza, M., P.D. Walker, B.J. de Vries, S.E. Wendelaar Bonga & G.F. Wiegertjes. 2008. Transcriptional analysis of the common carp (*Cyprinus carpio* L.) immune response to the fish louse *Argulus japonicus* Thiele (Crustacea: Branchiura). *Fish & Shellfish Immunology* 25(1-2):76-83.
- Franzen, C. 2008. Microsporidia: A review of 150 years of research. *The Open Parasitology Journal* 2:1-34.
- Fukunaga, A. 2008. Invertebrate community associated with the macroalga *Halimeda kanaloana* meadow in Maui, Hawaii. *International Review of Hydrobiology* 93(3):328-341.
- Gao, Q., Z.-I. Xu & P. Zhuang. 2008. The relation between distribution of zooplankton and salinity in the Changjiang Estuary. *Chinese Journal of Oceanography and Limnology* 26(2):178-185.
- Garrido, S., R. Ben-Hamadou, P.B. Oliveira, M.E. Cunha, M.A. Chicharo & C.D. van der Lingen. 2008. Diet and feeding intensity of sardine *Sardina pilchardus*: correlation with satellite-derived chlorophyll data. *Marine Ecology Progress Series* 354:245-256.
- Gerasimova, T.N. & P.I. Pogozhev. 2008. Studying the potential of food chain filterers in the processes of de-eutrophication of water bodies. *Water Resources* 35(5):353-362. [Russian version in *Vodnye Resursy*, 2008, 35(3):370-379.]
- Gheerardyn, H., S. Seifried & A. Vanreusel. 2008. A new species of *Halophytophilus* Brian, 1919 (Copepoda: Harpacticoida: Ectinosomatidae) from cold-water corals in the Porcupine Seabight (NE Atlantic). *Zootaxa* 1761:1-16.
- Gherardi, F., S. Bertolino, M. Bodon, S. Casellato, S. Cianfanelli, M. Ferraguti, E. Lori, G. Mura, A. Nocita, N. Riccardi, G. Rossetti, E. Rota, R. Scalera, S. Zerunian & E. Tricarico. 2008. Animal xenodiversity in Italian inland waters: distribution, modes of arrival, and pathways. *Biological Invasions* 10(4):435-454.
- Goldthwait, S.A. & D.K. Steinberg. 2008. Elevated biomass of mesozooplankton and enhanced fecal pellet flux in cyclonic and mode-water eddies in the Sargasso Sea. *Deep Sea Research Part II: Topical Studies in Oceanography* 55(10-13):1360-1377.
- González, M.T., R. Vásquez & E. Acuña. 2008. Biogeographic patterns of metazoan parasites of the bigeye flounder, *Hippoglossina macrops*, in the southeastern Pacific coast. *Journal of Parasitology* 94(2):429-435.
- Gorb, S.N. 2008. Biological attachment devices: exploring nature's diversity for biomimetics. *Philosophical Transactions of the Royal Society, A, Mathematical, Physical & Engineering Sciences* 366(1870):1557-1574.
- Guedes, A.P.P. & F.G. Araujo. 2008. Trophic resource partitioning among five flatfish species (Actinopterygii, Pleuronectiformes) in a tropical bay in south-eastern Brazil. *Journal of Fish Biology* 72(4):1035-1054.
- Güher, H. & S. Erdoğan. 2008. Aليç göleti perifitik zooplankton (Cladocera, Copepoda, Rotifera) türleri üzerine bir araştırma. An investigation on the periphytic zooplankton species (Cladocera, Copepoda, Rotifera) in Aليç pond (Turkey). *Güher ve Erdoğan / Journal of Fisheries Science* 2(3):516-523. [In Turkish; abstract in English.]
- Guibet, M., P. Boulenger, J. Mazoyer, N. Kervarec, A. Antonopoulos, M. Lafosse & W. Helbert. 2008. Composition and distribution of carrabiose moieties in hybrid kappa-/iota-carrageenans using carrageenases. *Biomacromolecules* 9(1):408-415.
- Hack, L.A., L.A. Tremblay, S.D. Wratten, G. Forrester & V. Keesing. 2008. Toxicity of estuarine sediments using a full life-cycle bioassay with the marine copepod *Robertsonia propinqua*. *Ecotoxicology and Environmental Safety* 70(3):469-474.
- Hardy, R., V.L. Paragamian & M.D. Neufeld. 2008. Zooplankton communities and burbot relative abundance of some oligotrophic lakes of Idaho, USA and British Columbia, Canada. *American Fisheries Society Symposium, Conference* 59:79-90.
- Hargrave, B.T., M. Holmer & C.P. Newcombe. 2008. Towards a classification of organic enrichment in marine sediments based on biogeochemical indicators. *Marine Pollution Bulletin* 56(5):810-824.
- Hayward, C.J., H.M. Aiken & B.F. Nowak. 2008. Epizootics of metazoan gill parasites did not threaten feasibility of farming southern bluefin tuna (*Thunnus maccoyii*) in a trial extending over summer months. *Veterinary Parasitology* 154(1-2):122-128.
- Hernández-León, S. 2008. Natural variability of fisheries and lunar illumination: a hypothesis. *Fish and Fisheries* 9(2):138-154.
- Hernández-León, S., C. Fraga & T. Ikeda. A global estimation of mesozooplankton ammonium excretion in the open ocean. *Journal of Plankton Research* 30(5):577-585.
- Hiwatari, T., K. Shirasawa, Y. Fukamachi, R. Nagata, T. Koizumi, H. Koshikawa & K. Kohata. 2008. Vertical material flux under seasonal sea ice in the Okhotsk Sea north of Hokkaido, Japan. *Polar Science* 2(1):41-54.
- Højgaard, J.J., P.M. Jepsen & B.W. Hansen. 2008. Salinity-induced quiescence in eggs of the calanoid copepod *Acartia tonsa* (Dana): a simple method for egg storage. *Aquaculture Research* 39(8):828-836.
- Hribar, L.J. & J.W. Reid. 2008. New records of copepods (Crustacea) from the Florida Keys. *Southeastern Naturalist* 7(2):219-228.
- Hu, Q., C.S. Davis & C.M. Petrik. 2008. A simplified age-stage model for copepod population dynamics. *Marine Ecology Progress Series* 360:179-187.

- Hulyal, S.B. & B.B. Kaliwal. 2008. Water quality assessment of Almatti Reservoir of Bijapur (Karnataka State, India) with special reference to zooplankton. *Environmental Monitoring and Assessment* 139(1-3):299-306.
- Hunt, B.P.V., L.J. Gurney & E.A. Pakhomov. 2008. Time-series analysis of hydrological and biological variability on the Prince Edward Island (Southern Ocean) shelf. *Polar Biology* 31(8):893-904.
- Huo, Y.-Z., S.-W. Wang, S. Sun, C.-L. Li & M.-T. Liu. 2008. Feeding and egg production of the planktonic copepod *Calanus sinicus* in spring and autumn in the Yellow Sea, China. *Journal of Plankton Research* 30(6):723-734.
- Ikeda, T., N. Shiga & A. Yamaguchi. 2008. Structure, biomass distribution and trophodynamics of the pelagic ecosystem in the Oyashio region, western subarctic Pacific. *Journal of Oceanography* 64(3):339-354.
- International Arctic Science Committee & M. Matlock. 2008. Ultraviolet radiation effects on freshwater ecosystems in the Arctic. In: Cleveland, C.J. *Encyclopedia of Earth. Environmental Information Coalition, National Council for Science and the Environment, Washington, D.C.*
- Isinibilir, M., A.E. Kideys, A.N. Tarkan & I.N. Yilmaz. 2008. Annual cycle of zooplankton abundance and species composition in Izmit Bay (the northeastern Marmara Sea). *Estuarine, Coastal and Shelf Science* 78(4):739-747.
- Ivanenko, V.N., F.D. Ferrari & H.-U. Dahms. 2008. Nauplii of *Tegastes falcatus* (Norman, 1869) (Harpacticoida, Tegastidae), a copepod with an unusual naupliar mouth and mandible. *Journal of Crustacean Biology* 28(2):270-280.
- Izawa, K. 2008. Redescription of four species of *Kroyeria* and *Kroeyerina* (Copepoda, Siphonostomatoida, Kroyeriidae) infecting Japanese sharks. *Crustaceana* 81(6):695-724.
- Jeelani, M., H. Kaur & S.G. Sarwar. 2008. Studies of the ecology of crustacean zooplankton in Dal Lake of Kashmir. *Pollution Research* 26(2):277-280.
- Kaiser, S., D.K.A. Barnes, K. Linse & A. Brandt. 2008. Epibenthic macrofauna associated with the shelf and slope of a young and isolated Southern Ocean island. *Antarctic Science* 20(3):281-290.
- Kane, J. & J. Prezioso. 2008. Distribution and multi-annual abundance trends of the copepod *Temora longicornis* in the US Northeast Shelf Ecosystem. *Journal of Plankton Research* 30(5):619-632.
- Karatayev, A.Y., S.E. Mastitsky, L.E. Burlakova & S. Olenin. 2008. Past, current, and future of the central European corridor for aquatic invasions in Belarus. *Biological Invasions* 10:215-232.
- Ke, Z.-x., P. Xie & L.-g. Guo. 2008. Controlling factors of spring-summer phytoplankton succession in Lake Taihu (Meiliang Bay, China). *Hydrobiologia* 607(1):41-49.
- Ke, Z.-x., P. Xie & L.-g. Guo. 2008. *In situ* study on effect of food competition on diet shifts and growth of silver and bighead carps in large biomanipulation fish pens in Meiliang Bay, Lake Taihu. *Journal of Applied Ichthyology* 24(3):263-268.
- Kideys, A.E., A. Roohi, E. Eker-Develi, F. Mélin & D. Beare. 2008. Increased chlorophyll levels in the southern Caspian Sea following an invasion of jellyfish. *Research Letters in Ecology* Article ID 185642, 4 pp. doi:10.1155/2008/185642
- Kiko, R., J. Michels, E. Mizdalski, S.B. Schnack-Schiel & I. Werner. 2008. Living conditions, abundance and composition of the metazoan fauna in surface and sub-ice layers in pack ice of the western Weddell Sea during late spring. *Deep Sea Research Part II: Topical Studies in Oceanography* 55(8-9):1000-1014.
- Kim, I.-C., C.-E. Lee, H.H. Cho, S.G. Hong, J.S. Lee, H. Lee & H.K. Lee. 2008. Molecular cloning and expression of the mitochondrial 60-kDa heat shock protein from an arctic copepod *Calanus glacialis*. *Genes and Genomics* 30(2):101-111.
- King, R.A., D.S. Read, M. Traugott & W.O.C. Symondson. 2008. Molecular analysis of predation: a review of best practice for DNA-based approaches. *Molecular Ecology* 17(4):947-963.
- Krupa, E.G., T.S. Stuge, T.Ya. Lopareva & D.S. Shaukharbaeva. 2008. Raspredelenie planktonnykh rakoobraznykh ozera Balkhash v zavisimosti ot faktorov sredy. [Distribution of the crustacean zooplankton of Lake Balkhash according to environmental factors.] *Biologiya Vnutrennikh Vod /Biology of Fresh Waters* 2008(2):49-56. [In Russian.]
- Kuczyńska-Kippen, N. 2008. Spatial distribution of zooplankton communities between the *Sphagnum* mat and open water in a dystrophic lake. *Polish Journal of Ecology* 56(1):57-64.
- Kurihara, H. & A. Ishimatsu. 2008. Effects of high CO₂ seawater on the copepod (*Acartia tsuensis*) through all life stages and subsequent generations. *Marine Pollution Bulletin* 56(6):1086-1090.
- Lagergren, R., K. Leberfinger & J.A.E. Stenson. 2008. Seasonal and ontogenetic variation in diel vertical migration of *Chaoborus flavicans* and its effect on depth-selection behavior of other zooplankton. *Limnology and Oceanography* 53(3):1083-1092.
- Lee, J.Y., S.H. Kim, D.W. Hwang, J.M. Jeong, J.K. Chung, M.C. Lee & D.S. Lee. 2008. Development of a dual-luciferase reporter system for in vivo visualization of microRNA biogenesis and posttranscriptional regulation. *Journal of Nuclear Medicine* 49(2):285-294.
- Leonardos, I. 2008. The feeding ecology of *Aphanius fasciatus* (Valenciennes, 1821) in the lagoonal system of Messolongi (western Greece). *Scientia Marina* 72(2):393-401.
- Lepère, C., I. Domaizon & D. Debroas. 2008. Composition of freshwater small eukaryotes community: unexpected

- importance of potential parasites. *Applied and Environmental Microbiology* 74(10):2940-2949.
- Liang, X.-F., X.-t. Lin, S.-q. Li & J.-K. Liu. 2008. Impact of environmental and innate factors on the food habit of Chinese perch *Siniperca chuatsi* (Basilewsky) (Percichthyidae). *Aquaculture Research* 39(2):150-157.
- Liao, Y.B., Q.Z. Chen, J.N. Zeng, X.Q. Xu, L. Shou, J.J. Liu, Z.B. Jiang & P. Zheng. 2008. [Thermal tolerance of some marine copepods.] *Chinese Journal of Applied Ecology / Ying Yong Sheng Tai Xue Bao* 19(2):449-452. [In Chinese.]
- Limén, H., C.J. Stevens, Z. Bourass & S.K. Juniper. 2008. Trophic ecology of siphonostomatoid copepods at deep-sea hydrothermal vents in the North Pacific. *Marine Ecology Progress Series* 359:161-170.
- Lin, J.-z. 2008. Abundance and distribution of zooplankton in Fuqing Bay and its neighboring waters. *Journal of Oceanography in Taiwan Strait* 27(1):58-63.
- López-Mancisidor, P., P. Van den Brink, S. Crum, S. Maund, G. Carbonell & T. Brock. 2008. Responses of zooplankton in lufenuron-stressed experimental ditches in the presence or absence of uncontaminated refuges. *Environmental Toxicology and Chemistry* 27(6):1317-1331.
- Lorke, A., A. Weber, H. Hofmann & F. Peeters. 2008. Opposing diel migration of fish and zooplankton in the littoral zone of a large lake. *Hydrobiologia* 600(1):139-146.
- Lubick, N. 2008. Risks of nanotechnology remain uncertain. *Environmental Science & Technology, American Chemical Society, Science News*. http://pubs.acs.org/subscribe/journals/esthag-w/2008/feb/science/nl_nanorisks.html
- Ludovisi, A., C. Todini, P. Pandolfi & M.I. Taticchi. 2008. Scale patterns of diel distribution of the copepod *Cyclops abyssorum* in a regulated lake: the relative importance of physical and biological factors. *Journal of Plankton Research* 30(5):495-509.
- Maan, M.E., A.M.C. Van Rooijen, J.J.M. Van Alphen & O. Seehausen. 2008. Parasite-mediated sexual selection and species divergence in Lake Victoria cichlid fish. *Biological Journal of the Linnean Society* 94(1):53-60.
- Maazouzi, C., G. Masson, M.S. Izquierdo & J.-C. Pihan. 2008. Midsummer heat wave effects on lacustrine plankton: Variation of assemblage structure and fatty acid composition. *Journal of Thermal Biology* 33(5):287-296.
- Macken, A., M. Giltrap, B. Foley, E. McGovern, B. McHugh & M. Davoren. 2008. A model compound study: The ecotoxicological evaluation of five organic contaminants employing a battery of marine bioassays. *Environmental Pollution* 153(3):627-637.
- Martinho, F., R. Leitão, J.M. Neto, H. Cabral, F. Lagardère & M.A. Pardal. 2008. Estuarine colonization, population structure and nursery functioning for 0-group sea bass (*Dicentrarchus labrax*), flounder (*Platichthys flesus*) and sole (*Solea solea*) in a mesotidal temperate estuary. *Journal of Applied Ichthyology* 24 (3):229-237.
- Mayor, D.J. & K. Cook. 2008. The water flea: Source of all life in our seas. *Leopard Magazine*, Feb. 2008:21-22.
- McCollin, T., A.M. Shanks & J. Dunn. 2008. Changes in zooplankton abundance and diversity after ballast water exchange in regional seas. *Marine Pollution Bulletin* 56(5):834-844.
- Meldau de Campos, C., V.E. da Fonseca, R.M. Takemoto & F.R. da Moraes. 2008. Fauna parasitária de cachara *Pseudoplatystoma fasciatum* (Siluriforme: Pimelodidae) do rio Aquidauana, Pantanal Sul Mato-grossense, Brasil. Parasitic fauna of cachara *Pseudoplatystoma fasciatum* (Siluriforme: Pimelodidae) from the Aquidauana river, in the Pantanal of Mato Grosso do Sul State, Brazil. *Acta Scientiarum, Biological Sciences* 30(1):91-96. [In Portuguese; abstract in English.]
- Mente, E., G.J. Pierce, N.J. Spencer, J.C. Martin, I.T. Karapanagiotidis, M. Begoña Santos, J.-j. Wang & C. Neofitou. 2008. Diet of demersal fish species in relation to aquaculture development in Scottish sea lochs. *Aquaculture* 277(3-4):263-274.
- Michelini, E., L. Cevenini, L. Mezzanotte, D. Ablamsky, T. Southworth, B.R. Branchin & A. Roda. 2008. Combining intracellular and secreted bioluminescent reporter proteins for multicolor cell-based assays. *Photochemical and Photobiological Sciences* 7(2):212-217.
- Miller, A., G.J. Inglis & R. Poulin. 2008. Use of the introduced bivalve, *Musculista senhousia*, by generalist parasites of native New Zealand bivalves. *New Zealand Journal of Marine and Freshwater Research* 42(2):143-151.
- Miller, E., D. Fiete, N.M. Blake, M.J. Nicquet, M. Beranek, E.L. Oates, Y.L. Mi, D.S. Roseman & J.U. Baenziger. 2008. A necessary and sufficient determinant for protein-selective glycosylation in vivo. *Journal of Biological Chemistry* 283(4):1985-1991.
- Moksnes, P.-O., M. Gullström, K. Tryman & S. Baden. 2008. Trophic cascades in a temperate seagrass community. *Oikos* 117(5):763-777.
- Moline, M.A., N.J. Karnovsky, Z. Brown, G.J. Divoky, T.K. Frazer, C.A. Jacoby, J.J. Torres & W.R. Fraser. 2008. High latitude changes in ice dynamics and their impact on polar marine ecosystems. *Annals of the New York Academy of Sciences* 1134:267-319.
- Møller, O.S., J. Olesen, A. Avenant-Oldewage, P.F. Thomsen & H. Glenner. 2008. First maxillae suction discs in Branchiura (Crustacea): development and evolution in light of the first molecular phylogeny of Branchiura, Pentastomida, and other "Maxillopoda." *Arthropod Structure & Development* 37(4):333-346.
- Mondal, D.K. & A. Kaviraj. 2008. Ecotoxicological effects of jute retting on the survival of two freshwater fish and two invertebrates. *Ecotoxicology* 17(3):207-211.

- Morales-Vela, B., E. Suárez-Morales, J. Padilla-Saldívar & R.W. Heard. 2008. The tanaid *Hexapleomera robusta* (Crustacea: Peracarida) from the Caribbean manatee, with comments on other crustacean epibionts. *Journal of the Marine Biological Association of the United Kingdom* 88(3):591-596.
- Morton, A. & R. Routledge. 2008. Comment on Butterworth, Cubitt, and McKinley (2008). *Fisheries Research* 92(2-3):345-346.
- Nakane, T., K. Nakaka, H. Bouman & T. Platt. 2008. Environmental control of short-term variation in the plankton community of inner Tokyo Bay, Japan. *Estuarine, Coastal and Shelf Science* 78(4):796-810.
- Neves dos Santos, R., E.J.G. Ferreira & S. Amadio. 2008. Effect of seasonality and trophic group on energy acquisition in Amazonian fish. *Ecology of Freshwater Fish* 17(2):340-348.
- Ning, N.S.P., D.L. Nielsen, T.J. Hillman & P.J. Suter. 2008. Evaluation of a new technique for characterising resting stage zooplankton assemblages in riverine slackwater habitats and floodplain wetlands. *Journal of Plankton Research* 30(4):415-422.
- Nonomura, T., R.J. Machida & S. Nishida. 2008. Stage-V copepodites of *Calanus sinicus* and *C. jashnovi* (Copepoda: Calanoida) in mesopelagic zone of Sagami Bay as identified with genetic markers, with special reference to their vertical distribution. *Progress In Oceanography* 77(1):45-55.
- Ohman, M.D., E.G. Durbin, J.A. Runge, B.K. Sullivan & D.B. Field. 2008. Relationship of predation potential to mortality of *Calanus finmarchicus* on Georges Bank, northwest Atlantic. *Limnology and Oceanography* 53(4):1643-1655.
- Ohman, M.D. & C.-h. Hsieh. 2008. Spatial differences in mortality of *Calanus pacificus* within the California Current System. *Journal of Plankton Research* 30(4):359-366.
- Pane, L., E. Giacco, C. Corrà, G. Greco, G.L. Mariottini, F. Varisco & M. Faimali. 2008. Ecotoxicological evaluation of harbour sediments using marine organisms from different trophic levels. *Journal of Soils and Sediments* 8(2):74-79.
- Parfenova, V.V., V.V. Mal'nik, S.M. Boiko, N.G. Sheveleva, N.F. Logacheva, T.D. Evstigneeva, A.N. Suturin & O.A. Timoshkin. 2008. Communities of hydrobionts developing at the water-rock interface in Lake Baikal. *Russian Journal of Ecology* 39(3):198-204.
- Pasquaud, S., P. Elie, C. Jeantet, I. Billy, P. Martinez & M. Girardin. 2008. A preliminary investigation of the fish food web in the Gironde estuary, France, using dietary and stable isotope analyses. *Estuarine, Coastal and Shelf Science* 78(2):267-279.
- Pedersen, T., M. Nilsen, E.M. Nilssen, E. Berg & M. Reigstad. 2008. Trophic model of a lightly exploited cod-dominated ecosystem. *Ecological Modelling* 214(2-4):95-111.
- Pederson, J.A. & A.M.H. Blakeslee. 2008. Fifth international conference on marine bioinvasions: Introduction. *Proceedings of the Fifth International Conference on Marine Bioinvasions. ICES Journal of Marine Science: Journal du Conseil* 65(5):713-715.
- Pons, M., K. Sans, M. Gómez & D. Calliari. 2008. Evaluation of *Culex pipiens* larvae control by cyclopoid copepods in an urban cemetery of Montevideo, Uruguay. *Journal of Vector Ecology* 33(1):212-215.
- Prakash, M., D. Quéré & J.W. M. Bush. 2008. Surface tension transport of prey by feeding shorebirds: The capillary ratchet. *Science* 320(5878):931-934.
- Primakov, I.M., M.V. Ivanov, P.A. Lezin, E.E. Kulakowski & A. A. Sukhotin. 2008. Influence of aquaculture of mussels on the benthic and planktonic communities in the White Sea. *Oceanology* 48(2):228-232. (Russian version in *Okeanologiya* 48(2):249-253.)
- Pruzzo, C., L. Vezzulli & R.R. Colwell. 2008. Global impact of *Vibrio cholerae* interactions with chitin. *Environmental Microbiology* 10(6):1400-1410.
- Rakesh, M., A.V. Raman, C. Kalavati, B.R. Subramanian, V.S. Sharma, E. Sunitha Babu & N. Sateesh. 2008. Zooplankton community structure across an eddy-generated upwelling band close to a tropical bay-mangrove ecosystem. *Marine Biology* 154(6):953-972.
- Rasch, E.M. & G.A. Wyngaard. 2008. Endopolyploidy in cyclopoid copepods. *Journal of Crustacean Biology* 28(2):412-416.
- Raybaud, V., P. Nival, L. Mousseau, A. Gubanova, D. Altukhov, S. Khvorov, F. Ibañez & V. Andersen. 2008. Short term changes in zooplankton community during the summer-autumn transition in the open NW Mediterranean Sea: species composition, abundance and diversity. *Biogeosciences Discussions* 5:2237-2278.
- Renz, J., D. Mengedocht & H.-J. Hirche. 2008. Reproduction, growth and secondary production of *Pseudocalanus elongatus* Boeck (Copepoda, Calanoida) in the southern North Sea. *Journal of Plankton Research* 30(5):511-528.
- Reshetnikov, A.N. 2008. Does rotan *Perccottus glenii* (Perciformes: Odontobutidae) eat the eggs of fish and amphibians? *Journal of Ichthyology* 48(4):336-344.
- Robert, D., M. Castonguay & L. Fortier. 2008. Effects of intra- and inter-annual variability in prey field on the feeding selectivity of larval Atlantic mackerel (*Scomber scombrus*). *Journal of Plankton Research* 30(6):673-688.
- Rodríguez, J.G., M. Incera & J. López. 2008. Ecophysiological response of meiofauna to physicochemical gradients in intertidal sandy sediments. *Marine Ecology* 29(Suppl. 1):60-69.
- Rohasliney, H. & D.C. Jackson. 2008. Lignite mining and stream channelization influences on aquatic macroinvertebrate assemblages along the Natchez Trace Parkway, Mississippi, USA. *Hydrobiologia* 598:149-162.
- Rossi, S., M.J. Youngbluth, C.A. Jacoby, F. Pagès & X. Garrofé. 2008. Fatty acid trophic markers and trophic links among seston, crustacean zooplankton and the

- siphonophore *Nanomia cara* in Georges Basin and Oceanographer Canyon (NW Atlantic). *Scientia Marina* 72(2):403-416.
- Rowlands, W.L., M. Dickey-Collas, A.J. Geffen & R.D.M. Nash. 2008. Diet overlap and prey selection through metamorphosis in Irish Sea cod (*Gadus morhua*), haddock (*Melanogrammus aeglefinus*), and whiting (*Merlangius merlangus*). *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 65(7):1297-1306.
- Rzeznik-Orignac, J., G. Boucher, D. Fichet & P. Richard. 2008. Stable isotope analysis of food source and trophic position of intertidal nematodes and copepods. *Marine Ecology Progress Series* 359:145-150.
- Saha, S. & A. Kaviraj. 2008. Acute toxicity of synthetic pyrethroid cypermethrin to some freshwater organisms. *Bulletin of Environmental Contamination and Toxicology* 80(1):49-52.
- Sak, S., S. Karaytug & R. Huys. 2008. A review of *Pseudoleptomesochrella* Lang, 1965 (Copepoda, Harpacticoida, Ameiridae), including a redescription of *P. halophila* (Noodt, 1952) from the Black Sea and a key to species. *Zootaxa* 1758:45-60.
- Salujõe, J., H. Gottlob, H. Agasild, J. Haberman, T. Krause & P. Zingel. 2008. Feeding of 0+ smelt *Osmerus eperlanus* in Lake Peipsi. *Estonian Journal of Ecology* 57(1):58-69.
- Sampaio, L.A., R.B. Robaldo & A. Bianchini. 2008. Hormone-induced ovulation, natural spawning and larviculture of Brazilian flounder *Paralichthys orbignyanus* (Valenciennes, 1839). *Aquaculture Research* 39(7):712-717.
- Santos-Silva, E.N. 2008. Calanoid copepods of the families Diaptomidae, Pseudodiaptomidae, and Centropagidae from Brasil. *Revista de Biologia Geral e Experimental* 8(1):3-67.
- Sarthou, G., D. Vincent, U. Christaki, I. Obernosterer, K.R. Timmermans & C.P.D. Brussaard. 2008. The fate of biogenic iron during a phytoplankton bloom induced by natural fertilization: impact of copepod grazing. *Deep Sea Research Part II: Topical Studies in Oceanography* 55(5-7):734-751.
- Schlichting, C.D. 2008. Hidden reaction norms, cryptic genetic variation, and evolvability. *Annals of the New York Academy of Sciences* 1133:187-203.
- Schnack-Schiel, S.B., C. Haas, J. Michels, E. Mizdalski, H. Schünemann, M. Steffens & D.N. Thomas. 2008. Copepods in sea ice of the western Weddell Sea during austral spring 2004. *Deep Sea Research Part II: Topical Studies in Oceanography* 55(8-9):1056-1067.
- Schnack-Schiel, S.B., J. Michels, E. Mizdalski, M.P. Schodlok & M. Schröder. 2008. Composition and community structure of zooplankton in the sea ice covered western Weddell Sea in spring 2004 - with emphasis on calanoid copepods. *Deep-Sea Research Part II: Topical Studies in Oceanography* 55(8-9):1040-1055.
- Schnack-Schiel, S.B., B. Niehoff, W. Hagen, R. Böttger-Schnack, A. Cornils, M.M. Dowidar, A. Pasternak, N. Stambler, D. Stübing & C. Richter. 2008. Population dynamics and life strategies of *Rhincalanus nasutus* (Copepoda) at the onset of the spring bloom in the Gulf of Aqaba (Red Sea). *Journal of Plankton Research* 30(6):655-672.
- Schwamborn, R., M. de Melo Júnior, S. Neumann-Leitão, W. Ekau & M.N. Paranaguá. 2008. Dynamic patterns of zooplankton transport and migration in Catuama Inlet (Pernambuco, Brazil), with emphasis on the decapod crustacean larvae. *Latin American Journal of Aquatic Research* 36(1):109-113.
- Semenchenko, V.P. 2008. Role of macrophytes in the variability of zooplankton community structure in the littoral zone of shallow lakes. *Contemporary Problems of Ecology* 1(2):257-262.
- Shao, N. & R. Bock. 2008. A codon-optimized luciferase from *Gaussia princeps* facilitates the in vivo monitoring of gene expression in the model alga *Chlamydomonas reinhardtii*. *Current Genetics* 53(6):381-388.
- Siddon, E.C., C.E. Siddon & M.S. Stekoll. 2008. Community level effects of *Nereocystis luetkeana* in southeastern Alaska. *Journal of Experimental Marine Biology and Ecology* 361(1):8-15.
- Snelgrove, P.V.R., I.R. Bradbury, B. de Young & S. Fraser. 2008. Temporal variation in fish egg and larval production by pelagic and bottom spawners in a large Newfoundland coastal embayment. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 65(2):159-175.
- Soares, M.C., R. Bshary, S.C. Cardoso & I.M. Côté. 2008. Does competition for clients increase service quality in cleaning gobies? *Ethology* 114(6):625-632.
- Sommer, U. & K. Lengfellner. 2008. Climate change and the timing, magnitude, and composition of the phytoplankton spring bloom. *Global Change Biology* 14(6):1199-1208.
- Sopanen, S., M. Koski, P. Uronen, P. Kuuppo, S. Lehtinen, C. Legrand & T. Tamminen. 2008. *Prymnesium parvum* exotoxins affect the grazing and viability of the calanoid copepod *Eurytemora affinis*. *Marine Ecology Progress Series* 361:191-202.
- Sousa, G.L., P.H. Lenz, D.K. Hartline & A.E. Christie. 2008. Distribution of pigment dispersing hormone- and tachykinin-related peptides in the central nervous system of the copepod crustacean *Calanus finmarchicus*. *General and Comparative Endocrinology* 156(3):454-459.
- Sousa, W., J.L. Attayde, E.S. Rocha & E.M. Eskinazi-Sant'Anna. 2008. The response of zooplankton assemblages to variations in the water quality of four man-made lakes in semi-arid northeastern Brazil. *Journal of Plankton Research* 30(6):699-708.
- Steinberg, D.K., B.A.S. Van Mooy, K.O. Buesseler, P.W. Boyd, T. Kobari & D.M. Karl. 2008. Bacterial vs.

- zooplankton control of sinking particle flux in the ocean's twilight zone. *Limnology & Oceanography* 53(4):1327-1338.
- Suárez-Morales, E. & D. Pilz. 2008. A new species of *Cymbasoma* (Copepoda: Monstrilloida) from Florida with a redescription of *C. quadridens*. *Journal of the Marine Biological Association of the United Kingdom* 88(3):527-533.
- Suárez-Morales, E., G. Rodríguez-Almaraz, M.A. Gutiérrez-Aguirre & E. Walsh. 2008. The coastal-estuarine copepod, *Eurytemora affinis* (Poppe) (Calanoida, Temoridae), from arid inland areas of Mexico: an expected occurrence? *Crustaceana* 81(6):679-694.
- Sun, H., P.W. Benzie, N. Burns, D.C. Hendry, M.A. Player & J. Watson. 2008. Underwater digital holography for studies of marine plankton. *Philosophical Transactions of the Royal Society A, Mathematical, Physical & Engineering Sciences* 366(1871):1789-1806.
- Suzuki, K.W., A. Kasai, T. Isoda, K. Nakayama & M. Tanaka. 2008. Distinctive stable isotope ratios in important zooplankton species in relation to estuarine salinity gradients: potential tracer of fish migration. *Estuarine, Coastal and Shelf Science* 78(3):541-550.
- Tanimura, A., H. Hattori, Y. Miyamoto, T. Hoshiai & M. Fukuchi. 2008. Diel changes in vertical distribution of *Oithona similis* (Cyclopoida) and *Oncaea curvata* (Poecilostomatoida) under sea ice in mid-summer near Syowa Station, Antarctica. *Polar Biology* 31(5):561-567.
- Terui, T. & M.J. Kishi. 2008. Population dynamics model of Copepoda (*Neocalanus cristatus*) in the northwestern subarctic Pacific. *Ecological Modelling* 215(1-3):77-88.
- Therriault, T.W. & L.-M. Herborg. 2008. A qualitative biological risk assessment for vase tunicate *Ciona intestinalis* in Canadian waters: using expert knowledge. *Fifth International Conference on Marine Bioinvasions. ICES Journal of Marine Science: Journal du Conseil* 65(5):781-787.
- Thieltges, D.W., K.T. Jensen & R. Poulin. 2008. The role of biotic factors in the transmission of free-living endohelminth stages. *Parasitology* 135(4):407-426.
- Thor, P., T.G. Nielsen & P. Tiselius. 2008. Mortality rates of epipelagic copepods in the post-spring bloom period in Disko Bay, western Greenland. *Marine Ecology Progress Series* 359:151-160.
- Thorne, R.E. & G.L. Thomas. 2008. Acoustic assessment of trophic dominance in a marine ecosystem. *Journal of the Acoustical Society of America* 123(5):2992.
- Titelman, J., L. Riemann, K. Holmfeldt & T. Nilsen. 2008. Copepod feeding stimulates bacterioplankton activities in a low phosphorus system. *Aquatic Biology* 2(2):131-141.
- Trochine, C., E. Balseiro & B. Modenutti. 2008. Zooplankton of fishless ponds of northern Patagonia: Insights into predation effects of *Mesostoma ehrenbergii*. *International Review of Hydrobiology* 93(3):312-327.
- Tseng, L.-C., S. Souissi, H.-U. Dahms, Q.-C. Chen & J.-S. Hwang. 2008. Copepod communities related to water masses in the southwest East China Sea. *Helgoland Marine Research* 62(2):153-165.
- Uttieri, M., E.R. Brown, G.A. Boxshall & M.G. Mazzocchi. 2008. Morphology of antennular sensors in *Clausocalanus furcatus* (Copepoda: Calanoida). *Journal of the Marine Biological Association of the United Kingdom* 88(3):535-541.
- Vaupel Klein, J.C. von. 2008. Review of: J. Mauchline, 1998. The biology of calanoid copepods. *Crustaceana* 81(6):763-764.
- Vaupel Klein, J.C. von. 2008. Review of: L. I. Sazhina, 2006. Breeding, growth rates, and production of marine copepods. *Crustaceana* 81(6):764-765.
- Vaupel Klein, J.C. von. 2008. Review of: C.-S. Lee, P. J. O'Bryen & N. H. Marcus (eds.), 2005. Copepods in aquaculture. *Crustaceana* 81(6):765-766.
- Veltman, K., M.A.J. Huijbregts, M. Van Kolck, W.Y. Wang & A.J. Hendriks. 2008. Metal bioaccumulation in aquatic species: Quantification of uptake and elimination rate constants using physicochemical properties of metals and physiological characteristics of species. *Environmental Science and Technology* 42(3):852-858.
- Ventura, M. & J. Catalan. 2008. Incorporating life histories and diet quality in stable isotope interpretations of crustacean zooplankton. *Freshwater Biology* 53(7):1453-1469.
- Ventura, M., L. Liboriussen, T. Lauridsen, M. Søndergaard & E. Jeppesen. 2008. Effects of increased temperature and nutrient enrichment on the stoichiometry of primary producers and consumers in temperate shallow lakes. *Freshwater Biology* 53(7):1434-1452.
- Vezzulli, L., M. Moreno, V. Marin, E. Pezzati, M. Bartoli & M. Fabiano. 2008. Organic waste impact of capture-based Atlantic bluefin tuna aquaculture at an exposed site in the Mediterranean Sea. *Estuarine, Coastal and Shelf Science* 78(2):369-384.
- Villalobos, M. & E.J. González. 2008. Diel vertical migration of zooplankton in a permanently stratified small tropical reservoir (Tierra Blanca, Venezuela). *Proceedings of the International Association of Theoretical and Applied Limnology* 30(2):239-241.
- Vumazonke, L.U., T.S. Mainoane, T. Bushula & E.A. Pakhomov. 2008. A preliminary investigation of winter daily food intake by four small teleost fish species from the Igoda Estuary, Eastern Cape, South Africa. *African Journal of Aquatic Science* 33(1):83-86.
- Walker, P.D., J.E. Harris, G. van der Velde & S.E. Wendelaar Bonga. 2008. Effect of host weight on the distribution of *Argulus foliaceus* (L.) (Crustacea, Branchiura) within a fish community. *Acta Parasitologica* 53(2):165-172.
- Warren, J.D. & P.H. Wiebe. 2008. Accounting for biological and physical sources of acoustic backscatter improves estimates of zooplankton biomass. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 65(7):1321-1333.

- Watermann, B., A. Thomsen, H. Kolodzey, B. Daehne, M. Meemken, U. Pijanowska & G. Liebezeit. 2008. Histopathological lesions of molluscs in the harbour of Norderney, Lower Saxony, North Sea (Germany). *Helgoland Marine Research* 62(2):167-175.
- Weisse, T. 2008. Review of: Limnoecology: The Ecology of Lakes and Streams. By W. Lampert and U. Sommer, 2nd edition. *Journal of Plankton Research* 30(4):489-490.
- Wichard, T., S.A. Poulet, A.-L. Boulesteix, J.B. Ledoux, B. Lebreton, J. Marchetti & G. Pohnert. 2008. Influence of diatoms on copepod reproduction. II. Uncorrelated effects of diatom-derived $\alpha, \beta, \gamma, \delta$ -unsaturated aldehydes and polyunsaturated fatty acids on *Calanus helgolandicus* in the field. *Progress in Oceanography* 77(1):30-44.
- Willett, C.S. 2008. No evidence for faster male hybrid sterility in population crosses of an intertidal copepod (*Tigriopus californicus*). *Genetica* 133(2):129-136.
- Williamson, C.E., W. Dodds, T.K. Kratz & M.A. Palmer. 2008. Lakes and streams as sentinels of environmental change in terrestrial and atmospheric processes. *Frontiers in Ecology and the Environment* 6(5):247-254.
- Wurdinger, T., C. Badr, L. Pike, R. de Kleine, R. Weissleder, X.Q. Breakefield & B.A. Tannous. 2008. A secreted luciferase for ex vivo monitoring of in vivo processes. *Nature Methods* 5(2):171-173.
- Wyngaard, G.A. & J.W. Reid. 2008. Copepod crustaceans collected on and near Plummers Island, Maryland. *Bulletin of the Biological Society of Washington* 15:44-48.
- Yoo, S., H.P. Batchelder, W.T. Peterson & W.J. Sydeman. 2008. Seasonal, interannual and event scale variation in North Pacific ecosystems. *Progress in Oceanography* 77(2):155-181.
- Yoon, H.-S., C.-W. Park, S.-Y. Moon, K.-H. Han, H.-L. Suh, Y.-K. An & S.-D. Choi. 2008. Comparative stomach contents and growth of the juvenile black rockfish *Sebastes inermis* reared in illuminated and unilluminated cages. *Fisheries Science* 74(3):657-661.
- Yoshizawa, K. & S. Nogami. 2008. The first report of phototaxis of fish ectoparasite, *Argulus japonicus*. *Research in Veterinary Science* 85(1):128-130.
- Yusuf, A.A., S. Richards, L. Webster & P. Pollard. 2008. Lipid composition of the copepod *Calanus finmarchicus* (Gunnerus) from the Irminger Sea North Atlantic changes with season and life cycle stages. *Asian Journal of Scientific Research* 1(4):351-362.
- Zhao, J.-y., M. Ramin, V. Cheng & G.B. Arhonditsis. 2008. Competition patterns among phytoplankton functional groups: How useful are the complex mathematical models? *Acta Oecologica* 33(3):324-344.
- Zhou, J., X.-Z. Li & B.-Q. Li. 2008. Secondary productivity of macrobenthos from the *Calanus sinicus* over-summer area in the Yellow Sea. *Acta Zoologica Sinica* 54(3):436-441.
- Zhou, S.-c., T. Tang, Naicheng Wu, X.-c. Fu & Q.-h. Cai. 2008. Impacts of a small dam on riverine zooplankton. *International Review of Hydrobiology* 93(3):297-311.
- Zu, G.-z., Z. Wei, S.-q. Ding, L. Zu, S.-b. Chen, J.-g. Zhen, Z.-d. Zhang, Z.-b. Zheng & H. Wang. 2008. Investigation on the plankton in newly constructed Dafangying reservoir of Hefei city. *Anhui Nongye Daxue Xuebao / Journal of Anhui Agricultural University* 35(1):111-118. [In Chinese; abstract in English.]

RECENT THESES and DISSERTATIONS

- Alapet, Gem. 2005. Hydrobiological studies on Muttukadu backwater. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Aldamman, Lama. 2008. Rôle des copépodes dans le réseau trophique pélagique. Dynamique de population de *Temora stylifera*. [Role of copepods in the pelagic food web. Dynamics of the population of *Temora stylifera*.] Thèse de Doctorat, Université Pierre & Marie Curie, Paris VI, Paris, France. Pp. 1-153 + Annexes 1-5. [In French.]
- Arroyo-Bustos, G.A.M. 2005. Análisis comparativo de la comunidad de los crustáceos de los embalses: Trinidad Fabela, Tepuxtepec e Ignacio Ramírez, del Alto Lerma, México. [Comparative analysis of the crustacean community of the reservoirs: Trinidad Fabela, Tepuxtepec and Ignacio Ramírez, of Alto Lerma, Mexico.] M.S. Thesis, Instituto Politécnico Nacional, Escuela Nacional de Ciencias Biológicas, México, D.F., Mexico. 79 pp. [In Spanish.]
- Azevedo, Fábio. 2006. Influência ecológica do tamanho do corpo na densidade e diversidade zooplanctônicas em lagoas fechadas da planície de inundação do alto rio Paraná (PR-MS). [Ecological influences of body size on zooplankton density and diversity in closed lakes of the Upper Paraná River floodplain (PR-MS).] Tese de Doutorado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 32 pp. [In Portuguese.]
- Barquete, Viviane. 2006. Desenvolvimento, caracterização e infecção experimental de anisquídeos (Anisakidae: Nematoda) em laboratório. [Development, characterization and experimental infection of anisakids (Anisakidae: Nematoda) in the laboratory.] Dissertação de Mestrado, Fundação Universidade Federal do Rio Grande, Rio Grande, Rio Grande do Sul, Brazil. 25 pp. [In Portuguese; abstract in English.]
- Bell, T.A. 2005. The impact of four-wheel drive vehicles on, and the natural variation of, sandy beach meiofauna. M.Sc. Thesis, University of New England, Armidale, New South Wales, Australia.
- Berkowitz, Joshua N. 2005. Isolating and sequencing the gene(s) encoding malic enzyme in the copepod *Tigriopus californicus* for investigation of the evolutionary process. Undergraduate Honors Thesis, University of North

- Carolina at Chapel Hill, Chapel Hill, North Carolina, U.S.A.
- Bharathi Devi, N.S. 2005. Hydrobiological studies on Adyar and Cooum estuaries. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Blukacz, E.A. 2007. Effects of wind on lake plankton patchiness and trophic interactions. Ph.D. Thesis, University of Toronto, Toronto, Ontario, Canada.
- Brooker, Adam Jonathan. 2007. Aspects of the biology and behaviour of *Lernaeocera branchialis* (Linnaeus, 1767) (Copepoda: Pennellidae). Ph.D. Thesis, University of Stirling, Stirling, Scotland.
- Busatto, E. 2008. Mesozooplankton dell' area delle Tegnue di Chioggia Maggio 2006 - Febbraio 2007. [Mesozooplankton of the Tegnue di Chioggia area, March 2006 - February 2007.] Tese di Laurea, Università degli studi di Padova, Padua, Italy. Pp. 1-62, Tabella I-IX. [In Italian.]
- Calles-Procel, Alba Katherine. 2006. Patronos espaciales y temporales de la meiofauna en playas arenosas ecuatorianas, con un enfoque sobre biodiversidad de nemátodos. Spatial and temporal patterns of meiofauna along Ecuadorian sandy beaches, with a focus on nematode biodiversity. Ph.D. Thesis, Universiteit Gent, Ghent, Belgium. 200 pp. + appendices. [In Spanish.]
- Castro, Bruno Branco. 2007. Ecologia e seleção de habitat em crustáceos zooplânctônicos de lagos pouco profundos. [Ecology and habitat selection in zooplankton crustaceans of shallow lakes.] Tese de Doutorado, Universidade de Aveiro, Aveiro, Portugal. [In Portuguese; abstract in English.]
- Chitra, J. 2007. Environmental and experimental investigations on some copepods from Muttukadu backwaters, Tamilnadu, South India. Ph.D. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Claudet, Valentina. 2006. Hydrobiological studies in Narayanapuram lake at Pallikaranai. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Commien, L. 2005. Approche de la variabilité du zooplancton dans le Pacifique Equatoriale. [On the variability of the zooplankton in the Equatorial Pacific.] M.S. Thesis, École Nationale Supérieure d'Ingenieurs des Études et Techniques d'Armements, Brest, France. 50 pp. [In French.]
- Corrêa, Michéle de Oliveira Dias Alves. 2008. Estudo da fauna aquática associada à vegetação do mangue do Rio da Fazenda, Ubatuba (SP), através de experimentos de manipulação. [Study of the aquatic fauna associated with mangrove vegetation of the Fazenda River, Ubatuba (SP), through manipulation experiments.] Tese de Doutorado, Universidade Estadual Paulista, Botucatu, São Paulo, Brazil. [In Portuguese.]
- Costa, K.G. da. 2007. Composição e variação temporal do zooplâncton do estuário do rio Taperaçu (Bragança-Pará-Brasil). [Composition and temporal variation of the Taperaçu River estuary (Bragança-Pará-Brasil).] Dissertação de Mestrado, Universidade Federal do Pará, Bragança, Pará, Brazil. 65 pp. [In Portuguese.]
- Dalto, Adriana Galinda. 2005. Réponses du méiobenthos des fonds vaseux du Lagon Sud-Ouest de la Nouvelle-Calédonie aux perturbations d'origine anthropique et terrigène. [Responses of the meiobenthos of sandy bottoms of the Southwest Lagoon of New Caledonia to disturbances of anthropic and terrigenous origin.] Ph.D. Thesis, Université Pierre et Marie Curie (Paris 6), PARIS 6, France. [In French.]
- Divya, T.M. 2006. Hydrobiological studies in Velacherry lake, Chennai. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Drenner, Stephen Matthew. 2008. Crustacean zooplankton community structure in temporary and permanent ponds in a Texas grassland. M.S. Thesis, Texas Christian University, Fort Worth, Texas, U.S.A. 28 pp.
- Eden, Bethany Rose. 2008. Zooplankton community structure in a cyclonic and mode-water eddy in the Sargasso Sea. M.Sc. Thesis, College of William and Mary in Virginia, Williamsburg, Virginia, U.S.A. 70 pp.
- Ekblad, Cathy. 2008. The effect of predatory chaetognaths on zooplankton assemblages at the start of the spring bloom in Glacier Bay, Alaska, U.S.A. Senior Thesis, University of Washington, Seattle, Washington, U.S.A.
- Elayeraja, P. 2005. Studies on seasonal and diurnal variation of plankton and water quality in estuaries along the coast of Tamilnadu. Ph.D. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- El-Sabaawi, Rana. 2008. Trophic dynamics of copepods in the Strait of Georgia. Ph.D. Dissertation, University of Victoria, Victoria, British Columbia, Canada. 132 pp.
- Fuchs, Andreas. 2007. Erhebung und Beschreibung der Grundwasserfauna in Baden-Württemberg. [Collection and description of the groundwater fauna in Baden-Württemberg.] Doctoral Dissertation, Universität Koblenz-Landau, Landau, Germany. 109 pp. [In German.]
- Godet, Laurent. 2008. L'évaluation des besoins de conservation d'un patrimoine naturel littoral marin. L'exemple des estrans meubles de l'archipel de Chausey. The evaluation of the conservation needs of a marine littoral heritage. The example of the intertidal sandflats of the Chausey archipelago. Ph.D. Thesis, Museum national d'Histoire naturelle, Paris, France. [In French; abstract in English.]
- Gonzalez, Rodrigo. 2008. Efectos de la radiación ultravioleta en la movilidad de especies zooplánctónicas de agua dulce. [Effects of ultraviolet radiation on the mobility of freshwater zooplankton species.] Tesis de Doctorado, Universidad Nacional del Comahue, Comahue, Argentina. [In Spanish.]
- Goodell, Alexandra. 2008. Behavioral evidence of color vision in the Negligible Image Color Eye (NICE)

- copepod *Diaptomus nevadensis*. M.A. Thesis, Humboldt State University, Arcata, California, U.S.A. 111 pp.
- Hjorth, Morten. 2005. Responses of marine plankton to pollutant stress: Integrated community studies of structure and function. Ph.D. Thesis, Roskilde University, Roskilde, Denmark. 32 pp.
- Kanniga, S. 2008. Life history studies of *Oithona brevicornis*. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Leandro, Sérgio Miguel Franco Martins. 2008. Environmental forcing of an estuarine gradient of zooplankton abundance and production. Ph.D. Thesis, Universidade de Aveiro, Aveiro, Portugal. [In English; abstract in Portuguese.]
- Leisy, Heather. 2006. Temperature tolerance of *Tigriopus californicus*. Undergraduate Honors Thesis, University of North Carolina at Chapel Hill, Chapel Hill, North Carolina, U.S.A.
- Litz, Marisa N.C. 2008. Ecology of the northern subpopulation of northern anchovy (*Engraulis mordax*) in the California Current large marine ecosystem. M.Sc. Thesis, Oregon State University, Corvallis, Oregon, U.S.A.
- Mair, Angus McDonald. 2008. Investigation into a prominent 38 kHz scattering layer in the North Sea. Ph.D. Thesis, University of St Andrews, St Andrews, Scotland.
- Malarselvi, P. 2005. Effect of temperature, pH and food concentration on the survival and post-embryonic development of *Neodiaptomus satanus* (Brehm) (Copepoda: Calanoida). M.Phil. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Mongar, Bal Bahadur. 2007. Hydrobiological studies of two freshwater ecosystems – Krishnagiri dam (India) and Sunkosh river (Bhutan). M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Muthulakshmi. 2007. Effect of temperature, pH, photoperiod on the survival and life history of *Mesocyclops leuckarti* (Claus, 1857). M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Palazzo, Fabiana. 2006. Ovos de resistência e suas implicações na diversidade da comunidade zooplanctônica em uma lagoa fechada da planície de inundação do alto rio Paraná. [Resistance eggs and their implications for the diversity of the zooplankton community in a closed lake of the Upper Paraná River floodplain.] Dissertação de Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. [In Portuguese.]
- Pannuti, Carolina Vianna. 2006. Diversidade de meiofauna e correlações com fontes de poluição orgânica na Praia de Barequeçaba, São Sebastião, SP. [Diversity of meiofauna and correlations with sources of organic pollution in Barequeçaba Beach, São Sebastião, SP.] Dissertação de Mestrado, Universidade de São Paulo, São Paulo, Brazil. [In Portuguese.]
- Pérez, Patricia. 2007. Efectos directos e indirectos de la radiación ultravioleta en consumidores primarios de ambientes acuáticos patagónicos. [Direct and indirect effects of ultraviolet radiation on primary consumers of Patagonian aquatic environments.] Tesis de Doctorado, Universidad Nacional del Comahue, Comahue, Argentina. [In Spanish.]
- Poornima, D. 2006. Hydrobiological studies in Kaiveyli lake, Chennai. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Rao, Sujeevana. 2005. Hydrobiological studies on Pulicat lake. M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Robert, Dominique. 2008. Croissance larvaire et force du recrutement chez le maquereau bleu du sud du golfe du Saint-Laurent. [Larval growth and recruitment strength in the Atlantic mackerel in the southern Gulf of Saint Lawrence.] Ph.D. Thesis, Université Laval, Québec City, Québec, Canada. [In French; abstract in English.]
- Rocco, Vanina. 2005. Efectos de la radiación ultravioleta sobre las interacciones entre zooplancton e ictioplancton en lagos patagónicos. [Effects of ultraviolet radiation on the interactions between zooplankton and ichthyoplankton in Patagonian lakes.] Tesis de Doctorado, Universidad de Buenos Aires, Buenos Aires, Argentina. [In Spanish.]
- Santos, Francini Vila dos. 2005. Densidade de microcrustáceos em diferentes reservatórios do Estado do Paraná, com distintos graus de trofia. [Density of microcrustaceans in different reservoirs of the State of Paraná, with different degrees of trophy.] Dissertação de Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. 42 pp. [In Portuguese.]
- Sarumathi, P. 2007. Impact of phytoplankton in the biochemical composition of *Mesocyclops leuckarti* (Claus, 1857). M.Sc. Thesis, University of Madras, Guindy Campus, Chennai, Madras, India.
- Sobral, Luciana Davina Tosta. 2006. Caracterização da comunidade de meiofauna da praia de Catussaba (Stella Mares, Salvador - Bahia). [Characterization of the meiofauna community of Catussaba Beach (Stella Mares, Salvador - Bahia).] Undergraduate Thesis, Universidade Federal da Bahia, Salvador, Bahia, Brazil. [In Portuguese.]
- Stenberg, Claus. 2007. Recruitment processes in West Greenland waters: with special focus on Greenland halibut (*Reinhardtius hippoglossoides*, W.). Ph.D. Thesis, University of Bergen, Bergen, Norway.
- Warembourg, Caroline. 2005. Couplage entre hydrodynamisme et hétérogénéité spatiale du zooplancton et de la neige marine en Méditerranée. [Coupling between hydrodynamism and spatial heterogeneity of the zooplankton and marine snow in the Mediterranean.] Thèse de Doctorat de l'Université Pierre & Marie Curie, Paris VI, Paris, France. [In French.]